
References

- Ahn AN, Monti RJ & Biewener AA (2003). In vivo and in vitro heterogeneity of segment length changes in the semimembranosus muscle of the toad. *J Physiol* **549**, 877–888.
- Akagi R, Iwanuma S, Hashizume S, Kanehisa H, Yanai T & Kawakami Y (2012). In vivo measurements of moment arm lengths of three elbow flexors at rest and during isometric contractions. *J Appl Biomech* **28**, 63–69.
- van Antwerp KW, Burkholder TJ & Ting LH (2007). Inter-joint coupling effects on muscle contributions to endpoint force and acceleration in a musculoskeletal model of the cat hindlimb. *J Biomech* **40**, 3570–3579.
- Arndt A, Bengtsson AS, Peolsson M, Thorstensson A & Movin T (2012). Non-uniform displacement within the Achilles tendon during passive ankle joint motion. *Knee Surg Sport Traumatol Arthrosc* **20**, 1868–1874.
- Azizi E & Deslauriers AR (2014). Regional heterogeneity in muscle fiber strain: the role of fiber architecture. *Front Physiol* **5**, 303.
- Ball N & Scurr JC (2015). Task and intensity alters the RMS proportionality ratio in the triceps surae. *Muscle Nerve* **51**, 890–898.
- Bauman JM & Chang YH (2010). High-speed X-ray video demonstrates significant skin movement errors with standard optical kinematics during rat locomotion. *J Neurosci Methods* **186**, 18–24.
- Bernabei M, van Dieën JH, Baan GC & Maas H (2015). Significant mechanical interactions at physiological lengths and relative positions of rat plantar flexors. *J Appl Physiol* **118**, 427–436.
- Bojsen-Møller J, Schwartz S, Kalliokoski KK, Finni T & Magnusson SP (2010). Intermuscular force transmission between human plantarflexor muscles in vivo. *J Appl Physiol* **109**, 1608–1618.
- De Bruin M, Smeulders MJ, Kreulen M, Huijting PA & Jaspers RT (2014). Intramuscular connective tissue differences in spastic and control muscle: a mechanical and histological study. *PLoS One* **9**, e101038.
- Burton K, Zagotta WN & Baskin RJ (1989). Sarcomere length behaviour along single frog muscle fibres at different lengths during isometric tetani. *J Muscle Res Cell Motil* **10**, 67–84.
- Cameron WE, Binder MD, Botterman BR, Reinking RM & Stuart DG (1981). “Sensory partitioning” of cat medial gastrocnemius muscle by its muscle spindles and tendon organs. *J Neurophysiol* **46**, 32–47.

- Canu MH & Garnier C (2009). A 3D analysis of fore- and hindlimb motion during overground and ladder walking: comparison of control and unloaded rats. *Exp Neurol* **218**, 98–108.
- Carrasco DI, Lawrence J & English AW (1999). Neuromuscular compartments of cat lateral gastrocnemius produce different torques about the ankle joint. *Motor Control* **3**, 436–446.
- Close R (1964). Dynamic properties of fast and slow skeletal muscles of the rat during development. *J Physiol* **173**, 74–95.
- Diong J & Herbert RD (2015). Is ankle contracture after stroke due to abnormal intermuscular force transmission? *J Appl Biomech* **31**, 13–18.
- Ellis RF (2012). Comparison of different neural mobilization exercises upon longitudinal sciatic nerve movement: an in-vivo study utilizing ultrasound imaging. *J Orthop Sports Phys Ther* **42**, 667–675.
- Eng CM, Smallwood LH, Rainiero MP, Lahey M, Ward SR & Lieber RL (2008). Scaling of muscle architecture and fiber types in the rat hindlimb. *J Exp Biol* **211**, 2336–2345.
- Felder A, Ward SR & Lieber RL (2005). Sarcomere length measurement permits high resolution normalization of muscle fiber length in architectural studies. *J Exp Biol* **208**, 3275–3279.
- García-Pelagio KP, Bloch RJ, Ortega A & González-Serratos H (2011). Biomechanics of the sarcolemma and costameres in single skeletal muscle fibers from normal and dystrophin-null mice. *J Muscle Res Cell Motil* **31**, 323–336.
- Garfin SR, Tipton CM, Mubarak SJ, Woo SL, Hargens AR & Akeson WH (1981). Role of fascia in maintenance of muscle tension and pressure. *J Appl Physiol* **51**, 317–320.
- Gorassini M, Eken T, Bennett DJ, Kiehn O & Hultborn H (2000). Activity of hindlimb motor units during locomotion in the conscious rat. *J Neurophysiol* **83**, 2002–2011.
- Gorselink M, Drost MR, de Louw J, Willems PJ, Rosielle N, Janssen JD & van der Vusse GJ (2000). Accurate assessment of in situ isometric contractile properties of hindlimb plantar and dorsal flexor muscle complex of intact mice. *Pflugers Arch* **439**, 665–670.
- Greene EC (1935). Anatomy of the rat. *Trans Amer Philos Soc* **27**, 1–370.
- Gregor RJ, Smith DW & Prilutsky BI (2006). Mechanics of slope walking in the cat: quantification of muscle load, length change, and ankle extensor EMG patterns. *J Neurophysiol* **95**, 1397–1409.
- Gruner JA & Altman J (1980). Swimming in the rat: analysis of locomotor performance in comparison to stepping. *Exp Brain Res* **40**, 374–382.

- Gruner JA, Altman J & Spivack N (1980). Effects of arrested cerebellar development on locomotion in the rat - Cinematographic and electromyographic analysis. *Exp Brain Res* **40**, 361–373.
- Herbert RD, Hoang PD & Gandevia SC (2008). Are muscles mechanically independent? *J Appl Physiol* **104**, 1549–1550.
- Hildebrand C, Oqvist G, Brax L & Tuisku F (1991). Anatomy of the rat knee joint and fibre composition of a major articular nerve. *Anat Rec* **229**, 545–555.
- Hill AV (1953). The mechanics of active muscle. *Proc R Soc Lond B Biol Sci* **141**, 104–117.
- Hodgson JA, Finni T, Lai AM, Edgerton VR & Sinha S (2006). Influence of structure on the tissue dynamics of the human soleus muscle observed in MRI studies during isometric contractions. *J Morphol* **267**, 584–601.
- Hoy MG, Zajac FE & Gordon ME (1990). A musculoskeletal model of the human lower extremity: the effect of muscle, tendon, and moment arm on the moment-angle relationship of musculotendon actuators at the hip, knee, and ankle. *J Biomech* **23**, 157–169.
- Hughes DC, Wallace MA & Baar K (2015). Effects of aging, exercise, and disease on force transfer in skeletal muscle. *Am J Physiol Endocrinol Metab* **309**, E1–E10.
- Huijing PA (2007). Epimuscular myofascial force transmission between antagonistic and synergistic muscles can explain movement limitation in spastic paresis. *J Electromyogr Kinesiol* **17**, 708–724.
- Huijing PA (2009). Epimuscular myofascial force transmission: A historical review and implications for new research. International society of biomechanics Muybridge award lecture, Taipei, 2007. *J Biomech* **42**, 9–21.
- Huijing PA & Baan GC (2001*a*). Extramuscular myofascial force transmission within the rat anterior tibial compartment: Proximo-distal differences in muscle force. *Acta Physiol Scand* **173**, 297–311.
- Huijing PA & Baan GC (2001*b*). Myofascial force transmission causes interaction between adjacent muscles and connective tissue: effects of blunt dissection and compartmental fasciotomy on length force characteristics of rat extensor digitorum longus muscle. *Arch Physiol Biochem* **109**, 97–109.
- Huijing PA & Baan GC (2003). Myofascial force transmission: muscle relative position and length determine agonist and synergist muscle force. *J Appl Physiol* **94**, 1092–1107.
- Huijing PA & Baan GC (2008). Myofascial force transmission via extramuscular pathways

- occurs between antagonistic muscles. *Cells Tissues Organs* **188**, 400–414.
- Huijing PA, Baan GC & Rebel GT (1998). Non-myotendinous force transmission in rat extensor digitorum longus muscle. *J Exp Biol* **201**, 683–691.
- Huijing PA, van de Langenberg RW, Meesters JJ & Baan GC (2007). Extramuscular myofascial force transmission also occurs between synergistic muscles and antagonistic muscles. *J Electromyogr Kinesiol* **17**, 680–689.
- Huijing PA & Maas H (2015). Adaptation of physiological cross-sectional area and serial number of sarcomeres after tendon transfer of rat muscle. *Scand J Med Sci Sports*, doi: 10.1111/sms.12431 [Epub ahead of print].
- Huijing PA, Maas H & Baan GC (2003). Compartmental fasciotomy and isolating a muscle from neighboring muscles interfere with myofascial force transmission within the rat anterior crural compartment. *J Morphol* **256**, 306–321.
- Huijing PA, Yaman A, Ozturk C & Yucesoy CA (2011). Effects of knee joint angle on global and local strains within human triceps surae muscle: MRI analysis indicating in vivo myofascial force transmission between synergistic muscles. *Surg Radiol Anat* **33**, 869–879.
- Huxley AF (1957). Muscle structure and theories of contraction. *Prog Biophys Biophys Chem* **7**, 255–318.
- Ishikawa M, Komi PV, Grey MJ, Lepola V & Bruggemann G-P (2005). Muscle-tendon interaction and elastic energy usage in human walking. *J Appl Physiol* **99**, 603–608.
- Jarc AM, Berniker M & Tresch MC (2013). FES control of isometric forces in the rat hindlimb using many muscles. *IEEE Trans Biomed Eng* **60**, 1422–1430.
- Johnson WL, Jindrich DL, Roy RR & Edgerton VR (2008). A three-dimensional model of the rat hindlimb: Musculoskeletal geometry and muscle moment arms. *J Biomech* **41**, 610–619.
- Johnson WL, Jindrich DL, Zhong H, Roy RR & Edgerton VR (2011). Application of a rat hindlimb model: a prediction of force spaces reachable through stimulation of nerve fascicles. *IEEE Trans Biomed Eng* **58**, 3328–3338.
- Julian FJ & Morgan DL (1979). Intersarcomere dynamics during fixed-end tetanic contractions of frog muscle fibres. *J Physiol* **293**, 365–378.
- Kawakami Y, Ichinose Y & Fukunaga T (1998). Architectural and functional features of human triceps surae muscles during contraction. *J Appl Physiol* **85**, 398–404.
- Kazuki K, Okada T & Naka Y (2005). Case of trigger finger related to an intertendinous connection between the flexor tendons. *J Hand Surg Am* **30**, 513–514.

- Keen DA & Fuglevand AJ (2003). Role of intertendinous connections in distribution of force in the human extensor digitorum muscle. *Muscle and Nerve* **28**, 614–622.
- Lawrence JH & Nichols TR (1999). A three-dimensional biomechanical analysis of the cat ankle joint complex: II. Effects of ankle joint orientation on evoked isometric joint torque. *J Appl Biomech* **15**, 106–119.
- Lawrence JH, Nichols TR & English AW (1993). Cat hindlimb muscles exert substantial torques outside the sagittal plane. *J Neurophysiol* **69**, 282–285.
- Lee SSM & Piazza SJ (2008). Inversion-eversion moment arms of gastrocnemius and tibialis anterior measured in vivo. *J Biomech* **41**, 3366–3370.
- Leijnse JN (1997). Measuring force transfers in the deep flexors of the musician's hand: theoretical analysis, clinical examples. *J Biomech* **30**, 873–882.
- Maas H, Baan GC & Huijijng PA (2001). Intermuscular interaction via myofascial force transmission: effects of tibialis anterior and extensor hallucis longus length on force transmission from rat extensor digitorum longus muscle. *J Biomech* **34**, 927–940.
- Maas H, Baan GC & Huijijng PA (2004). Muscle force is determined also by muscle relative position: isolated effects. *J Biomech* **37**, 99–110.
- Maas H, Baan GC, Huijijng PA, Yucesoy CA, Koopman BHFJM & Grootenboer HJ (2003*a*). The Relative Position of EDL Muscle Affects the Length of Sarcomeres Within Muscle Fibers: Experimental Results and Finite-Element Modeling. *J Biomech Eng* **125**, 745.
- Maas H, Gregor RJ, Hodson-Tole EF, Farrell BJ & Prilutsky BI (2009). Distinct muscle fascicle length changes in feline medial gastrocnemius and soleus muscles during slope walking. *J Appl Physiol* **106**, 1169–1180.
- Maas H & Huijijng PA (2005). Myofascial force transmission in dynamic muscle conditions: Effects of dynamic shortening of a single head of multi-tendoned rat extensor digitorum longus muscle. *Eur J Appl Physiol* **94**, 584–592.
- Maas H & Huijijng PA (2009). Synergistic and antagonistic interactions in the rat forelimb: acute effects of coactivation. *J Appl Physiol* **107**, 1453–1462.
- Maas H & Huijijng PA (2011). Myofascial force transmission between transferred rat flexor carpi ulnaris muscle and former synergistic palmaris longus muscle. *Muscles Ligaments Tendons J* **1**, 127–133.
- Maas H & Huijijng PA (2012). Mechanical effect of rat flexor carpi ulnaris muscle after tendon transfer: does it generate a wrist extension moment? *J Appl Physiol* **112**, 607–614.
- Maas H, Meijer HJM & Huijijng PA (2005). Intermuscular interaction between synergists in

-
- rat originates from both intermuscular and extramuscular myofascial force transmission. *Cells Tissues Organs* **181**, 38–50.
- Maas H & Sandercock TG (2008). Are skeletal muscles independent actuators? Force transmission from soleus muscle in the cat. *J Appl Physiol* **104**, 1557–1567.
- Maas H & Sandercock TG (2010). Force transmission between synergistic skeletal muscles through connective tissue linkages. *J Biomed Biotechnol* **2010**, 575672.
- Maas H, Yucesoy CA, Baan GC & Huijing PA (2003b). Implications of muscle relative position as a co-determinant of isometric muscle force. *J Mech Med Biol* **03**, 145–168.
- Maganaris CN, Baltzopoulos V & Sargeant AJ (1998). Changes in Achilles tendon moment arm from rest to maximum isometric plantarflexion: in vivo observations in man. *J Physiol* **510**, 977–985.
- Maganaris CN, Baltzopoulos V & Sargeant AJ (1999). Changes in the tibialis anterior tendon moment arm from rest to maximum isometric dorsiflexion: in vivo observations in man. *Clin Biomech* **14**, 661–666.
- Mair WGP & Tomé FMS (1972). The ultrastructure of the adult and developing human myotendinous junction. *Acta Neuropathol* **21**, 239–252.
- Markin SN, Lemay MA, Prilutsky BI & Rybak IA (2012). Motoneuronal and muscle synergies involved in cat hindlimb control during fictive and real locomotion: a comparison study. *J Neurophysiol* **107**, 2057–2071.
- Meijer HJM, Baan GC & Huijing PA (2006). Myofascial force transmission is increasingly important at lower forces: firing frequency-related length-force characteristics of rat extensor digitorum longus. *Acta Physiol* **186**, 185–195.
- Meijer HJM, Rijkelijhuizen JM & Huijing PA (2008). Effects of firing frequency on length-dependent myofascial force transmission between antagonistic and synergistic muscle groups. *Eur J Appl Physiol* **104**, 501–513.
- Mortimer J & Bhadra N (2004). Peripheral nerve and muscle stimulation. In *Neuroprosthetics: Theory and Practice*, ed. Horsch K & Dhillon G, pp. 638–682. World Scientific Publishing Company, River Edge, NJ.
- Olesen AT, Jensen BR, Uhlendorf TL, Cohen RW, Baan GC & Maas H (2014). Muscle specific changes in length-force characteristics of the calf muscles in the spastic Han-Wistar rat. *J Appl Physiol* **117**, 989–997.
- Perreault EJE, Heckman CJ & Sandercock TG (2002). Three-dimensional moment and stiffness summation for muscles sharing a common tendon. In *Proceedings of the Second*
-

- Joint EMBS-BMES Conference*, pp. 2554–2555. IEEE.
- Petrof BJ, Shrager JB, Stedman HH, Kelly AM & Sweeney HL (1993). Dystrophin protects the sarcolemma from stresses developed during muscle contraction. *Proc Natl Acad Sci U S A* **90**, 3710–3714.
- Pierotti DJ, Roy RR, Gregor RJ & Edgerton VR (1989). Electromyographic activity of cat hindlimb flexors and extensors during locomotion at varying speeds and inclines. *Brain Res* **481**, 57–66.
- Powers RK & Binder MD (1991). Summation of motor unit tensions in the tibialis posterior muscle of the cat under isometric and nonisometric conditions. *J Neurophysiol* **66**, 1838–1846.
- Prodanov D, Thil M-A, Marani E, Delbeke J & Holsheimer J (2005). Three-dimensional topography of the motor endplates of the rat gastrocnemius muscle. *Muscle Nerve* **32**, 292–302.
- Rassier DE (2012). The mechanisms of the residual force enhancement after stretch of skeletal muscle: non-uniformity in half-sarcomeres and stiffness of titin. *Proc Biol Sci* **279**, 2705–2713.
- Restaino SM, Abliz E, Wachrathit K, Krauthamer V & Shah SB (2014). Biomechanical and functional variation in rat sciatic nerve following cuff electrode implantation. *J Neuroeng Rehabil* **11**, 73.
- Riewald SA & Delp SL (1997). The action of the rectus femoris muscle following distal tendon transfer: does it generate knee flexion moment? *Dev Med Child Neurol* **39**, 99–105.
- Rijkelijkhuizen JM, Meijer HJM, Baan GC & Huijling PA (2007). Myofascial force transmission also occurs between antagonistic muscles located within opposite compartments of the rat lower hind limb. *J Electromyogr Kinesiol* **17**, 690–697.
- Rode C, Siebert T, Herzog W & Blickhan R (2009). The effects of parallel and series elastic components on the active cat soleus force-length relationship. *J Mech Med Biol* **9**, 105–122.
- Roy RR, Hutchison DL, Pierotti DJ, Hodgson JA & Edgerton VR (1991). EMG patterns of rat ankle extensors and flexors during treadmill locomotion and swimming. *J Appl Physiol* **70**, 2522–2529.
- De Ruyter CJ, De Haan A & Sargeant AJ (1995). Physiological characteristics of two extreme muscle compartments in gastrocnemius medialis of the anaesthetized rat. *Acta Physiol*

-
- Scand* **153**, 313–324.
- Sabatier MJ, To BN, Nicolini J & English AW (2011). Effect of axon misdirection on recovery of electromyographic activity and kinematics after peripheral nerve injury. *Cells Tissues Organs* **193**, 298–309.
- Sandercock TG (2000). Nonlinear summation of force in cat soleus muscle results primarily from stretch of the common-elastic elements. *J Appl Physiol* **89**, 2206–2214.
- Sandercock TG (2005). Summation of motor unit force in passive and active muscle. *Exerc Sport Sci Rev* **33**, 76–83.
- Sandercock TG & Maas H (2009). Force summation between muscles: are muscles independent actuators? *Med Sci Sports Exerc* **41**, 184–190.
- Schmidt A & Fischer MS (2011). The kinematic consequences of locomotion on sloped arboreal substrates in a generalized (*Rattus norvegicus*) and a specialized (*Sciurus vulgaris*) rodent. *J Exp Biol* **214**, 2544–2559.
- von Schroeder HP & Botte MJ (1995). Anatomy of the extensor tendons of the fingers: variations and multiplicity. *J Hand Surg Am* **20**, 27–34.
- Sheard PW, Mchannigan P & Duxson MJ (1999). Single and Paired Motor Unit Performance in Skeletal Muscles: Comparison Between Simple and Series-Fibred Muscles from the Rat and the Guinea Pig. *Basic Appl Myol* **9**, 79–87.
- Siebert T, Till O, Stutzig N, Günther M & Blickhan R (2014). Muscle force depends on the amount of transversal muscle loading. *J Biomech* **47**, 1822–1828.
- Smeulders MJC & Kreulen M (2007). Myofascial force transmission and tendon transfer for patients suffering from spastic paresis: a review and some new observations. *J Electromyogr Kinesiol* **17**, 644–656.
- Smeulders MJC, Kreulen M, Joris Hage J, Baan GC & Huijijng PA (2002). Progressive surgical dissection for tendon transposition affects length-force characteristics of rat flexor carpi ulnaris muscle. *J Orthop Res* **20**, 863–868.
- Smilde HA, Vincent JA, Baan GC, Nardelli P, Cope TC & Maas H (2014). Sensory encoding by muscle receptors can be affected by epimuscular myofascial loads. In *Program No. 829.12. 2014 Neuroscience Meeting Planner. Washington, DC: Society for Neuroscience, 2014. Online.*
- Smith JL, Betts B, Edgerton VR & Zernicke RF (1980). Rapid ankle extension during paw shakes: selective recruitment of fast ankle extensors. *J Neurophysiol* **43**, 612–620.
- Street SF (1983). Lateral transmission of tension in frog myofibers: a myofibrillar network
-

- and transverse cytoskeletal connections are possible transmitters. *J Cell Physiol* **114**, 346–364.
- Tamaki H, Kirimoto H, Yotani K & Takekura H (2011). Frequent alternate muscle activity of plantar flexor synergists and muscle endurance during low-level static contractions as a function of ankle position. *J Physiol Sci* **61**, 411–419.
- Tian M, Herbert RD, Hoang P, Gandevia SC & Bilston LE (2012). Myofascial force transmission between the human soleus and gastrocnemius muscles during passive knee motion. *J Appl Physiol* **113**, 517–523.
- Tijs C, van Dieën JH, Baan GC & Maas H (2014). Three-dimensional ankle moments and nonlinear summation of rat triceps surae muscles. *PLoS One* **9**, e111595.
- Tijs C, van Dieën JH & Maas H (2015a). No functionally relevant mechanical effects of epimuscular myofascial connections between rat ankle plantar flexors. *J Exp Biol* **218**, 2935–2941.
- Tijs C, van Dieën JH & Maas H (2015b). Epimuscular myofascial force transmission in vivo. In *6th Annual MOVE Research Meeting*. MOVE Research Institute, Amsterdam, The Netherlands.
- Trotter JA (2002). Structure-function considerations of muscle-tendon junctions. *Comp Biochem Physiol - Part A Mol Integr Physiol* **133**, 1127–1133.
- Vieira TMM, Minetto MA, Hodson-Tole EF & Botter A (2013). How much does the human medial gastrocnemius muscle contribute to ankle torques outside the sagittal plane? *Hum Mov Sci* **32**, 753–767.
- Wakeling JM (2009). The recruitment of different compartments within a muscle depends on the mechanics of the movement. *Biol Lett* **5**, 30–34.
- Wehner T, Wolfram U, Henzler T, Niemeyer F, Claes L & Simon U (2010). Internal forces and moments in the femur of the rat during gait. *J Biomech* **43**, 2473–2479.
- Willems MET & Huijig PA (1994). Heterogeneity of mean sarcomere length in different fibres: effects on length range of active force production in rat muscle. *Eur J Appl Physiol Occup Physiol* **68**, 489–496.
- Yaman A, Ozturk C, Huijig PA & Yucesoy CA (2013). Magnetic resonance imaging assessment of mechanical interactions between human lower leg muscles in vivo. *J Biomech Eng* **135**, 91003.
- Yeo SH, Mullens CH, Sandercock TG, Pai DK & Tresch MC (2011). Estimation of musculoskeletal models from in situ measurements of muscle action in the rat hindlimb.

- J Exp Biol* **214**, 735–746.
- Young RP, Scott SH & Loeb GE (1992). An intrinsic mechanism to stabilize posture—joint-angle-dependent moment arms of the feline ankle muscles. *Neurosci Lett* **145**, 137–140.
- Young RP, Scott SH & Loeb GE (1993). The distal hindlimb musculature of the cat: multiaxis moment arms at the ankle joint. *Exp brain Res* **96**, 141–151.
- Yucesoy CA (2010). Epimuscular myofascial force transmission implies novel principles for muscular mechanics. *Exerc Sport Sci Rev* **38**, 128–134.
- Yucesoy CA, Baan GC, Koopman BHFJM, Grootenboer HJ & Huijing PA (2005). Prestrained epimuscular connections cause muscular myofascial force transmission to affect properties of synergistic EHL and EDL muscles of the rat. *J Biomech Eng* **127**, 819–828.
- Yucesoy CA, Koopman BHFJM, Baan GC, Grootenboer HJ & Huijing PA (2003). Effects of inter- and extramuscular myofascial force transmission on adjacent synergistic muscles: assessment by experiments and finite-element modeling. *J Biomech* **36**, 1797–1811.
- Yucesoy CA, Maas H, Koopman BHFJM, Grootenboer HJ & Huijing PA (2006). Mechanisms causing effects of muscle position on proximo-distal muscle force differences in extra-muscular myofascial force transmission. *Med Eng Phys* **28**, 214–226.