

10. Bibliography

- [1] A. J. Engler, S. Sen, H. L. Sweeney, and D. E. Discher, “Matrix elasticity directs stem cell lineage specification,” *Cell*, vol. 126, pp. 677–689, 2006.
- [2] A. W. Orr, B. P. Helmke, B. R. Blackman, and M. A. Schwartz, “Mechanisms of mechanotransduction,” *Developmental Cell*, vol. 10, pp. 11–20, 2006.
- [3] P. Lu, V. M. Weaver, and Z. Werb, “The extracellular matrix: A dynamic niche in cancer progression,” *J. Cell Biol.*, vol. 196, no. 4, pp. 395–406, 2012.
- [4] D. E. Jaalouk and J. Lammerding, “Mechanotransduction gone awry,” *Nature Reviews Molecular Cell Biology*, vol. 10, pp. 63–73, 2009.
- [5] K. R. Levental, H. M. Yu, L. Kass, J. N. Lakins, M. Egeblad, J. T. Erler, S. F. T. Fong, K. Csiszar, A. Giaccia, W. Weninger, M. Yamauchi, D. L. Gasser, and V. M. Weaver, “Matrix crosslinking forces tumor progression by enhancing integrin signaling,” *Cell*, vol. 139, no. 5, pp. 891–906, 2009.
- [6] O. Campás, T. Mammoto, S. Hasso, R. A. Sperling, D. O’Connell, A. G. Bischof, R. Maas, D. A. Weitz, L. Mahadevan, and D. E. Ingber, “Quantifying cell-generated mechanical forces within living embryonic tissues,” *Nature Methods*, vol. 11, no. 2, pp. 183–189, 2014.
- [7] T. Brunet, A. Bouclet, P. Ahmadi, D. Mitrossilis, B. Driquez, A.-C. Brunet, L. Henry, F. Serman, G. Béalle, C. Ménager, F. Dumas-Bouchiat, D. Givord, C. Yanicostas, D. Le-Roy, N. M. Dempsey, A. Plessis, and E. Farge, “Evolutionary conservation of early mesoderm specification by mechanotransduction in bilateria,” *Nature Communications*, vol. 4, p. 2821, 2013.
- [8] R. O. Hynes, “Integrins: bidirectional, allosteric signaling machines,” *Cell*, vol. 110, no. 6, pp. 673–687, 2002.
- [9] S. W. Moore, P. Roca-Cusachs, and M. P. Sheetz, “Stretchy proteins on stretchy substrates: The important elements of integrin-mediated rigidity sensing,” *Developmental Cell*, vol. 19, pp. 194–207, 2010.
- [10] A. M. Pasapera, I. C. Schneider, E. Rericha, D. D. Schlaepfer, and C. M. Waterman, “Myosin II activity regulates vinculin recruitment to focal adhesions through FAK-mediated paxillin phosphorylation,” *J. Cell Biol.*, vol. 188, no. 6, pp. 877–890, 2010.
- [11] G. Diez, V. Auernheimer, B. Fabry, and W. H. Goldmann, “Head/tail interaction of vinculin influences cell mechanical behavior,” *Biochem. Biophys. Res. Commun.*, vol. 406, no. 1, pp. 85–88, 2011.
- [12] A. Carisey, R. Tsang, A. M. Greiner, N. Nijenhuis, N. Heath, A. Nazgiewicz, R. Kemkemer, B. Derby, J. Spatz, and C. Ballestrem,

Bibliography

- “Vinculin regulates the recruitment and release of core focal adhesion proteins in a force-dependent manner,” *Current Biology*, vol. 23, pp. 271–281, 2013.
- [13] A. del Rio, R. Perez-Jimenez, R. Liu, P. Roca-Cusachs, J. M. Fernandez, and M. P. Sheetz, “Stretching single talin rod molecules activates vinculin binding,” *Science*, vol. 323, pp. 638–641, 2009.
- [14] Y. Sawada, M. Tamada, B. J. Dubin-Thaler, O. Cherniavskaya, R. Sakai, S. Tanaka, and M. P. Sheetz, “Force sensing by extension of the src family kinase substrate, p130cas,” *Cell*, vol. 127, no. 5, pp. 1015–1026, 2006.
- [15] H. van Hoorn, D. M. Donato, H. E. Balcioglu, E. H. Danen, and T. Schmidt, “p130cas is a mechanosensor that modulates force exertion,” *Proceedings of the National Academy of Sciences, U.S.A.*, in review.
- [16] E. A. Novikova and C. Storm, “Contractile fibers and catch-bond clusters: a biological force sensor?,” *Biophys. J.*, vol. 105, no. 6, pp. 1336–1345, 2013.
- [17] A. Elosegui-Artola, E. Bazellières, M. D. Allen, I. Andreu, R. Oria, R. Sunyer, J. J. Gomm, J. F. Marshall, J. L. Jones, X. Trepas, and P. Roca-Cusachs, “Rigidity sensing and adaptation through regulation of integrin types,” *Nature Materials*, vol. 13, no. 6, pp. 631–637, 2014.
- [18] D.-H. Kim, A. B. Chambliss, and D. Wirtz, “The multi-faceted role of the actin cap in cellular mechanosensation and mechanotransduction,” *Soft Matter*, vol. 9, pp. 5516–5523, 2013.
- [19] K. Burridge and E. S. Wittchen, “The tension mounts: Stress fibers as force-generating mechanotransducers,” *J. Cell Biol.*, vol. 200, no. 1, pp. 9–19, 2013.
- [20] K. Hayakawa, H. Tatsumi, and M. Sokabe, “Mechano-sensing by actin filaments and focal adhesion proteins,” *Communicative & Integrative Biology*, vol. 5, no. 6, pp. 572–577, 2012.
- [21] T. Kobayashi and M. Sokabe, “Sensing substrate rigidity by mechanosensitive ion channels with stress fibers and focal adhesions,” *Current Opinion in Cell Biology*, vol. 22, pp. 669–676, 2010.
- [22] S. Huveneers and J. de Rooij, “Mechanosensitive systems at the cadherin-F-actin interface,” *JCS*, vol. 126, pp. 1–11, 2013.
- [23] A. K. Barry, N. Wang, and D. E. Leckband, “Local VE-cadherin mechanotransduction triggers long-ranged remodeling of endothelial monolayers,” *Journal of Cell Science*, vol. 128, pp. 1341–1351, 2015.
- [24] J. D. Humphries, A. Byron, and M. J. Humphries, “Integrin ligands at a glance,” *Journal of Cell Science*, vol. 119, pp. 3901–3903, 2006.
- [25] P. D. Yurchenco, “Basement membranes: Cell scaffoldings and signaling platforms,” *Cold Spring Harb Perspect Biol*, vol. 3, p. a004911, 2011.
- [26] C. Frantz, K. M. Stewart, and V. M. Weaver, “The extracellular matrix at a glance,” *Journal of Cell Science*, vol. 123, pp. 4195–4200, 2010.
- [27] A. Wang, C. de la Motte, M. Lauer, and V. Hascall, “Hyaluronan matrices in pathobiological processes,” *FEBS Journal*, vol. 278, pp. 1412–1418, 2011.

-
- [28] J. E. Murphy-Ullrich and E. H. Sage, "Revisiting the matricellular concept," *Matric Biology*, vol. 37, pp. 1–14, 2014.
- [29] G. L. Lin, D. M. Cohen, R. A. Desai, M. T. Breckenridge, L. Gao, M. J. Humphries, and C. S. Chen, "Activation of beta 1 but not beta 3 integrin increases cell traction forces," *FEBS Letters*, vol. 587, no. 6, pp. 763–9, 2013.
- [30] O. Chaudhuri, S. T. Koshy, C. Branco da Cunha, J.-W. Shin, C. S. Verbeke, K. H. Allison, and D. J. Mooney, "Extracellular matrix stiffness and composition jointly regulate the induction of malignant phenotypes in mammary epithelium," *Nat Mater*, vol. 13, no. 10, pp. 970–978, 2014.
- [31] C. E. Barcus, P. J. Keely, K. W. Eliceiri, and L. A. Schuler, "Stiff collagen matrices increase tumorigenic prolactin signaling in breast cancer cells," *Journal of Biological Chemistry*, vol. 288, no. 18, pp. 12722–12732, 2013.
- [32] C. Gaggioli, S. Hooper, C. Hidalgo-Carcedo, R. Grosse, J. F. Marshall, K. Harrington, and E. Sahai, "Fibroblast-led collective invasion of carcinoma cells with differing roles for RhoGTPases in leading and following cells," *Nat Cell Biol*, vol. 9, no. 12, pp. 1392–1400, 2007.
- [33] M. J. Paszek, N. Zahir, K. R. Johnson, J. N. Lakins, G. I. Rozenberg, A. Gefen, C. A. Reinhart-King, S. S. Margulies, M. Dembo, D. Boettiger, D. A. Hammer, and V. M. Weaver, "Tensional homeostasis and the malignant phenotype," *Cancer Cell*, vol. 8, pp. 241–254, 2005.
- [34] F. Zampieri, M. Coen, and G. Gabbiani, "The prehistory of the cytoskeleton concept," *Cytoskeleton*, vol. 71, pp. 464–471, 2014.
- [35] R. H. Pritchard, Y. Y. S. Huang, and E. M. Terentjev, "Mechanics of biological networks: from the cell cytoskeleton to connective tissue," *Soft Matter*, vol. 10, pp. 1864–1884, 2014.
- [36] D. E. Ingber, "Tensegrity-based mechanosensing from macro to micro," *Progress in Biophysics and Molecular Biology*, vol. 97, pp. 163–179, 2008.
- [37] P. A. Janmey, U. Euteneuer, P. Traub, and M. Schliwa, "Viscoelastic properties of vimentin compared with other filamentous biopolymer networks," *JCB*, vol. 113, no. 1, pp. 155–160, 1991.
- [38] H. B. Michael Schopferer and, B. Hochstein, S. Sharma, N. Mücke, H. Herrmann, and N. Willenbacher, "Desmin and vimentin intermediate filament networks: Their viscoelastic properties investigated by mechanical rheometry," *J. Mol. Biol.*, vol. 388, pp. 133–143, 2009.
- [39] C. Storm, J. J. Pastore, F. MacKintosh, T. Lubensky, and P. A. Janmey, "Nonlinear elasticity in biological gels," *Nature*, vol. 435, pp. 191–194, 2005.
- [40] T. Yeung, P. C. Georges, L. A. Flanagan, B. Marg, M. Ortiz, M. Funaki, N. Zahir, W. Ming, V. Waver, and P. A. Janmey, "Effects of substrate stiffness on cell morphology, cytoskeletal structure, and adhesion," *Cell Motility and the Cytoskeleton*, vol. 60, pp. 24–34, 2005.
- [41] M. Ghibaudo, A. Saez, L. Trichet, A. Xayaphoummine, J. Browaeys, P. Silberzan, A. Buguin, and B. Ladoux, "Traction forces and rigidity sensing regulate cell functions," *Soft Matter*, vol. 4, pp. 1836–1843, 2008.

Bibliography

- [42] J. H. Wen, L. G. Vincent, A. Fuhrmann, Y. S. Choi, K. C. Hribar, H. Taylor-Weiner, S. Chen, and A. J. Engler, “Interplay of matrix stiffness and protein tethering in stem cell differentiation,” *Nature Materials*, vol. 13, pp. 979–987, 2014.
- [43] P. A. DiMilla, K. Barbee, and D. A. Lauffenburger, “Mathematical model for the effects of adhesion and mechanics on cell migration speed,” *Biophys. J.*, vol. 60, pp. 15–37, 1991.
- [44] A. Huttenlocher, M. H. Ginsberg, and A. F. Horwitz, “Modulation of cell migration by integrin-mediated cytoskeletal linkages and ligand-binding affinity,” *J. Cell Biol.*, vol. 134, pp. 1551–1562, 1996.
- [45] N. Wang, J. D. Tytell, and D. E. Ingber, “Mechanotransduction at a distance: mechanically coupling the extracellular matrix with the nucleus,” *Nature Reviews Molecular Cell Biology*, vol. 10, pp. 75–82, 2009.
- [46] C. A. Reinhart-King, M. Dembo, and D. A. Hammer, “Cell-cell mechanical communication through compliant substrates,” *Biophys. J.*, vol. 95, pp. 6044–6051, 2008.
- [47] Q.-Y. Zhang, Y.-Y. Zhang, J. Zie, C.-X. Li, W.-Y. Chen, B.-L. Liu, X. an Wu, S.-N. Li, B. Huo, L.-H. Jiang, and H.-C. Zhao, “Stiff substrates enhance cultured neuronal network activity,” *Scientific Reports*, vol. 4, p. 6215, 2013.
- [48] J. K. Mouw, Y. Yui, L. Damiano, R. O. Bainer, J. N. Lakins, I. Acerbi, G. Ou, A. C. Wijekoon, K. R. Levental, P. M. Gilbert, Y.-Y. Chen, and V. M. Weaver, “Tissue mechanics modulate microRNA-dependent PTEN expression to regulate malignant progression,” *Nat. Med.*, vol. 20, no. 4, pp. 360–367, 2014.
- [49] C. Yang, M. W. Tibbitt, L. Basta, and K. S. Anseth, “Mechanical memory and dosing influence stem cell fate,” *Nature Materials*, vol. 13, pp. 645–652, 2014.
- [50] B. Trappmann, J. E. Gautrot, J. T. Connelly, D. G. T. Strange, Y. Li, M. L. Oyen, M. A. C. Stuart, H. Boehm, B. Li, V. Vogel, J. P. Spatz, F. M. Watt, and W. T. S. Huck, “Extracellular-matrix tethering regulates stem-cell fate,” *Nature Materials*, vol. 11, pp. 642–649, 2012.
- [51] A. K. Yip, K. Iwasaki, C. Ursekar, H. Machiyama, M. Saxena, H. Chen, I. Harada, K.-H. Chiam, and Y. Sawada, “Cellular response to substrate rigidity is governed by either stress or strain,” *Biophys. J.*, vol. 104, pp. 19–29, 2013.
- [52] J. M. Maloney, E. B. Walton, C. M. Bruce, and K. J. V. Vliet, “Influence of inite thickness and stiffness on cellular adhesion-induced deformation of compliant substrata,” *PRE*, vol. 78, p. 041923, 2008.
- [53] A. Buxboim, K. Rajagopal, A. E. Brown, and D. E. Discher, “How deeply cells feel: methods for thin gels,” *J. Phys. Condens Matter*, vol. 22, no. 19, p. 194116, 2010.
- [54] W. S. Leong, C. Y. Tay, H. Yu, A. Li, S. C. Wu, D.-H. Duc, C. T. Lim, and L. P. Tan, “Thickness sensing of hMSCs on collagen gel directs

-
- stem cell fate,” *Biochemical and Biophysical Research Communications*, vol. 401, pp. 287–292, 2010.
- [55] J. P. Winer, S. Oake, and P. A. Janmey, “Non-linear elasticity of extracellular matrices enables contractile cells to communicate local position and orientation,” *PLoS ONE*, vol. 4, no. 7, p. e6382, 2009.
- [56] X. Ma, M. E. Schickel, M. D. Stevenson, A. L. Sarang-Sieminski, K. J. Gooch, S. N. Ghadiali, and R. T. Hart, “Fibers in the extracellular matrix enable long-range stress transmission between cells,” *Biophys. J.*, vol. 104, pp. 1410–1418, 2013.
- [57] M. S. Rudnicki, H. A. Cirka, M. Aghvami, E. A. Sander, Q. Wen, and K. L. Billiar, “Nonlinear strain stiffening is not sufficient to explain how far cells can feel on fibrous protein gels,” *Biophys. J.*, vol. 105, pp. 11–20, 2013.
- [58] H. Wang, A. Abhilash, C. S. Chen, R. G. Wells, and V. B. Shenoy, “Long-range force transmission in fibrous matrices enabled by tension-driven alignment of fibers,” *Biophys. J.*, vol. 107, pp. 2592–2603, 2014.
- [59] R. De, A. Zemel, and S. A. Safran, “Do cells sense stress or strain? measurement of cellular orientation can provide a clue,” *Biophys. J.*, vol. 94, no. 5, pp. L29–L31, 2008.
- [60] A. Saez, A. Buguin, P. Silberzan, and B. Ladoux, “Is the mechanical activity of epithelial cells controlled by deformations or forces?,” *Biophys. J.*, vol. 89, no. 6, pp. L52–L54, 2005.
- [61] L. Trichet, J. L. Digabel, R. J. Hawkins, S. R. K. Vedula, M. Gupta, C. Ribault, P. Hersen, R. Voituriez, and B. Ladoux, “Evidence of a large-scale mechanosensing mechanism for cellular adaptation to substrate stiffness,” *PNAS*, vol. 109, no. 18, pp. 6933–6938, 2012.
- [62] A. Zemel, F. Rehfeldt, A. E. X. Brown, D. E. Discher, and S. A. Safran, “Optimal matrix rigidity for stress fiber polarization in stem cells,” *Nat. Phys.*, vol. 6, no. 6, pp. 468–473, 2010.
- [63] S. He, Y. Su, B. Ji, and H. Gao, “Some basic questions on mechanosensing in cell-substrate interaction,” *Journal of the Mechanics and Physics of Solids*, vol. 70, pp. 116–135, 2014.
- [64] T. Freyman, I. Yannas, R. Yokoo, and L. Gibson, “Fibroblast contractile force is independent of the stiffness which resists the contraction,” *Experimental Cell Research*, vol. 272, pp. 153–162, 2002.
- [65] Q. Wen and P. A. Janmey, “Effects of non-linearity on cell-ECM interactions,” *Experimental Cell Research*, vol. 319, pp. 2481–2489, 2013.
- [66] I. Piechocka, R. Bacabac, M. Potters, F. Mackintosh, and G. Koenderink, “Structural hierarchy governs fibrin gel mechanics,” *Biophys. J.*, vol. 98, no. 10, pp. 2281–2289, 2010.
- [67] K. A. Jansen, R. G. Bacabac, I. K. Piechocka, and G. H. Koenderink, “Cells actively stiffen fibrin networks by generating contractile stress,” *Biophys. J.*, vol. 105, no. 10, pp. 2240–2251, 2013.

Bibliography

- [68] F. Grinnell, “Fibroblast biology in three-dimensional collagen matrices,” *TRENDS in Cell Biology*, vol. 13, no. 5, pp. 264–269, 2003.
- [69] A. R. Cameron, J. E. Frith, and J. J. Cooper-White, “The influence of substrate creep on mesenchymal stem cell behaviour and phenotype,” *Biomaterials*, vol. 32, pp. 5979–5993, 2010.
- [70] C. Müller, A. Müller, and T. Pompe, “Dissipative interactions in cell-matrix adhesion,” *Soft Matter*, vol. 9, p. 6207, 2013.
- [71] O. Chaudhuri, L. Gu, M. Darnell, D. Klumpers, S. A. Bencherif, J. C. Weaver, N. Huebsch, and D. J. Mooney, “Substrate stress relaxation regulates cell spreading,” *Nature Communications*, vol. 6, p. 6364, 2015.
- [72] H. Mohammadi, P. D. Arora, C. A. Simmons, P. A. Janmey, and C. A. McCulloch, “Inelastic behaviour of collagen networks in cell-matrix interactions and mechanosensation,” *J. R. Soc. Interface*, vol. 12, p. 20141074, 2014.
- [73] V. Ottania, D. Martinia, M. Franchia, and M. R. A. Ruggeria, “Hierarchical structures in fibrillar collagens,” *Micron*, vol. 33, pp. 587–596, 2002.
- [74] Z. Yang, I. Mochalkin, and R. F. Doolittle, “A model of fibrin formation based on crystal structures of fibrinogen and fibrin fragments complexed with synthetic peptides,” *PNAS*, vol. 97, no. 26, pp. 14156–14161, 2000.
- [75] E. Klotzsch, M. L. Smith, K. E. Kubow, S. Muntwyler, W. C. Little, F. Beyeler, D. Gourdon, B. J. Nelson, and V. Vogel, “Fibronectin forms the most extensible biological fibers displaying switchable force-exposed cryptic binding sites,” *PNAS*, vol. 106, no. 43, pp. 18267–18272, 2009.
- [76] M. Nikkhah, F. Edalat, S. Manoucheri, and A. Khademhosseini, “Engineering microscale topographies to control the cell-substrate interface,” *Biomaterials*, vol. 33, pp. 5230–5246, 2012.
- [77] D.-H. Kim, P. P. Provenzano, C. L. Smith, and A. Levchenko, “Matrix nanotopography as a regulator of cell function,” *J. Cell Biol.*, vol. 197, no. 3, pp. 351–360, 2012.
- [78] I. A. Janson and A. J. Putnam, “Extracellular matrix elasticity and topography: Material-based cues that affect cell function via conserved mechanisms,” *J Biomed Mater Res Part A*, vol. 103A, pp. 1246–1258, 2015.
- [79] J. Sun, Y. Ding, N. J. Lin, J. Zhou, H. Ro, C. L. Soles, M. T. Cicerone, and S. Lin-Gibson, “Exploring cellular contact guidance using gradient nanogratings,” *Biomacromolecules*, vol. 11, no. 11, pp. 3067–3072, 2010.
- [80] V. Brunetti, G. Maiorano, L. Rizzello, B. Sorce, S. Sabella, R. Cingolani, and P. P. Pompa, “Neurons sense nanoscale roughness with nanometer sensitivity,” *PNAS*, vol. 107, no. 14, pp. 6264–6269, 2010.
- [81] W. Chen, Y. Sun, and J. Fu, “Microfabricated nanotopological surfaces for study of adhesion-dependent cell mechanosensitivity,” *Small*, vol. 9, no. 1, pp. 81–89, 2013.

-
- [82] L. E. McNamara, T. Sjöström, K. Seunarine, R. D. Meek, B. Su, and M. J. Dalby, "Investigation of the limits of nanoscale filopodial interactions," *Journal of Tissue Engineering*, vol. 5, p. 2041731414536177, 2014.
- [83] M. Arnold, E. A. Cavalcanti-Adam, R. Glass, J. Blümmel, W. Eck, M. Kantlehner, H. Kessler, and J. P. Spatz, "Activation of integrin function by nanopatterned adhesive interfaces," *ChemPhysChem*, vol. 5, no. 3, pp. 383–388, 2004.
- [84] E. A. Cavalcanti-Adam, T. Volberg, A. Micoulet, H. Kessler, B. Geiger, and J. P. Spatz, "Cell spreading and focal adhesion dynamics are regulated by spacing of integrin ligands," *Biophys. J.*, vol. 92, pp. 2964–2974, 2007.
- [85] M. J. Dalby, N. Gadegaard, R. Tare, A. Andar, M. O. Riehle, P. Herzyk, C. D. W. Wilkinson, and R. O. C. Oreffo, "The control of human mesenchymal cell differentiation using nanoscale symmetry and disorder," *Nature Materials*, vol. 6, pp. 997–1003, 2007.
- [86] A. Ballo, H. Agheli, J. Lausmaa, P. Thomsen, and S. Petronis, "Nanos-structured model implants for in vivo studies: influence of well-defined nanotopography on de novo bone formation on titanium implants," *International Journal of Nanomedicine*, vol. 6, pp. 3415–3428, 2011.
- [87] M. H. Zaman, L. M. Trapani, A. L. Sieminski, D. MacKellar, H. Gong, R. D. Kamm, A. Wells, D. A. Lauffenburger, and P. Matsudaira, "Migration of tumor cells in 3d matrices is governed by matrix stiffness along with cell-matrix adhesion and proteolysis," *PNAS*, vol. 103, no. 29, pp. 10889–10894, 2006.
- [88] T. A. Ulrich, A. Jain, K. Tanner, J. L. MacKay, and S. Kumar, "Probing cellular mechanobiology in three-dimensional culture with collagen-agarose matrices," *Biomaterials*, vol. 31, pp. 1875–1884, 2010.
- [89] N. Huebsch, P. R. Arany, A. S. Mao, D. Shvartsman, O. A. Ali, S. A. Bencherif, J. Rivera-Feliciano, and D. J. Mooney, "Harnessing traction-mediated manipulation of the cell/matrix interface to control stem-cell fate," *Nature Materials*, vol. 9, pp. 518–526, 2010.
- [90] K. Wolf, M. te Lindert, M. Krause, S. Alexander, J. te Riet, A. L. Willis, R. M. Hoffman, C. G. Figdor, S. J. Weiss, and P. Friedl, "Physical limits of cell migration: Control by ECM space and nuclear deformation and tuning by proteolysis and traction force," *Journal of Cell Biology*, vol. 201, no. 7, pp. 1069–1084, 2013.
- [91] Y. li Yang, S. Motte, and L. J. Kaufman, "Pore size variable type I collagen gels and their interaction with glioma cells," *Biomaterials*, vol. 31, pp. 5678–5688, 2010.
- [92] M. Miron-Mendoza, J. Seemann, and F. Grinnell, "The differential regulation of cell motile activity through matrix stiffness and porosity in three dimensional collagen matrices," *Biomaterials*, vol. 31, pp. 6425–6435, 2010.

Bibliography

- [93] A. Pathak and S. Kumar, “Independent regulation of tumor cell migration by matrix stiffness and confinement,” *PNAS*, vol. 109, no. 26, pp. 10334–10339, 2012.
- [94] S. R. Peyton, Z. I. Kalcioglu, J. C. Cohen, A. P. Runkle, K. J. V. Vliet, D. A. Lauffenburger, and L. G. Griffith, “Marrow-derived stem cell motility in 3D synthetic scaffold is governed by geometry along with adhesivity and stiffness,” *Biotechnology and Bioengineering*, vol. 108, no. 5, pp. 1181–1193, 2011.
- [95] J. Lee, A. A. Abdeen, D. Zhang, and K. A. Kilian, “Directing stem cell fate on hydrogel substrates by controlling cell geometry, matrix mechanics and adhesion ligand composition,” *Biomaterials*, vol. 34, pp. 8140–8148, 2013.
- [96] N. R. Lang, K. Skodzek, S. Hurst, A. Mainka, J. Steinwachs, J. Schneider, K. E. Aifantis, and B. Fabry, “Biphasic response of cell invasion to matrix stiffness in three-dimensional biopolymer networks,” *Acta Materialia*, vol. 13, pp. 61–67, 2015.
- [97] K. A. Kyburz and K. S. Anseth, “Three-dimensional hMSC motility within peptide-functionalized PEG-based hydrogel of varying adhesivity and crosslinking density,” *Acta Biomater.*, vol. 9, no. 5, pp. 6381–6392, 2013.
- [98] H. Wang, L. Cai, A. Paul, A. Enejder, and S. C. Heilshorn, “Hybrid elastin-like polypeptide-polyethylene glyco (ELP-PEG) hydrogels with improved transparency and independent control of matrix mechanics and cell ligand density,” *Biomacromolecules*, vol. 15, pp. 3421–3428, 2014.
- [99] K. E. Kubow, S. K. Conrad, and A. R. Horwitz, “Matrix microarchitecture and myosin II determine adhesion in 3D matrices,” *Current Biology*, vol. 23, pp. 1607–1619, 2013.
- [100] W. J. Polacheck, A. E. German, A. Mammoto, D. E. Ingber, and R. D. Kamm, “Mechanotransduction of fluid stresses governs 3D cell migration,” *PNAS*, vol. 111, no. 7, pp. 2447–2452, 2014.
- [101] A. D. Doyle, F. W. Wang, K. Matsumoto, and K. M. Yamada, “One-dimensional topography underlies three-dimensional fibrillar cell migration,” *J. Cell Biol.*, vol. 184, no. 4, pp. 481–490, 2009.
- [102] O. Tolde, D. Rösel, R. Janošíak, P. V. Ý, and J. Braábek, “Dynamics and morphology of focal adhesions in complex 3D environment,” *Folia Biologica (Praha)*, vol. 58, no. 5, pp. 177–184, 2012.
- [103] F. Rehfeldt, A. E. Brown, M. Raab, S. Cai, A. L. Zajac, A. Zemel, and D. E. Discher, “Hyaluronic acid matrices show matrix stiffness in 2D and 3D dictates cytoskeletal order and myosin-II phosphorylation within stem cells,” *Integrative Biology*, vol. 4, pp. 422–430, 2012.
- [104] K. M. Hakkinen, J. S. Harunaga, A. D. Doyle, and K. M. Yamada, “Direct comparisons of the morphology, migration, cell adhesions, and actin cytoskeleton of fibroblasts in four different three-dimensional extracellular matrices,” *Tissue Engineering: Part A*, vol. 17, pp. 713–724, 2011.

- [105] K. A. Beningo, M. Dembo, and Y. li Wang, "Responses of fibroblasts to anchorage of dorsal ecm receptors," *PNAS*, vol. 101, no. 52, pp. 18024–18029, 2004.
- [106] R. I. Litvinov, V. Barsegov, A. J. Schissler, A. R. Fisher, J. S. Bennett, J. W. Weisel, and H. Shuman, "Dissociation of bimolecular α IIb β 3-fibrinogen complex under a constant tensile force," *Biophys. J.*, vol. 100, pp. 165–173, 2011.
- [107] F. Kong, A. J. Garcia, A. P. Mould, M. J. Humphries, and C. Zhu, "Demonstration of catch bonds between an integrin and its ligand," *Journal of Cell Biology*, vol. 185, no. 7, pp. 1275–1284, 2009.
- [108] J. C. Friedland, M. H. Lee, and D. Boettiger, "Mechanically activated integrin switch controls $\alpha_5\beta_1$ function," *Science*, vol. 323, pp. 642–644, 2009.
- [109] S. Hertig and V. Vogel, "Catch bonds," *Current Biology*, vol. 22, no. 19, pp. R823–R825, 2012.
- [110] E. Altrock, C. A. Muth, G. Klein, J. P. Spatz, and C. Lee-Thedieck, "The significance of integrin ligand nanopatterning on lipid raft clustering in hematopoietic stem cells," *Biomaterials*, vol. 33, no. 11, pp. 3107–3118, 2012.
- [111] J. E. Frith, R. J. Mills, and J. J. Cooper-White, "Lateral spacing of adhesion peptides influences human mesenchymal stem cell behaviour," *Journal of Cell Science*, vol. 125, pp. 317–327, 2011.
- [112] L. Y. Koo, D. J. Irvine, A. M. Mayes, D. A. Lauffenburger, and L. G. Griffith, "Co-regulation of cell adhesion by nanoscale RGD organization and mechanical stimulus," *Journal of cell science*, vol. 115, no. 7, pp. 1423–1433, 2002.
- [113] S. P. Massia and J. A. Hubbell, "An RGD spacing of 440 nm is sufficient for integrin $\alpha v\beta 3$ -mediated fibroblast spreading and 140 nm for focal contact and stress fiber formation," *The Journal of cell biology*, vol. 114, no. 5, pp. 1089–1100, 1991.
- [114] E. A. Cavalcanti-Adam, T. Volberg, A. Micoulet, H. Kessler, B. Geiger, and J. P. Spatz, "Cell spreading and focal adhesion dynamics are regulated by spacing of integrin ligands," *Biophysical journal*, vol. 92, no. 8, pp. 2964–2974, 2007.
- [115] G. Le Saux, A. Magenau, K. Gunaratnam, K. A. Kilian, T. Böcking, J. J. Gooding, and K. Gaus, "Spacing of integrin ligands influences signal transduction in endothelial cells," *Biophysical journal*, vol. 101, no. 4, pp. 764–773, 2011.
- [116] J. Huang, S. V. Grater, F. Corbellini, S. Rinck, E. Bock, R. Kemkemer, H. Kessler, J. Ding, and J. P. Spatz, "Impact of order and disorder in rgd nanopatterns on cell adhesion," *Nano letters*, vol. 9, no. 3, pp. 1111–1116, 2009.
- [117] Y. Liu, R. Medda, Z. Liu, K. Galior, K. Yehl, J. P. Spatz, E. A. Cavalcanti-Adam, and K. Salaita, "Nanoparticle tension probes pat-

Bibliography

- terned at the nanoscale: Impact of integrin clustering on force transmission,” *Nano Letters*, vol. 14, no. 10, pp. 5539–5546, 2014.
- [118] H. B. Schiller, M.-R. Hermann, J. Polleux, T. Vignaud, S. Zanivan, C. C. Friedel, Z. Sun, A. Raducanu, K.-E. Gottschalk, M. Théry, M. Mann, and R. Fässler, “ β 1- and α v-class integrins cooperate to regulate myosin II during rigidity sensing of fibronectin-based microenvironments,” *Nat Cell Biol*, vol. 15, no. 6, pp. 625–636, 2013.
- [119] H. E. Balcioglu, H. van Hoorn, D. M. Donato, T. Schmidt, and E. H. J. Danen, “The integrin expression profile modulates orientation and dynamics of force transmission at cell-matrix adhesions,” *Journal of Cell Science*, vol. 128, pp. 1316–1326, 2015.
- [120] P. Roca-Cusachs, N. C. Gauthier, A. del Rio, and M. P. Sheetz, “Clustering of α 5 β 1 integrins determines adhesion strength whereas α v β 3 and talin enable mechanotransduction,” *PNAS*, vol. 106, no. 38, pp. 16245–16250, 2009.
- [121] A. Fuhrmann, J. Li, S. Chien, and A. J. Engler, “Cation type specific cell remodeling regulates attachment strength,” *PLoS ONE*, vol. 9, no. 7, p. e102424, 2014.
- [122] D. P. White, P. T. Caswell, and J. C. Norman, “ α v β 3 and α 5 β 1 integrin recycling pathways dictate downstream Rho kinase signaling to regulate persistent cell migration,” *The Journal of Cell Biology*, vol. 177, no. 3, pp. 515–525, 2007.
- [123] E. H. J. Danen, P. Sonneveld, C. Brakebusch, R. Fassler, and A. Sonnenberg, “The fibronectin-binding integrins α 5 β 1 and α v β 3 differentially modulate RhoA-GTP loading, organization of cell matrix adhesions, and fibronectin fibrillogenesis,” *Journal of Cell Biology*, vol. 159, no. 6, pp. 1071–1086, 2002.
- [124] H. Miao, S. Li, Y.-L. Hu, S. Yuan, Y. Zhao, B. P. C. Chen, W. Puzon-McLaughlin, T. Tarui, J. Y.-J. Shyy, Y. Takada, S. Usami, and S. Chien, “Differential regulation of Rho GTPases by β 1 and β 3 integrins: the role of an extracellular domain of integrin in intracellular signaling,” *Journal of Cell Science*, vol. 115, no. 10, pp. 2199–2206, 2002.
- [125] H. L. Goe, T. Gritsko, B. Pursell, C. Chang, L. D. Shultz, D. L. Greiner, J. H. Norum, R. Toftgard, L. M. Shaw, and A. M. Mercurio, “Regulated splicing of the α 6 integrin cytoplasmic domain determines the fate of breast cancer stem cells,” *Cell Reports*, vol. 7, pp. 747–761, 2014.
- [126] Y. Mao and J. E. Schwarzbauer, “Fibronectin fibrillogenesis, a cell-mediated matrix assembly process,” *Matrix Biology*, vol. 24, no. 6, pp. 389–99, 2005.
- [127] K. E. Kadler, A. Hill, and E. G. Canty-Laird, “Collagen fibrillogenesis: fibronectin, integrins, and minor collagens as organizers and nucleators,” *Curr Opin Cell Biol*, vol. 20, no. 5, pp. 495–501, 2008.
- [128] N. E. Ramirez, Z. Zhang, A. Madamanchi, K. L. Boyd, L. D. O’Rear, A. Nashabi, Z. Li, W. D. Dupont, A. Zijlstra, and M. M. Zutter, “The

- $\alpha_2\beta_1$ integrin is a metastasis suppressor in mouse models and human cancer,” *J. Clin. Invest.*, vol. 2011, pp. 226–237, 2011.
- [129] K. Moran-Jones, A. Ledger, and M. J. Naylor, “ β_1 integrin deletion enhances progression of prostate cancer in the TRAMP mouse model,” *Scientific Reports*, vol. 2, p. 526, 2012.
- [130] J. G. Parvani, A. J. Gallier-Beckley, B. J. Schiemann, and W. P. Schiemann, “Targeted inactivation of β_1 integrin induces β_3 integrin switching that drives breast cancer metastasis by TGF- β ,” *Molecular Biology of the Cell*, vol. 24, no. 21, pp. 3449–3459, 2013.
- [131] H. H. Truong, J. Xiong, V. P. S. Ghotra, E. Nirmala, L. Haazen, S. E. Le Devedec, H. E. Balcioglu, S. He, B. E. Snaar-Jagalska, E. Vreugdenhil, J. H. N. Meerman, B. van de Water, and E. H. J. Danen, “beta1 integrin inhibition elicits a prometastatic switch through the TGFbeta-mir-200-ZEB network in E-cadherin-positive triple-negative breast cancer,” *Sci. Signal.*, vol. 7, no. 312, p. ra15, 2014.
- [132] J. S. Munger and D. Sheppard, “Cross talk among TGF- β signaling pathways, integrins, and the extracellular matrix,” *Cold Spring Harb Perspect Biol*, vol. 3, p. a005017, 2011.
- [133] X. Tong and F. Yang, “Engineering interpenetrating network hydrogels as biomimetic cell niche with independently tunable biochemical and mechanical properties,” *Biomaterials*, vol. 35, no. 6, pp. 1807–1815, 2014.
- [134] S. Khetan, M. Guvendiren, W. R. Legant, D. M. Cohen, C. S. Chen, and J. A. Burdick, “Degradation-mediated cellular traction directs stem cell fate in covalently crosslinked three-dimensional hydrogels,” *Nature Materials*, vol. 12, no. 5, pp. 458–465, 2013.
- [135] C. Grashoff, B. D. Hoffman, M. D. Brenner, R. Zhou, M. Parsons, M. T. Yang, M. A. McLean, S. G. Sligar, C. S. Chen, T. Ha, and M. A. Schwartz, “Measuring mechanical tension across vinculin reveals regulation of focal adhesion dynamics,” *Nature*, vol. 466, pp. 263–267, 2010.
- [136] K. E. Kubow and A. R. Horwitz, “Reducing background fluorescence reveals adhesions in 3D matrices,” *Nat Cell Biol.*, vol. 13, no. 1, pp. 3–7, 2011.
- [137] C.-L. Chiu, J. S. Aguilar, C. Y. Tsai, G. Wu, E. Gratton, and M. A. Digman, “Nanoimaging of focal adhesion dynamics in 3D,” *PLoS ONE*, vol. 9, no. 6, p. e99896, 2014.
- [138] S. I. Fraley, Y. Feng, R. Krishnamurthy, D.-H. Kim, A. Celedon, G. D. Longmore, and D. Wirtz, “A distinctive role for focal adhesion proteins in three-dimensional cell motility,” *Nat. Cell Biol.*, vol. 12, no. 6, pp. 598–604, 2010.
- [139] P. A. Janmey, R. G. Wells, R. K. Assoian, and C. A. McCulloch, “From tissue mechanics to transcription factors,” *Differentiation*, vol. 86, no. 3, pp. 112–120, 2013.
- [140] R. Janoštiak, J. Brábek, V. Auernheimer, Z. Tatárová, L. A. Lautscham, T. Dey, J. Gemperle, R. Merkel, W. H. Goldmann, B. Fabry, *et al.*,

Bibliography

- “Cas directly interacts with vinculin to control mechanosensing and focal adhesion dynamics,” *Cellular and Molecular Life Sciences*, vol. 71, no. 4, pp. 727–744, 2014.
- [141] C. Lu, F. Wu, W. Qiu, and R. Liu, “P130cas substrate domain is intrinsically disordered as characterized by single-molecule force measurements,” *Biophysical chemistry*, vol. 180, pp. 37–43, 2013.
- [142] K. Hotta, S. Ranganathan, R. Liu, F. Wu, H. Machiyama, R. Gao, H. Hirata, N. Soni, T. Ohe, C. W. Hogue, *et al.*, “Biophysical properties of intrinsically disordered p130Cas substrate domain - implication in mechanosensing,” *PLoS computational biology*, vol. 10, no. 4, p. e1003532, 2014.
- [143] L. M. Meenderink, L. M. Ryzhova, D. M. Donato, D. F. Gochberg, I. Kaverina, and S. K. Hanks, “P130Cas Src-binding and substrate domains have distinct roles in sustaining focal adhesion disassembly and promoting cell migration,” *PLoS ONE*, vol. 5, no. 10, p. e13412, 2010.
- [144] R. Janoštiak, A. C. Pataki, J. Brábek, and D. Rösel, “Mechanosensors in integrin signaling: The emerging role of p130cas,” *European journal of cell biology*, vol. 93, 2014.
- [145] M. Smith, L. Hoffman, and M. Beckerle, “Lim proteins in actin cytoskeleton mechanoresponse,” *TRENDS in Cell Biology*, vol. 24, no. 10, pp. 575–583, 2014.
- [146] J. Fradelizi, V. Noireaux, J. Plastino, B. Menichi, D. Louvard, C. Sykes, R. M. Golsteyn, and E. Friederich, “ActA and human zyxin harbour Arp2/3-independent actin-polymerization activity,” *Nature cell biology*, vol. 3, no. 8, pp. 699–707, 2001.
- [147] B. E. Drees, K. M. Andrews, and M. C. Beckerle, “Molecular dissection of zyxin function reveals its involvement in cell motility,” *The Journal of cell biology*, vol. 147, no. 7, pp. 1549–1560, 1999.
- [148] M. A. Smith, E. Blankman, M. L. Gardel, L. Luettjohann, C. M. Waterman, and M. C. Beckerle, “A zyxin-mediated mechanism for actin stress fiber maintenance and repair,” *Developmental cell*, vol. 19, no. 3, pp. 365–376, 2010.
- [149] J. Colombelli, A. Besser, H. Kress, E. G. Reynaud, P. Girard, E. Causinus, U. Haselmann, J. V. Small, U. S. Schwarz, and E. H. Stelzer, “Mechanosensing in actin stress fibers revealed by a close correlation between force and protein localization,” *Journal of cell science*, vol. 122, no. 10, pp. 1665–1679, 2009.
- [150] N. O. Deakin and C. E. Turner, “Paxillin inhibits HDAC6 to regulate microtubule acetylation, Golgi structure, and polarized migration,” *JCB*, vol. 206, no. 3, pp. 395–413, 2014.
- [151] A. B. Jaffe and A. Hall, “Rho GTPases: biochemistry and biology,” *Annu. Rev. Cell Dev. Biol.*, vol. 21, pp. 247–269, 2005.
- [152] M. Gregor, S. Osmanagic-Myers, G. Burgstaller, M. Wolfram, I. Fischer, G. Walko, G. P. Resch, A. Jörgl, H. Herrmann, and G. Wiche, “Mecha-

- nosensing through focal adhesion-anchored intermediate filaments,” *The FASEB Journal*, vol. 28, pp. 715–729, 2014.
- [153] K. Chen, W. Zhang, J. Chen, S. Li, and G. Guo, “Rho-associated protein kinase modulates neurite extension by regulating microtubule remodeling and vinculin distribution,” *Neural Regen Res.*, vol. 8, no. 32, pp. 3027–3035, 2013.
- [154] P. P. Provenzano, D. R. Inman, K. W. Eliceiri, S. M. Trier, and P. J. Keely, “Contact guidance mediated three-dimensional cell migration is regulated by Rho/ROCK-dependent matrix reorganization,” *Biophys. J.*, vol. 95, pp. 5374–5384, 2008.
- [155] A. J. Putnam, J. J. Cunningham, B. B. Pillemer, and D. J. Mooney, “External mechanical strain regulates membrane targeting of rho gtpases by controlling microtubule assembly,” *American Journal of Physiology-Cell Physiology*, vol. 284, no. 3, pp. C627–C639, 2003.
- [156] K. G. Birukov, “Small GTPases in mechanosensitive regulation of endothelial barrier,” *Microvascular research*, vol. 77, no. 1, pp. 46–52, 2009.
- [157] C. B. Khatiwala, S. R. Peyton, M. Metzke, and A. J. Putnam, “The regulation of osteogenesis by ECM rigidity in MC3T3-E1 cells requires MAPK activation,” *Journal of cellular physiology*, vol. 211, no. 3, pp. 661–672, 2007.
- [158] K. Hamamura, G. Swarnkar, N. Tanjung, E. Cho, J. Li, S. Na, and H. Yokota, “RhoA-mediated signaling in mechanotransduction of osteoblasts,” *Connective tissue research*, vol. 53, no. 5, pp. 398–406, 2012.
- [159] A. W. Holle, X. Tang, D. Vijayraghavan, L. G. Vincent, A. Fuhrmann, Y. S. Choi, J. C. Álamo, and A. J. Engler, “In situ mechanotransduction via vinculin regulates stem cell differentiation,” *Stem Cells*, vol. 31, no. 11, pp. 2467–2477, 2013.
- [160] P. Gaspar and N. Tapon, “Sensing the local environment: actin architecture and Hippo signalling,” *Current opinion in cell biology*, vol. 31, pp. 74–83, 2014.
- [161] B. C. Low, C. Q. Pan, G. Shivashankar, A. Bershadsky, M. Sudol, and M. Sheetz, “YAP/TAZ as mechanosensors and mechanotransducers in regulating organ size and tumor growth,” *FEBS Letters*, vol. 588, pp. 2663–2670, 2014.
- [162] S. Dupont, L. Morsut, M. Aragona, E. Enzo, S. Giulitti, M. Cordenonsi, F. Zanconato, J. Le Dıgabel, M. Forcato, S. Bicciato, *et al.*, “Role of YAP/TAZ in mechanotransduction,” *Nature*, vol. 474, no. 7350, pp. 179–183, 2011.
- [163] K.-I. Wada, K. Itoga, T. Okano, S. Yonemura, and H. Sasaki, “Hippo pathway regulation by cell morphology and stress fibers,” *Development*, vol. 138, no. 18, pp. 3907–3914, 2011.
- [164] M. Aragona, T. Panciera, A. Manfrin, S. Giulitti, F. Michielin, N. Elvassore, S. Dupont, and S. Piccolo, “A mechanical checkpoint controls multicellular growth through YAP/TAZ regulation by actin-processing factors,” *Cell*, vol. 154, no. 5, pp. 1047–1059, 2013.

Bibliography

- [165] V. A. Codelia, G. Sun, and K. D. Irvine, “Regulation of YAP by mechanical strain through Jnk and Hippo signaling,” *Current Biology*, vol. 24, pp. 2012–2017, 2014.
- [166] F. Calvo, N. Ege, A. Grande-Garcia, S. Hooper, R. P. Jenkins, S. I. Chaudhry, K. Harrington, P. Williamson, E. Moeendarbary, G. Charras, *et al.*, “Mechanotransduction and YAP-dependent matrix remodelling is required for the generation and maintenance of cancer-associated fibroblasts,” *Nature cell biology*, vol. 15, no. 6, pp. 637–646, 2013.
- [167] B. Zhao, L. Li, L. Wang, C.-Y. Wang, J. Yu, and K.-L. Guan, “Cell detachment activates the Hippo pathway via cytoskeleton reorganization to induce anoikis,” *Genes & development*, vol. 26, no. 1, pp. 54–68, 2012.
- [168] A. Reginensi, R. P. Scott, A. Gregorieff, M. Bagherie-Lachidan, C. Chung, D.-S. Lim, T. Pawson, J. Wrana, and H. McNeill, “Yap-and Cdc42-dependent nephrogenesis and morphogenesis during mouse kidney development,” *PLoS genetics*, vol. 9, no. 3, p. e1003380, 2013.
- [169] D.-Z. Wang, P. S. Chang, Z. Wang, L. Sutherland, J. A. Richardson, E. Small, P. A. Krieg, and E. N. Olson, “Activation of cardiac gene expression by myocardin, a transcriptional cofactor for serum response factor,” *Cell*, vol. 105, no. 7, pp. 851–862, 2001.
- [170] F. Miralles, G. Posern, A.-I. Zaromytidou, and R. Treisman, “Actin dynamics control SRF activity by regulation of its coactivator MAL,” *Cell*, vol. 113, no. 3, pp. 329–342, 2003.
- [171] M. W. Chan, F. Chaudary, W. Lee, J. W. Copeland, and C. A. McCulloch, “Force-induced myofibroblast differentiation through collagen receptors is dependent on mammalian diaphanous (mDia),” *Journal of Biological Chemistry*, vol. 285, no. 12, pp. 9273–9281, 2010.
- [172] F. Huber, A. Boire, M. P. López, and G. H. Koenderink, “Cytoskeletal crosstalk: when three different personalities team up,” *Current Opinion in Cell Biology*, vol. 32, pp. 39–47, 2014.
- [173] J. S. Kim, C.-H. Lee, B. Y. Su, and P. A. Coulombe, “Mathematical modeling of the impact of actin and keratin filaments on keratinocyte cell spreading,” *Biophys. J.*, vol. 103, pp. 1828–1838, 2012.
- [174] M. E. Murray, M. G. Mendez, and P. A. Janmey, “Substrate stiffness regulates solubility of cellular vimentin,” *MBoC*, vol. 25, pp. 87–94, 2014.
- [175] J. Solon, I. Levental, K. Sengupta, P. C. Georges, and P. A. Janmey, “Fibroblast adaptation and stiffness matching to soft elastic substrates,” *Biophys. J.*, vol. 93, pp. 4453–4461, 2007.
- [176] U. S. Schwarz and M. L. Gardel, “United we stand - integrating the actin cytoskeleton and cell-matrix adhesions in cellular mechanotransduction,” *Journal of Cell Science*, vol. 125, pp. 3051–3060, 2012.
- [177] C. Ciobanasu, B. Faivre, and C. L. Clainche, “Actomyosin-dependent formation of the mechanosensitive talin-vinculin complex reinforces actin anchoring,” *Nature Communications*, vol. 5, p. 3095, 2014.

- [178] M. Ochsner, M. Textor, V. Vogel, and M. L. Smith, “Dimensionality controls cytoskeleton assembly and metabolism of fibroblast cells in response to rigidity and shape,” *PLoS ONE*, vol. 5, no. 3, p. e9445, 2010.
- [179] F. C. Ho, W. Zhang, Y. Y. Li, and B. P. Chan, “Mechanoresponsive, omni-directional and local matrix-degrading actin protrusions in human mesenchymal stem cells microencapsulated in a 3D collagen matrix,” *Biomaterials*, vol. 53, pp. 392–405, 2015.
- [180] S. Rhee, H. Jiang, C.-H. Ho, and F. Grinnell, “Microtubule function in fibroblast spreading is modulated according to the tension state of cell-matrix interactions,” *PNAS*, vol. 104, no. 13, pp. 5425–5430, 2007.
- [181] S. Stehbens and T. Wittmann, “Targeting and transport: How microtubules control focal adhesion dynamics,” *Journal of Cell Science*, vol. 198, no. 4, pp. 481–489, 2012.
- [182] A. F. Palazzo and G. G. Gundersen, “Microtubule-actin cross-talk at focal adhesions,” *Sci. STKE*, vol. 2002, no. 139, p. pe31, 2002.
- [183] E. J. Ezratty, M. A. Partridge, and G. G. Gundersen, “Microtubule-induced focal adhesion disassembly is mediated by dynamin and focal adhesion kinase,” *Nature Cell Biology*, vol. 7, no. 6, pp. 581–590, 2005.
- [184] A. Efimov, N. Schiefermeier, I. Grigoriev, R. Ohi, M. C. Brown, C. E. Turner, J. V. Small, and I. Kaverina, “Paxillin-dependent stimulation of microtubule catastrophes at focal adhesion sites,” *J. Cell Sci.*, vol. 121, pp. 196–204, 2008.
- [185] X. Wu, A. Kodama, and E. Fuchs, “ACF7 regulates cytoskeletal-focal adhesion dynamics and migration and has ATPase activity,” *Cell*, vol. 135, no. 1, pp. 137–148, 2008.
- [186] M. P. López, F. Huber, I. Grigoriev, M. O. Steinmetz, A. Akhmanova, G. H. Koenderink, and M. Dogterom, “Actin-microtubule coordination at growing microtubule ends,” *Nature Communications*, vol. 5, p. 4778, 2014.
- [187] A. Rape, W.-H. Guo, and Y. li Wang, “Microtubule depolymerization induces traction force increase through two distinct pathways,” *Journal of Cell Science*, vol. 124, pp. 4233–4240, 2011.
- [188] B. A. Danowski, “Fibroblast contractility and actin organization are stimulated by microtubule inhibitors,” *Journal of Cell Science*, vol. 93, pp. 255–266, 1989.
- [189] M. S. Kolodney and E. L. Elson, “Contraction due to microtubule disruption is associated with increased phosphorylation of myosin regulatory light chain,” *PNAS*, vol. 92, pp. 10252–10256, 1995.
- [190] A. Kim and W. M. Petroll, “Microtubule regulation of corneal fibroblast morphology and mechanical activity in 3-D culture,” *Experimental eye research*, vol. 85, no. 4, pp. 546–556, 2007.
- [191] D. H. J. Ng, J. D. Humphries, A. Byron, A. lique Millon-Frémillon, and M. J. Humphries, “Microtubule-dependent modulation of adhesion complex composition,” *PLoS ONE*, vol. 9, no. 12, p. e115213, 2014.

Bibliography

- [192] C. M. Kraning-Rush, S. P. Carey, J. P. Califano, B. N. Smith, and C. A. Reinhart-King, “The role of the cytoskeleton in cellular force generation in 2D and 3D environments,” *Phys Biol.*, vol. 8, no. 1, p. 015009, 2011.
- [193] J. N. Heck, S. M. Ponik, M. G. Garcia-Mendoza, C. A. Pehlke, D. R. Inman, K. W. Eliceiri, and P. J. Keely, “Microtubules regulate GEF-H1 in response to extracellular matrix stiffness,” *MBoC*, vol. 23, pp. 2583–2592, 2012.
- [194] N. R. Lang, S. Münster, C. Metzner, P. Krauss, S. Schürmann, J. Lange, K. E. Aifantis, O. Friedrich, and B. Fabry, “Estimating the 3D pore size distribution of biopolymer networks from directionally biased data,” *Biophys. J.*, vol. 105, pp. 1967–1975, 2013.
- [195] K. A. Myers, K. T. Applegate, G. Danuser, R. S. Fischer, and C. M. Waterman, “Distinct ECM mechanosensing pathways regulate microtubule dynamics to control endothelial cell branching morphogenesis,” *J. Cell Biol.*, vol. 192, no. 2, pp. 321–334, 2011.
- [196] A. Minin and M. Moldaver, “Intermediate vimentin filaments and their role in intracellular organelle distribution,” *Biochemistry*, vol. 73, no. 13, pp. 1453–1466, 2008.
- [197] J. Ivaska, H.-M. Pallari, J. Nevo, and J. E. Eriksson, “Novel functions of vimentin in cell adhesion, migration, and signaling,” *Experimental Cell Research*, vol. 313, pp. 2050–2062, 2007.
- [198] S. H. Shabbir, M. M. Cleland, R. D. Goldman, and M. Mrksich, “Geometric control of vimentin intermediate filaments,” *Biomaterials*, vol. 35, pp. 1359–1366, 2014.
- [199] G. Wiche and L. Winter, “Plectin isoforms as organizers of intermediate filament cytoarchitecture,” *BioArchitecture*, vol. 1, no. 1, pp. 14–20, 2011.
- [200] M. Ketema, M. Kreft, P. Secades, H. Janssen, and A. Sonnenberg, “Nesprin-3 connects plectin and vimentin to the nuclear envelope of sertoli cells but is not required for sertoli cell function in spermatogenesis,” *MBoC*, vol. 24, pp. 2454–2466, 2013.
- [201] D. Tsuruta and J. C. Jones, “The vimentin cytoskeleton regulates focal contact size and adhesion of endothelial cells subjected to shear stress,” *Journal of Cell Science*, vol. 116, pp. 4977–4984, 2003.
- [202] G. Burgstaller, M. Gregor, L. Winter, and G. Wiche, “Keeping the vimentin network under control: Cell-matrix adhesion-associated plectin 1f affects cell shape and polarity of fibroblasts,” *Molecular Biology of the Cell*, vol. 21, pp. 3362–3375, 2010.
- [203] R. Bhattacharya, A. M. Gonzalez, P. J. DeBiase, H. E. Trejo, R. D. Goldman, F. W. Flitney, and J. C. R. Jones, “Recruitment of vimentin to the cell surface by $\beta 3$ integrin and plectin mediates adhesion strength,” *Journal of Cell Science*, vol. 122, no. 9, pp. 1390–1400, 2009.
- [204] B. Eckes, D. Dogic, E. Colucci-Guyon, N. Wang, A. Maniotis, D. Ingber, A. Merckling, F. Langa, M. Aumailley, A. Delouvé, V. Kotliansky, C. Babinet, and T. Krieg, “Impaired mechanical stability, migration and

-
- contractile capacity in vimentin-deficient fibroblasts,” *Journal of Cell Science*, vol. 111, pp. 1897–1907, 1998.
- [205] M. Mendez, D. Restle, and P. Janmey, “Vimentin enhances cell elastic behavior and protects against compressive stress,” *Biophys. J.*, vol. 107, pp. 314–323, 2014.
- [206] E. L. Baker and M. H. Zaman, “The biomechanical integrin,” *Journal of Biomechanics*, vol. 43, pp. 38–44, 2010.
- [207] A. K. Harris, P. Wild, and D. Stopak, “Silicone rubber substrata: A new wrinkle in the study of cell locomotion,” *Science*, vol. 208, no. 11, pp. 177–179, 1980.
- [208] K. A. Beningo and Y.-L. Wang, “Flexible substrata for the detection of cellular traction forces,” *TRENDS in Cell Biology*, vol. 12, no. 2, pp. 79–84, 2002.
- [209] K. Burton, J. H. Park, and D. L. Taylor, “Keratocytes generate traction forces in two phases,” *Molecular Biology of the Cell*, vol. 10, pp. 3745–3769, 1999.
- [210] K. Burton and D. L. Taylor, “Traction forces of cytokinesis measured with optically modified elastic substrata,” *Nature*, vol. 385, pp. 450–454, 1997.
- [211] J. Lee, M. Leonard, T. Oliver, A. Ishihara, and K. Jacobson, “Traction forces generated by locomoting keratocytes,” *Journal of Cell Biology*, vol. 127, no. 6, pp. 1957–1964, 1994.
- [212] T. Oliver, K. Jacobson, and M. Dembo, “Design and use of substrata to measure traction forces exerted by cultured cells,” *Methods in Enzymology*, vol. 298, pp. 497–521, 1998.
- [213] R. J. Pelham and Y.-L. Wang, “Cell locomotion and focal adhesions are regulated by substrate flexibility,” *PNAS*, vol. 94, pp. 13661–13665, 1997.
- [214] R. W. Style, R. Boltyanskiy, G. K. German, C. Hyland, C. W. Macminn, A. F. Mertz, L. A. Wilen, Y. Xu, and E. R. Dufresne, “Traction force microscopy in physics and biology,” *Soft Matter*, vol. 10, p. 4047, 2014.
- [215] Z. Yang, J.-S. Lin, J. Chen, and J. H.-C. Wang, “Determining substrate displacement and cell traction fields - a new approach,” *Journal of Theoretical Biology*, vol. 242, pp. 607–616, 2006.
- [216] S. S. Ng, C. Li, and V. Chan, “Experimental and numerical determination of cellular traction force on polymeric hydrogels,” *Interface Focus*, vol. 1, pp. 777–791, 2011.
- [217] R. Meili, B. Alonso-Latorre, J. C. del Álamo, R. A. Firtel, and J. C. Lasheras, “Myosin II is essential for the spatiotemporal organization of traction forces during cell motility,” *Molecular Biology of the Cell*, vol. 21, pp. 405–417, 2010.
- [218] J. C. del Álamo, R. Meili, B. Alonso-Latorre, J. Rodríguez-Rodríguez, A. Aliseda, R. A. Firtel, and J. C. Lasheras, “Spatio-temporal analysis of eukaryotic cell motility by improved force cytometry,” *PNAS*, vol. 104, no. 33, pp. 13343–13348, 2007.

Bibliography

- [219] B. Sabass, M. L. Gardel, C. M. Waterman, and U. S. Schwarz, “High resolution traction force microscopy based on experimental and computational advances,” *Biophys. J.*, vol. 94, pp. 207–220, 2008.
- [220] J. Toyjanova, E. Bar-Kochba, C. López-Fagundo, J. Reichner, D. Hoffman-Kim, and C. Franck, “High resolution, large deformation 3D traction force microscopy,” *PLoS ONE*, vol. 9, no. 4, p. e90976, 2014.
- [221] W. R. Legant, C. K. Choi, J. S. Miller, L. Shao, L. Gao, E. Betzig, and C. S. Chen, “Multidimensional traction force microscopy reveals out-of-plane rotational moments about focal adhesions,” *PNAS*, vol. 110, no. 3, pp. 881–886, 2013.
- [222] J. C. del Álamo, R. Meili, B. Álvarez-González, B. Alonso-Latorre, E. Bastounis, R. Firtel, and J. C. Lasheras, “Three-dimensional quantification of cellular traction forces and mechanosensing of thin substrata by fourier traction force microscopy,” *PLoS ONE*, vol. 8, no. 9, p. e69850, 2013.
- [223] C.-W. Kuo, J.-Y. Shiu, F.-C. Chien, S.-M. Tsai, D.-Y. Chueh, and P. Chen, “Polymeric nanopillar arrays for cell traction force measurements,” *Electrophoresis*, vol. 31, pp. 3152–3158, 2010.
- [224] M. T. Yang, N. J. Sniadecki, and C. S. Chen, “Geometric considerations of micro- to nanoscale elastomeric post arrays to study cellular traction forces,” *Advanced Materials*, vol. 19, pp. 3119–3123, 2007.
- [225] I. Schoen, W. Hu, E. Klotzsch, and V. Vogel, “Probing cellular traction forces by micropillar arrays: Contribution of substrate warping to pillar deflection,” *Nano Letters*, vol. 10, no. 5, pp. 1823–1830, 2010.
- [226] A. Saez, M. Ghibaudo, A. Buguin, P. Silberzan, and B. Ladoux, “Rigidity-driven growth and migration of epithelial cells on microstructured anisotropic substrates,” *PNAS*, vol. 104, no. 20, pp. 8281–8286, 2007.
- [227] J. L. Tan, J. Tien, D. M. Pirone, D. S. Gray, K. Bhadriraju, and C. S. Chen, “Cells lying on a bed of microneedles: An approach to isolate mechanical force,” *PNAS*, vol. 100, no. 4, pp. 1484–1489, 2003.
- [228] A. Crow, K. D. Webster, E. Hohlfeld, W. P. Ng, P. Geissler, and D. A. Fletcher, “Contractile equilibration of single cells to step changes in extracellular stiffness,” *Biophys. J.*, vol. 102, no. 3, pp. 443–451, 2012.
- [229] K. D. Webster, A. Crow, and D. A. Fletcher, “An AFM-based stiffness clamp for dynamic control of rigidity,” *PLoS ONE*, vol. 6, no. 3, p. e17807, 2011.
- [230] P. Fernández, P. A. Pullarkat, and A. Ott, “A master relation defines the nonlinear viscoelasticity of single fibroblasts,” *Biophys. J.*, vol. 90, pp. 3796–3805, 2006.
- [231] D. Mitrossilis, J. Fouchard, D. Pereira, F. Postic, A. Richert, M. Saint-Jean, and A. Asnacios, “Real-time single-cell response to stiffness,” *PNAS*, vol. 107, no. 38, pp. 16518–16523, 2010.

- [232] J. W. Weisel, H. Shumand, and R. I. Litvinov, "Protein-protein unbinding induced by force: single-molecule studies," *Current Opinion in Structural Biology*, vol. 13, pp. 227–235, 2003.
- [233] K. C. Patterson, R. Yang, B. Zeng, B. Song, S. Wang, N. Xi, and M. D. Basson, "Measurement of cationic and intracellular modulation of integrin binding affinity by AFM-based nanorobot," *Biophys. J.*, vol. 105, no. 1, pp. 40–47, 2013.
- [234] A. Taubenberger, D. A. Cisneros, J. Friedrichs, P.-H. Puech, D. J. Muller, and C. M. Franz, "Revealing early steps of $\alpha 2\beta 1$ integrin-mediated adhesion to collagen type I by using single-cell force spectroscopy," *Molecular Biology of the Cell*, vol. 18, pp. 1634–1644, 2007.
- [235] H. Jeon, E. Kim, and C. P. Grigoropoulos, "Measurement of contractile forces generated by individual fibroblasts on self-standing fiber scaffolds," *Biomedical Microdevices*, vol. 13, pp. 107–115, 2011.
- [236] T. Freyman, I. Yannas, Y.-S. Pek, R. Yokoo, and L. Gibson, "Micromechanics of fibroblast contraction of a collagen-gag matrix," *Experimental Cell Research*, vol. 269, pp. 140–153, 2001.
- [237] B. A. Harley, T. M. Freyman, M. Q. Wong, and L. J. Gibson, "A new technique for calculating individual dermal fibroblast contractile forces generated within collagen-GAG scaffolds," *Biophys. J.*, vol. 93, pp. 2911–2922, 2007.
- [238] E. Bell, B. Ivarsson, and C. Merrill, "Production of a tissue-like structure by contraction of collagen lattices by human fibroblasts of different proliferative potential in vitro," *Proc. Natl. Acad. Sci. USA*, vol. 76, no. 3, pp. 1274–1278, 1979.
- [239] I. Cohen, J. M. Gerrard, and J. G. White, "Ultrastructure of clots during isometric contraction," *Journal of Cell Biology*, vol. 93, pp. 775–787, 1982.
- [240] S. L. Rowe, S. Lee, and J. P. Stegemann, "Influence of thrombin concentration on the mechanical and morphological properties of cell-seeded fibrin hydrogels," *Acta Biomaterialia*, vol. 3, no. 1, pp. 59–67, 2007.
- [241] E. Kniazeva and A. J. Putnam, "Endothelial cell traction and ECM density influence both capillary morphogenesis and maintenance in 3-D," *Am. J. Physiol. Cell Physiol.*, vol. 297, pp. C179–187, 2009.
- [242] C. M. Kraning-Rush, S. P. Carey, J. P. Califano, B. N. Smith, and C. A. Reinhart-King, "The role of the cytoskeleton in cellular force generation in 2D and 3D environments," *Physical Biology*, vol. 8, no. 1, p. 0150099 (9pp), 2011.
- [243] G. A. Monteiro, A. V. Fernandes, H. G. Sundararaghavan, and D. I. Shreiber, "Positively and negatively modulating cell adhesion to type I collagen via peptide grafting," *Tissue Engineering: Part A*, vol. 17, no. 13-14, pp. 1663–1673, 2011.
- [244] F. Grinnell, C.-H. Ho, Y.-C. Lin, and G. Skuta, "Differences in the regulation of fibroblast contraction of floating versus stressed collagen ma-

Bibliography

- trices,” *Journal of Biological Chemistry*, vol. 274, no. 2, pp. 918–923, 1999.
- [245] M. Abe, C.-H. Ho, K. E. Kamm, and F. Grinnell, “Different molecular motors mediate platelet-derived growth factor and lysophosphatidic acid-stimulated floating collagen matrix contraction,” *Journal of Biological Chemistry*, vol. 278, no. 48, pp. 47707–47712, 2003.
- [246] M. Lopez-Garcia, D. Beebe, and W. Crone, “Mechanical interactions of mouse mammary gland cells with collagen in a three-dimensional construct,” *Annals of Biomedical Engineering*, vol. 38, no. 8, pp. 2485–2498, 2010.
- [247] T. M. Koch, S. Münster, N. Bonakdar, J. P. Butler, and B. Fabry, “3D traction forces in cancer cell invasion,” *PLoS ONE*, vol. 7, no. 3, p. e33476, 2012.
- [248] S. Vanni, B. C. Lagerholm, C. Otey, D. L. Taylor, and F. Lanni, “Internet-based image analysis quantifies contractile behavior of individual fibroblasts inside model tissue,” *Biophys. J.*, vol. 84, pp. 2715–2727, 2003.
- [249] M. S. Hall, R. Long, X. Feng, Y. Huang, C.-Y. Hui, and M. Wu, “Toward single cell traction microscopy within 3D collagen matrices,” *Experimental Cell Research*, vol. 319, pp. 2396–2408, 2013.
- [250] N. Gjorevski and C. M. Nelson, “Mapping of mechanical strains and stresses around quiescent engineered three-dimensional epithelial tissues,” *Biophys. J.*, vol. 103, pp. 152–162, 2012.
- [251] I. K. Piechocka, A. S. van Oosten, R. G. Breuls, and G. H. Koenderink, “Rheology of heterotypic collagen networks,” *Biomacromolecules*, vol. 12, pp. 2797–2805, 2011.
- [252] N. A. Kurniawan, L. H. Wong, and R. Rajagopalan, “Early stiffening and softening of collagen: Interplay of deformation mechanisms in biopolymer networks,” *Biomacromolecules*, vol. 13, pp. 691–698, 2012.
- [253] S. Motte and L. J. Kaufman, “Strain stiffening in collagen I networks,” *Biopolymers*, vol. 99, no. 1, pp. 35–46, 2012.
- [254] C. A. Jones, M. Cibula, J. Feng, E. A. Kmacik, D. H. McIntyre, H. Levine, and B. Sun, “Micromechanics of cellularized biopolymer networks,” *PNAS*, pp. E5117–E5112, 2015.
- [255] E. Conti and F. C. MacKintosh, “Cross-linked networks of stiff filaments exhibit negative normal stress,” *PRL*, vol. 102, p. 088102, 2009.
- [256] I. Thievensen, N. Fakhri, J. Steinwachs, V. Kraus, R. S. McIsaac, L. Gao, B.-C. Chen, M. A. Baird, M. W. Davidson, E. Betzig, R. Oldenbourg, C. M. Waterman, and B. Fabry, “Vinculin is required for cell polarization, migration, and extracellular matrix remodeling in 3D collagen,” *The FASEB Journal*, vol. 29, pp. 1–13, 2015.
- [257] W. R. Legant, J. S. Miller, B. L. Blakely, D. M. Cohen, G. M. Genin, and C. S. Chen, “Measurement of mechanical traction exerted by cells in three-dimensional matrices,” *Nature Methods*, vol. 7, no. 12, pp. 969–971, 2010.

- [258] J. S. Miller, C. J. Shen, W. R. Legant, J. D. Baranski, B. L. Blakely, and C. S. Chen, "Bioactive hydrogels made from step-growth derived PEG-peptide macromers," *Biomaterials*, vol. 13, pp. 3736–3743, 2010.
- [259] P. Roy, W. Petroll, H. Cavanagh, C. Chuong, and J. Jester, "An *in Vitro* Force Measurement Assay to Study the Early Mechanical Interaction between Corneal Fibroblasts and Collagen Matrix," *Experimental Cell Research*, vol. 232, pp. 106–117, 1997.
- [260] R. J. Polackwich, D. Koch, R. Arevalo, A. M. Miermont, K. J. Jee, J. Lazar, J. Urbach, S. C. Mueller, and R. G. McAllister, "A novel 3d fibril force assay implicates Src in tumor cell force generation in collagen networks," *PLoS ONE*, vol. 8, no. 3, p. e58138, 2013.
- [261] J. D. Humphries, P. Wang, C. Streuli, B. Geiger, M. J. Humphries, and C. Ballestrem, "Vinculin controls focal adhesion formation by direct interactions with talin and actin," *Journal of Cell Biology*, vol. 179, no. 5, pp. 1043–1057, 2007.
- [262] M. Morimatsu, A. H. Mekhdjian, A. S. Adhikari, and A. R. Dunn, "Molecular tension sensors report forces generated by single integrin molecules in living cells," *Nanoletters*, vol. 13, pp. 3985–3989, 2013.
- [263] C. H. Lee, A. Singla, and Y. Lee, "Biomedical applications of collagen," *International Journal of Pharmaceutics*, vol. 2001, pp. 1–22, 2001.
- [264] E. S. Place, N. D. Evans, and M. M. Stevens, "Complexity in biomaterials for tissue engineering," *Nature Materials*, vol. 8, pp. 457–470, 2009.
- [265] R. Uibo, I. Laidmäe, E. S. Sawyer, L. A. Flanagan, P. C. Georges, J. P. Winer, and P. A. Janmey, "Soft materials to treat central nervous system injuries: Evaluation of the suitability of non-mammalian fibrin gels," *Biochimica et Biophysica Acta*, vol. 2009, pp. 924–930, 2009.
- [266] T. A. Ahmed, E. V. Dare, and M. Hincke, "Fibrin: A versatile scaffold for tissue engineering applications," *Tissue Engineering: Part B*, vol. 14, no. 2, pp. 199–215, 2008.
- [267] W. D. Spotnitz, "Fibrin sealant: The only approved hemostat, sealant, and adhesive - a laboratory and clinical perspective," *ISRN Surgery*, vol. 2014, p. 28, 2014.
- [268] S. Ravindran, M. Kotecha, C.-C. Huang, A. Ye, P. Pothirajan, Z. Yin, R. Magin, and A. George, "Biological and MRI characterization of biomimetic ECM scaffolds for cartilage tissue regeneration," *Biomaterials*, vol. 71, pp. 58–70, 2015.
- [269] O. Singh, S. S. Gupta, M. Soni, S. Moses, S. Shukla, and R. K. Mathur, "Collagen dressing versus conventional dressings in burn and chronic wounds: A retrospective study," *J. Cutan. Aesthet. Surg.*, vol. 2011, pp. 12–16, 2011.
- [270] J. V. Shah and P. A. Janmey, "Strain hardening of fibrin gels and plasma clots," *Rheol. Acta*, vol. 36, pp. 262–268, 1997.
- [271] J. A. Pedersen and M. A. Swartz, "Mechanobiology in the third dimension," *Annals of Biomedical Engineering*, vol. 33, no. 11, pp. 1469–1490, 2005.

Bibliography

- [272] D. Vader, A. Kabla, D. Weitz, and L. Mahadevan, “Strain-induced alignment in collagen gels,” *PLoS ONE*, vol. 4, no. 6, p. e5902, 2009.
- [273] M. Guthold, W. Liu, E. Sparks, L. Jawerth, L. Peng, M. Falvo, R. Superfine, R. Hantgan, and S. Lord, “A comparison of the mechanical and structural properties of fibrin fibers with other protein fibers,” *Cell Biochem Biophys*, vol. 49, pp. 165–181, 2007.
- [274] M. Gardel, J. Shin, F. MacKintosh, L. Mahadevan, P. Matsudaira, and D. Weitz, “Scaling of F-actin network rheology to probe single filament elasticity and dynamics,” *PRL*, vol. 93, p. 188102, 2004.
- [275] M. Gardel, F. Nakamura, J. Hartwig, J. Crocker, T. Stossel, and D. Weitz, “Prestressed F-actin networks cross-linked by hinged filamins replicate mechanical properties of cells,” *PNAS*, vol. 103, no. 6, pp. 1762–1767, 2006.
- [276] Y.-C. Lin, N. Y. Yao, C. P. Broedersz, H. Herrmann, F. C. MacKintosh, and D. A. Weitz, “Origins of elasticity in intermediate filament networks,” *PRL*, vol. 104, p. 058101(4), 2010.
- [277] G. Žagar, P. R. Onck, and E. van der Giessen, “Two fundamental mechanisms govern the stiffening of cross-linked networks,” *Biophys. J.*, vol. 108, pp. 1470–1479, 2015.
- [278] C. Broedersz and F. MacKintosh, “Modeling semiflexible polymer networks,” *Reviews of Modern Physics*, vol. 86, pp. 995–1036, 2014.
- [279] A. J. Licup, S. Münster, A. Sharma, M. Sheinman, L. M. Jawerth, B. Fabry, D. A. Weitz, and F. C. MacKintosh, “Stress controls the mechanics of collagen networks,” *PNAS*, vol. 112, no. 31, pp. 9573–9578, 2015.
- [280] C. P. Broedersz, X. Mao, T. C. Lubensky, and F. C. MacKintosh, “Criticality and isostaticity in fibre networks,” *Nature Physics*, vol. 7, pp. 983–988, 2011.
- [281] J.-P. Collet, H. Shuman, R. E. Ledger, S. Lee, and J. W. Weisel, “The elasticity of an individual fibrin fiber in a clot,” *PNAS*, vol. 102, pp. 9133–9137, 2005.
- [282] J. R. Houser, N. E. Hudson, L. Ping, E. T. O. III, R. Superfine, S. T. Lord, and M. R. Falvo, “Evidence that α C region is origin of low modulus, high extensibility, and strain stiffening in fibrin fibers,” *Biophys. J.*, vol. 99, pp. 3038–3047, 2010.
- [283] C. C. Helms, R. A. S. Ariëns, S. U. de Willige, K. F. Standeven, and M. Guthold, “ α - α cross-links increase fibrin fiber elasticity and stiffness,” *Biophys. J.*, vol. 102, pp. 168–175, 2012.
- [284] N. Sasaki and S. Odajima, “Elongation mechanism of collagen fibrils and force-strain relations of tendon at each level of structural hierarchy,” *J. Biomechanics*, vol. 29, no. 9, pp. 1131–1136, 1996.
- [285] J. A. van der Rijt, K. O. van der Werf, M. L. Bennink, P. J. Dijkstra, and J. Feijen, “Micromechanical testing of individual collagen fibrils,” *Macromol. Biosci.*, vol. 6, pp. 697–702, 2006.

- [286] S. Gevorkian, A. Allahverdyan, D. Gevorgyan, and C.-K. Hu, “Glassy state of native collagen fibril?,” *EPL*, vol. 95, no. 2, p. 23001, 2011.
- [287] L. Yang, K. van der Werf, P. Dijkstra, J. Feijen, and M. Bennink, “Micromechanical analysis of native and cross-linked collagen type I fibrils supports the existence of microfibrils,” *Journal of the Mechanical Behavior of Biomedical Materials*, vol. 6, pp. 148–158, 2012.
- [288] J. S. Graham, A. N. Vomund, C. L. Phillips, and M. Grandbois, “Structural changes in human type I collagen fibrils investigated by force spectroscopy,” *Experimental Cell Research*, vol. 2004, pp. 335–342, 2004.
- [289] J. W. Weisel, “The electron microscope band pattern of human fibrin: Various stains, lateral order, and carbohydrate localization,” *J. Ultrastruct. Mol. Struct. Res.*, vol. 96, pp. 176–188, 1986.
- [290] I. S. Yermolenko, V. K. Lishko, T. P. Ugarova, and S. N. Magonov, “High-resolution visualization of fibrinogen molecules and fibrin fibers with atomic force microscopy,” *Biomacromolecules*, vol. 12, pp. 370–379, 2011.
- [291] J. W. Weisel, C. Nagaswami, and L. Makowski, “Twisting of fibrin fibers limits their radial growth,” *PNAS*, vol. 84, pp. 8991–8995, 1987.
- [292] M. D. Bale and J. D. Ferry, “Strain enhancement of elastic modulus in fine fibrin clots,” *Thrombosis Research*, vol. 52, no. 6, pp. 565–572, 1988.
- [293] E. A. Ryan, L. F. Mockros, J. W. Weisel, and L. Lorand, “Structural origins of fibrin clot rheology,” *Biophys. J.*, vol. 77, pp. 2813–2826, 1999.
- [294] J. W. Weisel and R. I. Litvinov, “Mechanisms of fibrin polymerization and clinical implications,” *Blood*, vol. 121, no. 10, pp. 1712–1719, 2013.
- [295] C. Yeromonahos, B. Polack, and F. Caton, “Nanostructure of the fibrin clot,” *Biophys. J.*, vol. 99, pp. 2018–2027, 2010.
- [296] M. E. Carr and J. Hermans, “Size and density of fibrin fibers from turbidity,” *Macromolecules*, vol. 11, no. 1, pp. 46–50, 1978.
- [297] I. K. Piechocka, *Biopolymers: from structural hierarchy to nonlinear rheology*. PhD thesis, Vrije Universiteit Amsterdam, 2011.
- [298] J. Torbet, J.-M. Freyssinet, and G. Hudry-Clergeon, “Oriented fibrin gels formed by polymerization in strong magnetic fields,” *Nature*, vol. 289, pp. 91–93, 1981.
- [299] A. Zhmurov, A. E. Brown, R. I. Litvinov, R. I. Dima, J. W. Weisel, and V. Barsegov, “Mechanism of fibrin(ogen) forced unfolding,” *Structure*, vol. 19, pp. 1615–1624, 2011.
- [300] Y.-L. Sun, Z.-P. Luo, A. Fertala, and K.-N. An, “Direct quantification of the flexibility of type I collagen monomer,” *BBRC*, vol. 295, pp. 382–386, 2002.
- [301] P. Fratzl, ed., *Collagen Structure and Mechanics*. Springer Science+Business Media, 2008.

Bibliography

- [302] M. de Wild, W. Pomp, and G. H. Koenderink, “Thermal memory in self-assembled collagen fibril networks,” *Biophys. J.*, vol. 105, pp. 200–210, 2013.
- [303] M. Fang, E. L. Goldstein, A. S. Turner, C. M. Les, B. G. Orr, G. J. Fisher, K. B. Welch, E. D. Rothman, and M. M. B. Holl, “Type I collagen D-spacing in fibril bundles of dermis, tendon, and bone: Bridging between nano- and micro-level tissue hierarchy,” *ACS NANO*, vol. 6, no. 11, pp. 9503–9514, 2012.
- [304] G. Wood and M. Keech, “The formation of fibrils from collagen solutions. 1. the effect of experimental conditions: Kinetec and electron-microscope studies,” *Biochemical Journal*, vol. 75, pp. 588–589, 1960.
- [305] C. B. Raub, V. Suresh, T. Krasieva, J. Lyubovitsky, J. D. Mih, A. J. Putnam, B. J. Tromberg, and S. C. George, “Noninvasive assessment of collagen gel microstructure and mechanics using multiphoton microscopy,” *Biophys. J.*, vol. 92, pp. 2212–2222, 2007.
- [306] Y.-J. Hwang and J. G. Lyubovitsky, “Collagen hydrogel characterization: multi-scale and multi-modality approach,” *Analytical Methods*, vol. 3, pp. 529–536, 2011.
- [307] B. A. Roeder, K. Kokini, J. E. Sturgis, J. P. Robinson, and S. L. Voytik-Harbin, “Tensile mechanical properties of three-dimensional type I collagen extracellular matrices with varied microstructure,” *Transactions of the ASME*, vol. 124, pp. 214–222, 2002.
- [308] F. Jiang, H. Hörber, J. Howard, and D. J. Müller, “Assembly of collagen into microribbons: effects of pH and electrolytes,” *Journal of Structural Biology*, vol. 148, pp. 268–278, 2004.
- [309] C. B. Raub, J. Unruh, V. Suresh, T. Krasieva, T. Lindmo, E. Gratton, B. J. Tromberg, and S. C. George, “Image correlation spectroscopy of multiphoton images correlates with collagen mechanical properties,” *Biophys. J.*, vol. 94, pp. 2361–2373, 2008.
- [310] J. Sapudom, S. Rubner, S. Martin, T. Kurth, S. Riedel, C. T. Mierke, and T. Pompe, “The phenotype of cancer cell invasion controlled by fibril diameter and pore size of 3D collagen networks,” *Biomacromolecules*, vol. 52, pp. 367–375, 2015.
- [311] D. J. Hulmes, T. J. Wess, D. J. Prockop, and P. Fratzl, “Radial packing, order, and disorder in collagen fibrils,” *Biophys. J.*, vol. 68, pp. 1661–1670, 1995.
- [312] Y. Yang, M. Bai, W. S. Klug, A. J. Levine, and M. T. Valentine, “Micro-rheology of highly crosslinked microtubule networks is dominated by force-induced crosslinker unbinding,” *Soft Matter*, vol. 9, no. 2, pp. 383–393, 2013.
- [313] M. M. A. E. Claessens, M. Bathe, E. Frey, and A. R. Bausch, “Actin-binding proteins sensitively mediate F-actin bundle stiffness,” *Nature Materials*, vol. 5, pp. 748–753, 2006.
- [314] T. Sanchez, D. Welch, D. Nicastro, and Z. Dogic, “Cilia-like beating of active microtubule bundles,” *Science*, vol. 333, pp. 456–459, 2011.

-
- [315] J.-F. Nolting, W. Möbius, and S. Köster, “Mechanics of individual keratin bundles in living cells,” *Biophys. J.*, vol. 107, pp. 2693–2699, 2014.
- [316] J. P. Orgel, T. C. Irving, A. Miller, and T. J. Wess, “Microfibrillar structure of type I collagen *in situ*,” *PNAS*, vol. 103, pp. 9001–9005, 2006.
- [317] G. M. Grason and R. F. Bruinsma, “Chirality and equilibrium biopolymer bundles,” *PRL*, vol. 99, p. 098101, 2007.
- [318] C. Heussinger and G. M. Grason, “Theory of crosslinked bundles of helical filaments: Intrinsic torques in self-limiting biopolymer assemblies,” *J. Chem. Phys.*, vol. 135, p. 035104, 2011.
- [319] I. R. Bruss and G. M. Grason, “Non-euclidean geometry of twisted filament bundle packing,” *PNAS*, vol. 109, pp. 10781–10786, 2012.
- [320] C. Heussinger, M. Bathe, and E. Frey, “Statistical mechanics of semiflexible bundles of wormlike polymer chains,” *PRL*, vol. 99, p. 048101, 2007.
- [321] A. Kis, G. Csányi, J.-P. Salvetat, T.-N. Lee, E. Couteau, A. Kulik, W. Benoit, J. Brugger, and L. Forró, “Reinforcement of single-walled carbon nanotube bundles by intertube bridging,” *Nature Materials*, vol. 3, pp. 153–157, 2004.
- [322] L. M. Ericson, H. Fan, H. Peng, V. A. Davis, W. Zhou, J. Sulpizio, Y. Wang, R. Booker, J. Vavro, C. Guthy, A. N. G. Parra-Vasquez, M. J. Kim, S. Ramesh, R. K. Saini, C. Kittrell, G. Lavin, H. Schmidt, W. W. Adams, W. E. Billups, M. Pasquali, W.-F. Hwang, R. H. Hauge, J. E. Fischer, and R. E. Smalley, “Macroscopic, neat, single-walled carbon nanotube fibers,” *Science*, vol. 305, pp. 1447–1450, 2012.
- [323] P. H. J. Kouwer, M. Koepf, V. A. A. L. Sage, M. Jaspers, A. M. van Buul, Z. H. Eksteen-Akeroyd, T. Woltinge, E. Schwartz, H. J. Kitto, R. Hoogenboom, S. J. Picken, R. J. M. Nolte, E. Mendes, and A. E. Rowan, “Responsive biomimetic networks from polyisocyanopeptide hydrogels,” *Nature*, vol. 493, pp. 651–655, 2013.
- [324] M. Jaspers, M. Dennison, M. F. Mabeoone, F. C. MacKintosh, A. E. Rowan, and P. H. Kouwer, “Ultra-responsive soft matter from strain-stiffening hydrogels,” *Nature Communications*, vol. 5, p. 5808, 2014.
- [325] M. Bathe, C. Heussinger, M. M. Claessens, A. R. Bausch, and E. Frey, “Cytoskeletal bundle mechanics,” *Biophys. J.*, vol. 94, pp. 2955–2964, 2008.
- [326] C. Heussinger, F. Schüller, and E. Frey, “Statics and dynamics of the wormlike bundle model,” *PRE*, vol. 81, p. 021904, 2010.
- [327] C. Heussinger, “Cooperative crosslink (un)binding in slowly driven bundles of semiflexible filaments,” *Phys. Rev. E. Stat. Nonlin. Soft Matter Phys.*, vol. 83, p. 050902, 2011.
- [328] R. L. C. Vink and C. Heussinger, “Cross-linked biopolymer bundles: Cross-link reversibility leads to cooperative binding/unbinding phenomena,” *J. Chem. Phys.*, vol. 136, no. 3, p. 035102, 2012.

Bibliography

- [329] J. M. Kollman, L. Pandi, M. R. Sawaya, M. Riley, and R. F. Doolittle, "Crystal structure of human fibrinogen," *Biochemistry*, vol. 48, pp. 3877–3886, 2009.
- [330] A. L. C. L. Corte, H. Philippou, and R. A. Ariëns, "Role of fibrin structure in thrombosis and vascular disease," *Advances in Protein Chemistry and Structural Biology*, vol. 83, pp. 75–127, 2011.
- [331] G. Tsurupa, I. Pechik, R. I. Litvinov, R. R. Hantgan, N. Tjandra, J. W. Weisel, and L. Medved, "On the mechanism of α C polymer formation in fibrin," *Biochemistry*, vol. 51, pp. 2526–2538, 2012.
- [332] N. Kurniawan, J. Grimbergen, J. Koopman, and G. Koenderink, "Factor XIII stiffens fibrin clots by causing fiber compaction," *J Thromb Haemost*, vol. 12, pp. 1687–1696, 2014.
- [333] W. Liu, L. M. Jawerth, E. A. Sparks, M. R. Falvo, R. R. Hantgan, R. Superfine, S. T. Lord, and M. Guthold, "Fibrin fibers have extraordinary extensibility and elasticity," *Science*, vol. 313, p. 634, 2006.
- [334] W. Liu, C. Carlisle, E. Sparks, and M. Guthold, "The mechanical properties of single fibrin fibers," *Journal of Thrombosis and Haemostasis*, vol. 8, pp. 1030–1036, 2010.
- [335] A. Zhmurov, O. Kononova, R. I. Litvinov, R. I. Dima, V. Barsegov, and J. W. Weisel, "Mechanical transition from α -helical coiled coils to β -sheets in fibrin(ogen)," *J. Am. Chem. Soc.*, vol. 134, pp. 20396–20402, 2012.
- [336] R. I. Litvinov, D. A. Faizullin, Y. F. Zuev, and J. W. Weisel, "The α -helix to β -sheet transition in stretched and compressed hydrated fibrin clots," *Biophys. J.*, vol. 103, pp. 1020–1027, 2012.
- [337] M. R. Falvo, D. Millard, E. T. O. III, R. Superfine, and S. T. Lord, "Length of tandem repeats in fibrin's α C region correlates with fiber extensibility," *J. Thromb. Haemost.*, vol. 6, no. 11, pp. 1991–1993, 2008.
- [338] M. F. Muller, H. Ris, and J. D. Ferry, "Electron microscopy of fine fibrin clots and fine and coarse fibrin films," *J. Mol. Biol.*, vol. 174, no. 2, pp. 369–384, 1984.
- [339] P. A. Janmey, "Rheology of fibrin clots. VI. stress relaxation, creep, and differential dynamic modulus of fine clots in large shearing deformations," *Journal of Rheology*, vol. 27, no. 2, pp. 135–153, 1983.
- [340] J. D. Ferry and P. R. Morrison, "Preparation and properties of serum and plasma proetins. VIII. the conversion of human fibrinogen to fibrin under various conditions," *J. Am. Chem. Soc.*, vol. 69, no. 2, pp. 388–400, 1946.
- [341] K. F. Standeven, A. M. Carter, P. J. Grant, J. W. Weisel, I. Chernysh, L. Masova, S. T. Lord, and R. A. S. Ariëns, "Functional analysis of fibrin γ -chain cross-linking by activated factor XIII: determination of a cross-linking pattern that maximizes clot stiffness," *Hemostasis, Thrombosis, and Vascular Biology*, vol. 110, no. 3, pp. 902–907, 2007.

- [342] K. Freund, K. Doshi, S. Gaul, D. Claremon, D. Remy, J. Baldwin, S. Pitzenberger, and A. Stern, “Transglutainase inhibition by 2-[(2-oxopropyl)thio]imidazolium derivatives: mechanism of factor XIIIa inactivation,” *Biochemistry*, vol. 33, no. 33, pp. 10109–10119, 1994.
- [343] E. Hethershaw, A. C. L. Corte, C. Duval, M. Ali, P. Grant, R. Ariëns, and H. Philippou, “The effect of blood coagulation factor XIII on fibrin clot structure and fibrinolysis,” *Journal of Thrombosis and Haemostasis*, vol. 12, pp. 197–205, 2014.
- [344] L. Huang and S. T. Lord, “The isolation of fibrinogen monomer dramatically influences fibrin polymerization,” *Thrombosis Research*, vol. 131, pp. e258–e263, 2013.
- [345] C. P. Broedersz, K. E. Kasza, L. M. Jawerth, S. Münster, D. A. Weitz, and F. C. MacKintosh, “Measurement of nonlinear rheology of cross-linked biopolymer gels,” *Soft Matter*, vol. 6, pp. 4120–4127, 2010.
- [346] F. Caton, “personal communication,”
- [347] M. D. Spirito, G. Arcòvito, M. Papi, M. Rocco, and F. Ferri, “Small- and wide-angle elastic light scattering study of fibrin structure,” *J. Appl. Cryst.*, vol. 36, pp. 636–641, 2003.
- [348] F. MacKintosh, J. Käs, and P. Janmey, “Elasticity of semiflexible biopolymer networks,” *PRL*, vol. 75, no. 24, pp. 4425–4428, 1995.
- [349] M. Gardel, J. Shin, F. MacKintosh, L. Mahadevan, P. Matsudaira, and D. Weitz, “Elastic behavior of cross-linked and bundled actin networks,” *Science*, vol. 304, pp. 1301–1305, 2004.
- [350] C. E. Hall and H. S. Slayter, “The fibrinogen molecule: Its size, shape, and mode of polymerization,” *J. Biophysic. and Biochem. Cytol.*, vol. 5, no. 1, pp. 11–16, 1958.
- [351] A. Protopopova, N. Barinov, E. Zavyalova, A. Kopylov, V. Sergienko, and D. Klinov, “Visualization of fibrinogen α C regions and their arrangement during fibrin network formation by high-resolution AFM,” *J. Thromb. Haemost.*, vol. 13, no. 4, pp. 570–579, 2015.
- [352] G. Nelb, C. Gerth, and J. Ferry, “Rheology of fibrin clots. III. Shear creep and creep recovery of fine ligated and coarse unligated clots,” *Biophysical Chemistry*, vol. 5, pp. 377–387, 1976.
- [353] S. Bernocco, F. Ferri, A. Profumo, C. Cuniberti, and M. Rocco, “Polymerization of rod-like macromolecular monomers studied by stopped-flow, multiangle light scattering: Set-up, data processing, and application to fibrin formation,” *Biophys. J.*, vol. 79, pp. 561–583, 2010.
- [354] Q. Wen, A. Basu, J. P. Winer, A. Yodh, and P. A. Janmey, “Local and global deformations in a strain-stiffening fibrin gel,” *New Journal of Physics*, vol. 9, p. 428, 2007.
- [355] M. Rocco, M. Molteni, M. Ponassi, G. Giachi, M. Frediani, A. Koutsioubas, A. Profumo, D. Trevarin, B. Cardinali, P. Vachette, F. Ferri, and J. Pérez, “A comprehensive mechanism of fibrin network formation

Bibliography

- involving early branching and delayed single- to double-strand transition from coupled time-resolved X-ray/light-scattering detection,” *JACS*, vol. 136, pp. 5376–5384, 2014.
- [356] H. Kojima, A. Ishijima, and T. Yanagida, “Direct measurement of stiffness of single actin filaments with and without tropomyosin by in vitro nanomanipulation,” *PNAS*, vol. 91, pp. 12962–12966, 1994.
- [357] R. Tharmann, M. Claessens, and A. Bausch, “Viscoelasticity of isotropically cross-linked actin networks,” *PRL*, vol. 98, p. 088103, 2007.
- [358] O. V. Gorkun, Y. I. Veklich, L. V. Medved, A. H. Henschen, and J. W. Weisel, “Role of the α C domains of fibrin in clot formation,” *Biochemistry*, vol. 33, pp. 6986–6997, 1994.
- [359] J. W. Weisel and L. Medved, “The structure and function of the α C domains of fibrinogen,” *Ann. N. Y. Acad. Sci.*, vol. 936, pp. 312–327, 2001.
- [360] E. A. Ryan, L. F. Mockros, A. M. Stern, and L. Lorand, “Influence of a natural and a synthetic inhibitor of factor XIIIa on fibrin clot rheology,” *Biophys. J.*, vol. 77, pp. 2827–2836, 1999.
- [361] R. A. Ariëns, T.-S. Lai, J. W. Weisel, C. S. Greenberg, and P. J. Grant, “Role of factor XIII in fibrin clot formation and effects of genetic polymorphisms,” *Blood*, vol. 100, pp. 743–754, 2002.
- [362] L. Mockros, W. Roberts, and L. Lorand, “Viscoelastic properties of ligation-inhibited fibrin clots,” *Biophysical Chemistry*, vol. 2, pp. 164–169, 1974.
- [363] C. Gerth, W. W. Roberts, and J. D. Ferry, “Rheology of fibrin clots. II. linear viscoelastic behavior in shear creep,” *Biophysical Chemistry*, vol. 2, pp. 208–217, 1974.
- [364] M. Guthold, W. Liu, B. Stephens, S. Lord, R. Hantgan, D. Erie, R. T. Jr., and R. Superfine, “Visualization and mechanical manipulations of individual fibrin fibers suggest that fiber cross section has fractal dimension 1.3,” *Biophys. J.*, vol. 87, pp. 4226–4236, 2004.
- [365] R. D. Averett, B. Menn, E. H. Lee, C. C. Helms, T. Barker, and M. Guthold, “A modular fibrinogen model that captures the stress-strain behavior of fibrin fibers,” *Biophys. J.*, vol. 103, pp. 1537–1544, 2012.
- [366] P. K. Purohit, R. I. Litvinov, A. E. Brown, D. E. Discher, and J. W. Weisel, “Protein unfolding accounts for the unusual mechanical behavior of fibrin networks,” *Acta Biomaterialia*, vol. 7, pp. 2374–2383, 2011.
- [367] F. MacKintosh and C. Schmidt, “Active cellular materials,” *Current Opinion Cell Biology*, vol. 22, pp. 29–35, 2010.
- [368] F. MacKintosh and C. Schmidt, *Mechanics of motor proteins and the cytoskeleton*. Sinauer Sunderland MA, 2001.
- [369] N. Wang, K. Naruse, D. Stamenović, J. J. Fredberg, S. M. Mijailovick, I. M. Tolić-Nørrelykke, T. Polte, R. Mannix, and D. E. Ingber, “Mechanical behavior in living cells consistent with the tensegrity model,” *PNAS*, vol. 98, pp. 7765–7770, 2001.

- [370] F. Gallet, D. Arcizet, P. Bohec, and A. Richert, “Power spectrum of out-of-equilibrium forces in living cells: amplitude and frequency dependence,” *Soft Matter*, vol. 5, pp. 2947–2953, 2009.
- [371] P. Kollmannsberger, C. T. Mierke, and B. Fabry, “Nonlinear viscoelasticity of adherent cells is controlled by cytoskeletal tension,” *Soft Matter*, vol. 7, pp. 3127–3132, 2011.
- [372] D. Mizuno, C. Tardin, C. Schmitt, and F. MacKintosh, “Nonequilibrium mechanics of active cytoskeletal networks,” *Science*, vol. 315, pp. 370–373, 2007.
- [373] G. H. Koenderink, Z. Dogic, F. Nakamura, P. M. Bendix, F. C. MacKintosh, J. H. Hartwig, T. P. Stossel, and D. A. Weitz, “An active biopolymer network controlled by molecular motors,” *PNAS*, vol. 106, no. 36, pp. 15192–15197, 2009.
- [374] B. Geiger, J. P. Spatz, and A. D. Bershadsky, “Environmental sensing through focal adhesions,” *Nature Reviews*, vol. 10, pp. 21–33, 2009.
- [375] I. Bischofs and U. Schwarz, “Cell organization in soft media due to active mechanosensing,” *PNAS*, vol. 100, no. 16, pp. 9274–9279, 2003.
- [376] A. Zemel, R. De, and S. A. Safran, “Mechanical consequences of cellular force generation,” *Current Opinion in Solid State and Materials Science*, vol. 15, pp. 169–176, 2011.
- [377] N. Wang, I. M. Tolić-Norrelykke, J. Chen, S. M. Mijailovich, J. P. Butler, J. J. Fredberg, and D. Stamenovic, “Cell prestress. I. stiffness and prestress are closely associated in adherent contractile cells,” *Am. J. Physiol. Cell. Physiol.*, vol. 282, pp. C606–C616, 2002.
- [378] M. Dembo and Y.-L. Wang, “Stresses at the cell-to-substrate interface during locomotion of fibroblasts,” *Biophys. J.*, vol. 76, pp. 2307–2316, 1999.
- [379] N. Q. Balaban, U. S. Schwarz, D. Riveline, P. Goichberg, G. Tzur, I. Sabanay, D. Mahalu, S. Safran, A. Bershadsky, L. Addadi, and B. Geiger, “Force and focal adhesion assembly: a close relationship studied using elastic micropatterned substrates,” *Nature Cell Biology*, vol. 3, pp. 466–472, 2001.
- [380] R. McBeath, D. M. Pirone, C. M. Nelson, K. Bhadriraju, and C. S. Chen, “Cell shape, cytoskeletal tension, and rhoA regulate stem cell lineage commitment,” *Developmental Cell*, vol. 6, pp. 483–495, 2004.
- [381] E. A. Klein, L. Yin, D. Kothapalli, P. Castagnino, F. J. Byfield, T. Xu, I. Levental, E. Hawthorne, P. A. Janmey, and R. K. Assoian, “Cell-cycle control by physiological matrix elasticity and in vivo tissue stiffening,” *Current Biology*, vol. 19, pp. 1511–1518, 2009.
- [382] M. A. Wozniak and C. S. Chen, “Mechanotransduction in development: a growing role for contractility,” *Nature Reviews Molecular Cell Biology*, vol. 10, pp. 34–43, 2009.
- [383] D. Butcher, T. Alliston, and V. Weaver, “A tense situation: forcing tumour progression,” *Nat. Rev. Cancer*, vol. 9, pp. 108–122, 2009.

Bibliography

- [384] A. Harris, D. Stopak, and P. Wild, “Fibroblast traction as a mechanism for collagen morphogenesis,” *Nature*, vol. 290, pp. 249–251, 1981.
- [385] P. Fernandez and A. R. Bausch, “The compaction of gels by cells: a case of collective mechanical activity,” *Integrative Biology*, vol. 1, pp. 252–259, 2009.
- [386] I. B. Bischofs, F. Klein, D. Lehnert, M. Bastmeyer, and U. S. Schwarz, “Filamentous network mechanics and active contractility determine cell and tissue shape,” *Biophys. J.*, vol. 95, pp. 3488–3496, 2008.
- [387] S. E. Mutsaers, J. E. Bishop, G. McGrouther, and G. J. Laurent, “Mechanisms of tissue repair: from wound healing to fibrosis,” *Int. J. Biochem. Cell Biol.*, vol. 29, no. 1, pp. 5–17, 1997.
- [388] L. Urech, A. G. Bittermann, J. A. Hubbell, and H. Hall, “Mechanical properties, proteolytic degradability and biological modifications affect angiogenic process extension into native and modified fibrin matrices in vitro,” *Biomaterials*, vol. 26, pp. 1369–1379, 2005.
- [389] A. E. X. Brown, R. I. Litvinov, D. E. Discher, P. K. Purohit, and J. W. Weisel, “Multiscale mechanics of fibrin polymer: Gel stretching with protein unfolding and loss of water,” *Science*, vol. 325, pp. 741–744, 2009.
- [390] S. B. Lindström, D. A. Vader, A. Kulachenko, and D. A. Weitz, “Biopolymer network geometries: Characterization, regeneration, and elastic properties,” *PRE*, vol. 82, p. 051905, 2010.
- [391] O. Budtz-Olsen, *Clot retraction*. Charles C. Thomas, Springfield, Illinois, 1951.
- [392] S. Niewiarowski, E. Regoeczi, and J. Mustard, “Adhesion of fibroblasts to polymerizing fibrin and retraction of fibrin induced by fibroblasts,” *Proc. Soc. Exp. Biol. Med.*, vol. 140, pp. 199–204, 1972.
- [393] T. Wakatsuki, M. S. Kolodney, G. I. Zahalak, and E. L. Elson, “Cell mechanics studied by a reconstituted model tissue,” *Biophys. J.*, vol. 79, pp. 2353–2368, 2000.
- [394] M. C. Evans and V. H. Barocas, “The modulus of fibroblast-populated collagen gels is not determined by final collagen and cell concentration: Experiments and an inclusion-based model,” *Journal of Biomechanical Engineering*, vol. 131, pp. 101014–1–7, 2009.
- [395] A. Iordan, A. Duperray, A. Gérard, A. Grechine, and C. Verdier, “Breakdown of cell-collagen networks through collagen remodeling,” *Biorheology*, vol. 47, pp. 277–295, 2010.
- [396] G. Gurtner, S. Werner, and Y. Barrandon, “Wound repair and regeneration,” *Nature*, vol. 453, pp. 314–321, 2008.
- [397] A. Falanga, M. Marchetti, and D. Balducci, “Clotting mechanisms and cancer: implications in thrombus formation and tumor progression,” *Clin. Adv. Hematol. Oncol.*, vol. 1, pp. 673–678, 2003.
- [398] A. Falanga, M. Marchetti, and D. Balducci, “In vitro fibroplasia: matrix contraction, cell growth, and collagen production of fibroblasts cultured in fibrin gels,” *Exp. Cell Res.*, vol. 223, pp. 127–134, 1996.

- [399] Y. Huang, R. Dennis, L. Larkin, and K. Baar, "Rapid formation of functional muscle in vitro using fibrin gels," *J. Appl. Physiol.*, vol. 98, pp. 706–713, 2005.
- [400] P. Janmey, J. Winer, and J. Weisel, "Fibrin gels and their clinical and bioengineering applications," *J. R. Soc. Interface*, vol. 6, pp. 1–10, 2009.
- [401] D. Mizuno, R. Bacabac, C. Tardin, D. Head, and C. Schmidt, "High-resolution probing of cellular force transmission," *PRL*, vol. 102, p. 168102, 2009.
- [402] R. Redden and E. Doolin, "Collagen crosslinking and cell density have distinct effects on fibroblast-mediated contraction of collagen gels," *Skin Res. Technol.*, vol. 9, pp. 290–293, 2003.
- [403] L. Y. Leung, D. Tian, C. P. Brangwynne, D. A. Weitz, and D. J. Tschumperlin, "A new microrheometric approach reveals individual and cooperative roles for TGF- β 1 and IL-1 β in fibroblast-mediated stiffening of collagen gels," *The FASEB Journal*, vol. 21, pp. 2064–2073, 2007.
- [404] J. S. Weinbaum, J. Qi, and R. T. Tranquillo, "Monitoring collagen transcription by vascular smooth muscle cells in fibrin-based tissue constructs," *Tissue Engineering: Part C*, vol. 16, no. 3, pp. 459–467, 2010.
- [405] J. Ross and R. Tranquillo, "ECM gene expression correlates with in vitro tissue growth and development in fibrin gel remodeling by neonatal smooth muscle cells," *Matrix Biology*, vol. 22, pp. 477–490, 2003.
- [406] W. M. Petroll and L. Ma, "Direct, dynamic assessment of cell-matrix interactions inside fibrillar collagen lattices," *Cell Motility and the Cytoskeleton*, vol. 55, pp. 254–264, 2003.
- [407] E. Cukierman, R. Pankov, D. R. Stevens, and K. M. Yamada, "Taking cell-matrix adhesions to the third dimension," *Science*, vol. 294, pp. 1708–1712, 2001.
- [408] T. Tuan and F. Grinnell, "Fibronectin and fibrinolysis are not required for fibrin gel contraction by human skin fibroblasts," *J. Cell Physiol.*, vol. 140, pp. 577–583, 1989.
- [409] A. Hartmann, P. Boukamp, and P. Friedl, "Confocal reflection imaging of 3D fibrin polymers," *Blood cells, Molecules, and Diseases*, vol. 36, pp. 191–193, 2006.
- [410] M. Yamato, E. Acachi, K. Yamamoto, and T. Hayashil, "Condensation of collagen fibrils to the direct vicinity of fibroblasts as a cause of gel contraction," *Journal of Biochemistry*, vol. 117, no. 5, pp. 940–946, 1995.
- [411] R. A. Campbell, K. A. Overmyer, C. H. Selzman, B. C. Sheridan, and A. S. Wolberg, "Contributions of extravascular and intravascular cells to fibrin network formation, structure, and stability," *Blood*, vol. 114, no. 23, pp. 4886–4896, 2009.
- [412] J. Gailit, C. Clarke, D. Newman, M. Tonnesen, M. Mosesson, and R. Clark, "Human fibroblasts bind directly to fibrinogen at RGD sites through integrin α v β 3," *Exp. Cell Res.*, vol. 232, pp. 118–126, 1997.

Bibliography

- [413] S. Münster, L. M. Jawerth, B. A. Leslie, J. I. Weitz, B. Fabry, and D. A. Weitz, “Strain history dependence of the nonlinear stress response of fibrin and collagen networks,” *PNAS*, vol. 110, no. 30, pp. 12197–12202, 2013.
- [414] S. Akiyama and K. Yamada, “The interaction of plasma fibronectin with fibroblastic cells in suspension,” *J. Biol. Chem.*, vol. 260, pp. 4492–4500, 1985.
- [415] M. Eastwood, V. Mudera, D. McGrouther, and R. Brown, “Effect of precise mechanical loading on fibroblast populated collagen lattices: Morphological changes,” *Cell Motility and the Cytoskeleton*, vol. 40, pp. 13–21, 1998.
- [416] A. Straight, A. Cheung, J. Limouze, I. Chen, N. Westwood, J. Sellers, and T. Mitchison, “Dissecting temporal and spatial control of cytokinesis with a myosin II inhibitor,” *Science*, vol. 299, pp. 1743–1747, 2003.
- [417] C. Jen and L. McIntire, “The structural properties and contractile force of a clot,” *Cell Motil.*, vol. 2, pp. 445–455, 1982.
- [418] J. Zhou, H. Y. Kim, J. H.-C. Wang, and L. A. Davidson, “Macroscopic stiffening of embryonic tissues via microtubules, rhoGEF and the assembly of contractile bundles of actomyosin,” *Development*, vol. 137, pp. 2785–2794, 2010.
- [419] P. Chen and V. Shenoy, “Strain stiffening induced by molecular motors in active crosslinked biopolymer networks,” *Soft Matter*, vol. 7, pp. 355–358, 2011.
- [420] W. A. Lam, O. Chaudhuri, A. Crow, K. D. Webster, T.-D. Li, A. Kita, J. Huang, and D. A. Fletcher, “Mechanics and contraction dynamics of single platelets and implications for clot stiffening,” *Nature Materials*, vol. 10, pp. 61–66, 2011.
- [421] F. MacKintosh and A. Levine, “Nonequilibrium mechanics and dynamics of motor-activated gels,” *PRL*, vol. 100, p. 018104, 2008.
- [422] K. Lee, H. Kong, R. Larson, and D. Mooney, “Hydrogel formation via cell crosslinking,” *Adv. Mater.*, vol. 15, pp. 1828–1832, 2003.
- [423] R. Bloom, J. George, A. Celedon, S. Sun, and D. Wirtz, “Mapping local matrix remodeling induced by a migrating tumor cell using three-dimensional multiple-particle tracking,” *Biophys. J.*, vol. 95, pp. 4077–4088, 2008.
- [424] W. Petroll, L. Ma, L. Ly, and M. Vishwanath, “Analysis of the pattern of subcellular force generation by corneal fibroblasts after Rho activation,” *Eye Contact Lens*, vol. 34, pp. 65–70, 2008.
- [425] P. Onck, T. Koeman, T. van Dillen, and E. van der Giessen, “Alternative explanation of stiffening in cross-linked semiflexible networks,” *PRL*, vol. 95, p. 178102, 2005.
- [426] A. E. Brown, R. I. Litvinov, D. E. Discher, and J. W. Weisel, “Forced unfolding of coiled-coils in fibrinogen by single-molecule AFM,” *Biophys. J.*, vol. 92, no. 5, pp. L39–L41, 2007.

-
- [427] G. Koenderink, M. Atakhorrami, F. MacKintosh, and C. Schmidt, “High-frequency stress relaxation in semiflexible polymer solutions and networks,” *PRL*, vol. 96, p. 138307, 2006.
- [428] K. Beningo and Y. Wang, “Flexible substrata for the detection fo cellular traction forces,” *Trends Cell Biol.*, vol. 12, pp. 79–84, 2002.
- [429] Y. Shokef and S. A. Safran, “Scaling laws for the response of nonlinear elastic media with implications for cell mechanics,” *PRL*, vol. 108, p. 178103, 2012.
- [430] U. Schwarz and S. Safran, “Elastic interactions of cells,” *PRL*, vol. 88, p. 048102, 2002.
- [431] I. Bischofs and U. Schwarz, “Effect of Poisson ratio on cellular structure formation,” *PRL*, vol. 95, p. 068102, 2005.
- [432] A. Zemel, I. Bischofs, and S. Safran, “Active elasticity of gels with contractile cells,” *PRL*, vol. 97, p. 128103, 2006.
- [433] A. Zemel and S. Safran, “Active self-polarization of contractile cells in asymmetrically shaped domains,” *PRE*, vol. 76, p. 021905, 2007.
- [434] F. Shaikh, A. Callanan, E. Kavanagh, P. Burke, P. Grace, and T. McGloughlin, “Fibrin: a natural biodegradable scaffold in vascular tissue engineering,” *Cells Tissues Organs*, vol. 188, pp. 333–346, 2008.
- [435] W. Kamphuis, C. Mamber, M. Moeton, L. Kooijman, J. Sluijs, A. Jansen, M. Verveer, L. deGroot, V. Smith, S. Rangarajan, J. Rodríguez, M. Orre, and E. Hol, “GFAP isoforms in adult mouse brain with a focus on neurogenic astrocytes and reactive astrogliosis in mouse models of alzheimer disease,” *PLoS ONE*, vol. 7, p. e42823, 2012.
- [436] F. Dijk, E. Kraal-Muller, and W. Kamphuis, “Ischemia-induced changes of AMPA-type glutamate receptor subunit expression pattern in the rat retina: a real-time quantitative PCR study,” *Invest. Ophthalmol. Vis. Sci.*, vol. 45, pp. 330–341, 2004.
- [437] J. Ye, G. Coulouris, I. Zaretskaya, I. Cutcutache, S. Rozen, and T. Madden, “Primer-BLAST: a tool to design target-specific primers for polymerase chain reaction,” *BMC Bioinformatics*, vol. 13, p. 134, 2012.
- [438] J. Noguera, A. Lecuona, and P. Rodríguez, “Limits on the resolution of correlation PIV iterative methods,” *Experiments in Fluids*, vol. 39, pp. 305–313, 2005.
- [439] R. Rezakhaniha, A. Agianniotis, J. Schrauwen, A. Griffa, D. Sage, C. Bouten, F. van de Vosse, M. Unser, and N. Stergiopoulos, “Experimental investigation of collagen waviness and orientation in the arterial adventitia using confocal laser scanning microscopy,” *Biomech. Model. Mechanobiol.*, vol. 11, pp. 461–473, 2012.
- [440] S. Hess and W. Köhler, *Formeln zur Tensor-Rechnung*. Palm & Enke, 1980.
- [441] L. Medved and J. Weisel, “Recommendations for nomenclature on fibrinogen and fibrin,” *J. Thromb. Haemost.*, vol. 7, no. 2, pp. 355–359, 2009.

Bibliography

- [442] Z. Yang, I. Mochalkin, L. Veerapandian, M. Riley, and R. F. Doolittle, “Crystal structure of native chicken fibrinogen at 5.5-Å resolution,” *PNAS*, vol. 97, no. 8, pp. 3907–3912, 2000.
- [443] W. Fowler, R. Hantgan, J. Hermans, and H. Erickson, “Structure of the fibrin protofibril,” *PNAS*, vol. 78, no. 8, pp. 4872–4876, 1981.
- [444] R. I. Litvinov, S. Yakovlev, G. Tsurupa, O. V. Gorkun, L. Medved, and J. W. Weisel, “Direct evidence for specific interactions of the fibrinogen α C-domains with the central E region and with each other,” *Biochemistry*, vol. 46, no. 31, pp. 9133–9142, 2007.
- [445] R. I. Litvinov, O. V. Gorkun, D. K. Galanakis, S. Yakovlev, L. Medved, H. Shuman, and J. W. Weisel, “Polymerization of fibrin: direct observation and quantification of individual B:b knob-hole interactions,” *Blood*, vol. 109, no. 1, pp. 130–138, 2007.
- [446] L. Lorand, “Factor XIII: Structure, activation, and interactions with fibrinogen and fibrin,” *Annals New York Academy of Sciences*, vol. 936, no. 1, pp. 291–311, 2006.
- [447] S. Acharya and D. Dimichele, “Rare inherited disorders of fibrinogen,” *Haemophilia*, vol. 14, pp. 1151–1158, 2008.
- [448] R. Tran, D. R. Myers, J. Ciciliano, E. L. T. Hardy, Y. Sakurai, B. Ahn, Y. Qiu, R. G. Mannino, M. E. Fay, and W. A. Lam, “Biomechanics of haemostasis and thrombosis in health and disease: from the macro- to molecular scale,” *J. Cell. Mol. Med.*, vol. 17, no. 5, pp. 579–596, 2013.
- [449] K. Gersh, K. Edmondson, and J. Weisel, “Flow rate and fibrin fiber alignment,” *J. Thromb. Haemost.*, vol. 8, no. 12, pp. 2826–2828, 2010.
- [450] R. A. Campbell, M. M. Aleman, L. D. Gray, M. R. Falvo, and A. S. Wolberg, “Flow profoundly influences fibrin network structure: Implications for fibrin formation and clot stability in haemostasis,” *J. Thromb. Haemost.*, vol. 104, no. 6, pp. 1281–1284, 2010.
- [451] S. S. Henriques, R. Sandmann, A. Strate, and S. Köster, “Force field evolution during human blood platelet activation,” *Journal of Cell Science*, vol. 125, pp. 3914–3920, 2012.
- [452] Z. Qin, L. Kreplak, and M. J. Buehler, “Nanomechanical properties of vimentin intermediate filament dimers,” *Nanotechnology*, vol. 20, p. 425101, 2009.
- [453] I. Schwaiger, C. Sattler, D. R. Hostetter, and M. Rief, “The myosin coiled-coil is a truly elastic protein structure,” *Nature Materials*, vol. 1, pp. 232–235, 2002.
- [454] H. Kang, Q. Wen, P. A. Janmey, J. X. Tang, E. Conti, and F. C. MacKintosh, “Nonlinear elasticity of stiff filament networks: strain stiffening, negative normal stress, and filament alignment in fibrin gels,” *J. Phys. Chem. B*, vol. 113, pp. 3799–3805, 2009.
- [455] F. J. Roska and J. D. Ferry, “Studies of fibrin film.II. small-angle x-ray scattering,” *Biopolymers*, vol. 21, pp. 1833–1845, 1982.

- [456] M. F. Müller and J. D. Ferry, "Small-angle x-ray scattering studies of fibrin film: Comparisons of fine and coarse films prepared with thrombin and ancrod," *Biopolymers*, vol. 28, pp. 1011–1018, 1989.
- [457] D. K. Putnam, E. W. L. Jr., and J. Meiler, "Reconstruction of SAXS profiles from protein structures," *Computational and Structural Biotechnology Journal*, vol. 8, no. 11, p. e201308006, 2013.
- [458] K. M. Meek and A. J. Quantock, "The use of X-ray scattering techniques to determine corneal ultrastructure," *Progress in Retinal and Eye Research*, vol. 20, no. 1, pp. 95–137, 2001.
- [459] A. Martel, M. Burghammer, R. J. Davies, E. D. Cola, C. Vendrely, and C. Riek, "Silk fiber assembly studied by synchrotron radiation SAXS/WAXS and Ramon spectroscopy," *JACS*, vol. 130, pp. 17070–17074, 2008.
- [460] L. Stryer, C. Cohen, and R. Langridge, "Axial period of fibrinogen and fibrin," *Nature*, vol. 197, pp. 793–194, 1963.
- [461] C. Longstaff, I. Varjú, P. Sótónyi, L. Szabó, M. Krumrey, A. Hoell, A. Bóta, Z. Varga, E. Komorowicz, and K. Kolev, "Mechanical stability and fibrinolytic resistance of clots containing fibrin, DNA, and histones," *The Journal of Biological Chemistry*, vol. 288, pp. 6946–6956, 2013.
- [462] W. A. Voter, C. Cucaveche, A. E. Blaurock, and H. P. Erickson, "Lateral packing of protofibrils in fibrin fibers and fibrinogen polymers," *Biopolymers*, vol. 25, pp. 2359–2373, 1986.
- [463] G. Caracciolo, M. D. Spirito, A. C. Castellano, D. Pozzi, G. Amiconi, A. D. Pascalis, R. Caminiti, and G. Arcovito, "Protofibrils within fibrin fibres are packed together in a regular array," *Thromb. Haemost.*, vol. 89, pp. 632–636, 2003.
- [464] M. Missori, M. Papi, G. Maulucci, G. Arcovito, G. Boumis, A. Bellelli, G. Amiconi, and M. D. Spirito, "Cl⁻ and F⁻ anions regulate the architecture of protofibrils in fibrin gel," *Eur. Biophys. J.*, vol. 39, no. 6, pp. 1001–1006, 2010.
- [465] I. Bucay, E. T. O. III, S. D. Wulfe, R. Superfine, A. S. Wolberg, M. R. Falvo, and N. E. Hudson, "Physical determinants of fibrinolysis in single fibrin fibers," *PLoS ONE*, vol. 10, no. 2, p. e0116350, 2015.
- [466] A. S. Adhikari, A. H. Mekhdjian, and A. R. Dunn, "Strain tunes proteolytic degradation and diffusive transport in fibrin networks," *Biomacromolecules*, vol. 13, no. 2, pp. 499–506, 2012.
- [467] I. Varjú, P. Sótónyi, R. Machovich, L. Szabó, K. Tenekedjiev, M. Silva, C. Longstaff, and K. Kolev, "Hindered dissolution of fibrin formed under mechanical stress," *J. Thromb. Haemost.*, vol. 9, pp. 979–986, 2011.
- [468] W. Bras, I. P. Dolbnya, D. Detollenaere, R. van Tol, M. Malfois, G. N. Greaves, A. J. Ryan, and E. Heeley, "Recent experiments on a combined small-angle/wide-angle X-ray scattering beam line at the ESRF," *Journal of Applied Crystallography*, vol. 36, pp. 791–794, 2003.

Bibliography

- [469] K. Jansen, A. Zhmurov, G. Portale, D. Merino, R. Litvinov, B. Vos, V. Tutwiler, N. Kurniawan, W. Bras, J. Weisel, V. Barsegov, and G. Koenderink, “Unfolding of fibrin gels under strain,” manuscript in preparation.
- [470] W. Humphrey, A. Dalke, and K. Schulten, “VMD: Visual Molecular Dynamics,” *J. Molec. Graphics*, vol. 14, pp. 33–38, 1995.
- [471] Z. Yang, L. Pandi, and R. F. Doolittle, “The crystal structure of fragment double-D from cross-linked lamprey fibrin reveals isopeptide linkages across an unexpected D-D interface,” *Biochemistry*, vol. 41, pp. 15610–15617, 2002.
- [472] S. J. Everse, G. Spraggon, L. Veerapandian, and R. F. Doolittle, “Conformational changes in fragments D and double-D from human fibrin(ogen) upon binding the peptide ligand gly-his-arg-pro-amide,” *Biochemistry*, vol. 38, pp. 2941–2946, 1999.
- [473] W. Kabsch, “A solution for the best rotation to relate two sets of vectors,” *Acta Cryst.*, vol. 32, pp. 922–923, 1976.
- [474] P. Ferrara, J. Apostolakis, and A. Caffisch, “Evaluation of a fast implicit solvent model for molecular dynamics simulations,” *Proteins*, vol. 46, pp. 24–33, 2002.
- [475] P. Debye, “Zerstreuung von röntgenstrahlen,” *Annalen der Physik*, vol. 351, pp. 809–823, 1915.
- [476] O. Glatter and O. Kratky, eds., *Small Angle X-ray Scattering*. Academic Press, 1982.
- [477] P. W. Stephens, J. A. Kaduk, T. N. Blanton, D. R. Whitcomb, S. T. Mixture, and M. Rajeswaran, “Structure determination of the silver caboxylate dimer $[\text{Ag}(\text{O}_2\text{C}_2\text{O}_2\text{H}_3)_2]$, silver arachidate, using powder X-ray diffraction methods,” *International Centre for Diffraction Data*, 2012. ISSN 1097–0002.
- [478] F. Ferri and M. Greco, “Growth kinetics and structure of fibrin gels,” *PRE*, vol. 63, p. 031401, 2001.
- [479] F. Ferri, M. Greco, G. Arcóvito, M. D. Spirito, and M. Rocco, “Structure of fibrin gels studied by elastic light scattering techniques: Dependence of fractal dimension, gel crossover length, fiber density on monomer concentration,” *PRE*, vol. 66, p. 011913, 2002.
- [480] K. M. Weigandt, D. C. Pozzo, and L. Porcar, “Structure of high density fibrin networks probed with neutron scattering and rheology,” *Soft Matter*, vol. 5, pp. 4321–4330, 2009.
- [481] A. E. González and G. Ramírez-Santiago, “Spatial ordering and structure factor scaling in the simulations of colloid aggregation,” *PRL*, vol. 74, no. 7, pp. 1238–1241, 1995.
- [482] M. D. Spirito, G. Arcovito, F. A. Bassi, F. Ferri, and M. Rocco, “Internal dynamics of semiflexible fibrin networks,” *AIP Conference Proceedings*, vol. 469, no. 1, pp. 627–632, 1999.

- [483] A. Takahashi, R. Kita, T. Shinozaki, K. Kubota, and M. Kaibara, "Real space observation of three-dimensional network structure of hydrated fibrin gel," *Colloid Polym. Sci.*, vol. 281, pp. 832–838, 2003.
- [484] M. Papi, G. Arcovito, M. D. Spirito, G. Amiconi, A. Bellelli, and G. Boumis, "Simultaneous static and dynamic light scattering approach to the characterization of the different fibrin gel structures occurring by changing chloride concentration," *Applied Physics Letters*, vol. 86, p. 183901, 2005.
- [485] R. Bateman, H. Leong, T. Podor, K. Hodgson, T. Kareco, and K. Walley, "The effect of thrombin concentration on fibrin clot structure imaged by multiphoton microscopy and quantified by fractal analysis," *Microsc. Microanal.*, vol. 11(Suppl 2), pp. 1018–1019, 2005.
- [486] P. A. Evans, K. Hawkins, R. H. Morris, N. Thirumalai, R. Munro, L. Wakeman, M. J. Lawrence, and P. R. Williams, "Gel point and fractal microstructure of incipient blood clots are significant new markers of hemostasis for healthy and anticoagulated blood," *Thrombosis and Hemostasis*, vol. 116, no. 17, pp. 3341–3346, 2010.
- [487] D. J. Curtis, P. R. Williams, N. Badiei, A. I. Campbell, K. Hawkins, P. A. Evans, and M. R. Brown, "A study of microstructural templating in fibrin-thrombin gel networks by spectral and viscoelastic analysis," *Soft Matter*, vol. 9, p. 4883, 2013.
- [488] J.-M. Freyssinet, J. Torbet, G. Hudry-Clergeon, and G. Maret, "Fibrinogen and fibrin structure and fibrin formation measured by using magnetic orientation," *PNAS*, vol. 80, pp. 1616–1620, 1983.
- [489] J. Teixeira, "Small-angle scattering by fractal systems," *J. Appl. Cryst.*, vol. 21, pp. 781–785, 1988.
- [490] C. Yeromonahos, *Nanostructure des fibres de fibrine*. PhD thesis, Université de Grenoble, 2011.
- [491] J. W. Weisel, G. N. Phillips, and C. Cohen, "The structure of fibrinogen and fibrin: II. architecture of the fibrin clot," *NYAS*, vol. 408, pp. 367–379, 1983.
- [492] R. F. Doolittle and J. M. Kollman, "Natively unfolded regions of the vertebrate fibrinogen molecule," *PROTEINS: Structure, Function, and Bioinformatics*, vol. 63, pp. 391–397, 2006.
- [493] L. E. Alexander, ed., *X-Ray diffraction methods in polymer science*. New York, Wiley-Interscience, 1969.
- [494] S. Förster, A. Timmann, C. Schellback, A. Frömsdorf, A. Kornowski, H. Weller, S. V. Roth, and P. Lindner, "Order causes secondary Bragg peaks in soft materials," *Nature Materials*, vol. 6, pp. 888–893, 2007.
- [495] T. Xu, D. Vavylonis, F.-C. Tsai, G. Koenderink, W. Nie, E. Yusul, I.-J. Lee, J.-Q. Wu, and X. Huang, "SOAX: A software for quantification of 3D biopolymer networks," *Scientific Reports*, vol. 5, p. 9081, 2015.
- [496] G. Portale, "personal communication,"

Bibliography

- [497] B. Li, C. Moshfegh, Z. Lin, J. Albuschies, and V. Vogel, “Mesenchymal stem cells exploit extracellular matrix as mechanotransducer,” *Scientific Reports*, vol. 3, p. 2425, 2013.
- [498] O. Peleg, T. Savin, G. V. Kolmakov, I. G. Salib, A. C. Balazs, M. Kröger, and V. Vogel, “Fibers with integrated mechanochemical switches : Minimalistic design principles derived from fibronectin,” *Biophys. J.*, vol. 103, pp. 1909–1918, 2012.
- [499] C. T. Mierke, “The fundamental role of mechanical properties in the progression of cancer disease and inflammation,” *Reports on Progress in Physics*, vol. 77, no. 7, p. 076602, 2014.
- [500] H. Mohammadi and C. A. McCulloch, “Impact of elastic and inelastic substrate behavior on mechanosensation,” *Soft Matter*, vol. 10, pp. 408–420, 2014.
- [501] A. Lesman, J. Notbohm, D. A. Tirrell, and G. Ravichandran, “Contractile forces regulate cell division in three-dimensional environments,” *J. Cell Biol.*, vol. 205, no. 2, pp. 155–162, 2014.
- [502] J. Starke, K. Maaser, B. Wehrle-Haller, and P. Friedl, “Mechanotransduction of mesenchymal melanoma cell invasion into 3D collagen lattices: Filopod-mediated extension-relaxation cycles and force anisotropy,” *Experimental Cell Research*, vol. 319, pp. 2424–2433, 2013.
- [503] J. Notbohm, A. Lesman, D. A. Tirrell, and G. Ravichandran, “Quantifying cell-induced matrix deformation in three dimensions based on imaging matrix fibers,” *Integr. Biol.*, vol. 7, pp. 1186–1195, 2015.
- [504] J. H.-C. Wang and J.-S. Lin, “Cell traction force and measurement methods,” *Biomechan. Model Mechanobiol.*, vol. 6, pp. 361–371, 2007.
- [505] U. Schwarz and J. Soiné, “Traction force microscopy on soft elastic substrates: A guide to recent computational advances,” *Biochim. Biophys. Acta*, vol. 1853, pp. 3095–3104, 2015.
- [506] C. T. Mierke, D. Rösel, B. Fabry, and J. Brábek, “Contractile forces in tumor cell migration,” *Eur. J. Cell Biol.*, vol. 87, pp. 669–676, 2008.
- [507] M. Bonilla, J. Stokes, M. Gidley, and G. Yakubov, “Interpreting atomic force microscopy nanoindentation of hierarchical biological materials using multi-regime analysis,” *Soft Matter*, vol. 11, pp. 1281–1292, 2015.
- [508] L. Selvaggi, M. Salemmé, C. Vaccaro, G. P. andGiulia Rusciano, A. Sasso, C. Campanella, and R. Carotenuto, “Multiple-particle-tracking to investigate viscoelastic properties in living cells,” *Methods*, vol. 51, pp. 20–26, 2009.
- [509] I. Hasnain and A. Donald, “Microrheological characterization of anisotropic materials,” *PRE*, vol. 73, p. 031901, 2006.
- [510] Y. Tseng, T. P. Kole, and D. Wirtz, “Micromechanical mapping of live cells by multiple particle tracking microrheology,” *Biophys. J.*, vol. 83, pp. 3162–3167, 2002.
- [511] D. Wirtz, “Particle-tracking microrheology of living cells: principles and applications,” *Annu. Rev. Biophys.*, vol. 38, pp. 301–326, 2009.

-
- [512] S. Yamada, D. Wirtz, and S. C. Kuo, “Mechanics of living cells measured by laser tracking microrheology,” *Biophys. J.*, vol. 78, pp. 1736–1747, 2000.
- [513] M. Puig-De-Morales, M. Grabulosa, J. Alcaraz, J. Mollol, G. N. Maksym, J. J. Fredberg, and D. Navajas, “Measurement of cell microrheology by magnetic twisting cytometry with frequency domain demodulation,” *J. Appl. Physiol.*, vol. 91, pp. 1152–1159, 2001.
- [514] D. Weihs, T. G. Mason, and M. A. Teitell, “Bio-microrheology: A frontier in microrheology,” *Biophys. J.*, vol. 91, pp. 4296–4305, 2006.
- [515] W. W. Admed, É. Fodor, and T. Betz, “Active cell mechanics: Measurements and theory,” *BBA*, vol. 1853, pp. 3083–3094, 2015.
- [516] M. Gardel, M. Valentine, J. Crocker, A. Bausch, and D. Weitz, “Microrheology of entangled F-actin solutions,” *PRL*, vol. 91, no. 15, p. 158302, 2003.
- [517] J. Liu, M. Gardel, K. Kroy, E. Frey, B. Hoffman, J. Crocker, A. Bausch, and D. Weitz, “Microrheology probes length scale dependent rheology,” *PRL*, vol. 96, p. 118104, 2006.
- [518] J. L. McGrath, J. H. Hartwig, and S. C. Kuo, “The mechanics of F-actin microenvironments depend on the chemistry of probing surfaces,” *Biophys. J.*, vol. 79, pp. 3258–3266, 2000.
- [519] F. G. Schmidt, B. Hinner, and E. Sackmann, “Microrheometry underestimates the values of the viscoelastic moduli in measurements on F-actin solutions compared to macrorheometry,” *PRE*, vol. 61, no. 5, pp. 5646–5653, 2000.
- [520] I. Wong, M. Gardel, D. Reichman, E. R. Weeks, M. Valentine, A. Bausch, and D. Weitz, “Anomalous diffusion probes microstructure dynamics of entangled F-actin networks,” *PRL*, vol. 92, no. 17, p. 178101, 2004.
- [521] B. S. Chae and E. M. Furst, “Probe surface chemistry dependence and local polymer network structure in F-actin microrheology,” *Langmuir*, vol. 21, pp. 3084–3089, 2005.
- [522] J. He and J. X. Tang, “Surface adsorption and hopping cause probe-size-dependent microrheology of actin networks,” *PRE*, vol. 83, p. 041902, 2011.
- [523] M. Kotlarchyk, E. Botvinick, and A. Putnam, “Characterization of hydrogel microstructure using laser tweezers particle tracking and confocal reflection imaging,” *J. Phys. Condens. Matter*, vol. 22, no. 19, p. 194121, 2010.
- [524] M. A. Kotlarchyk, S. G. Shreim, M. B. Alvarez-Elizondo, L. C. Estrada, R. Singh, L. Valdevit, E. Kniazeva, E. Gratton, A. J. Putnam, and E. L. Botvinick, “Concentration independent modulation of local micromechanics in a fibrin gel,” *PLoS ONE*, vol. 6, no. 5, p. e20201, 2011.
- [525] E. Kniazeva, J. W. Weidling, R. Singh, E. L. Botvinick, M. A. Digman, E. Gratton, and A. J. Putnam, “Quantification of local matrix deformations and mechanical properties during capillary morphogenesis in 3D,” *Integr. Biol. (Camb)*, vol. 4, no. 4, pp. 431–439, 2012.

Bibliography

- [526] M. Shayegan and N. R. Forde, “Microrheological characterization of collagen systems: From molecular solutions to fibrillar gels,” *PLoS ONE*, vol. 8, no. 8, p. e70590, 2013.
- [527] D. Velegol and F. Lanni, “Cell traction forces on soft biomaterials. I. microrheology of type I collagen gels,” *Biophys. J.*, vol. 81, pp. 1786–1792, 2001.
- [528] A. Parekh and D. Velegol, “Collagen gel anisotropy measured by 2-D laser trap microrheometry,” *Annals of Biomedical Engineering*, vol. 35, no. 7, pp. 1231–1246, 2007.
- [529] R. H. Abou-Saleh, S. D. Connell, R. Harrand, R. A. Ajjan, M. W. Mosesson, D. A. M. Smith, P. J. Grant, and R. A. Ariëns, “Nanoscale probing reveals that reduced stiffness of clots from fibrinogen lacking 42 N-terminal B β -chain residues is due to the formation of abnormal oligomers,” *Biophys. J.*, vol. 96, pp. 2415–2427, 2009.
- [530] J. Konings, J. W. Govers-Riemslog, H. Philippou, N. J. Mutch, J. I. Borissoff, P. Allan, S. Mohan, G. Tans, H. ten Cate, and R. A. Ariëns, “Factor XIIa regulates the structure of the fibrin clot independently of thrombin generation through direct interaction with fibrin,” *Blood*, vol. 118, no. 14, pp. 3942–3951, 2011.
- [531] P. Allan, S. U. D. Willige, R. Abou-Saleh, S. Connell, and R. Ariëns, “Evidence that fibrinogen γ' directly interferes with protofibril growth: implications for fibrin structure and clot stiffness,” *Journal of Thrombosis and Haemostasis*, vol. 10, pp. 1072–1080, 2012.
- [532] P. Allan, *Microrheology of Fibrin Clots*. PhD thesis, The University of Leeds, 2012.
- [533] M. Janel, T. A. Waigh, and J. R. Lu, “Thermal fluctuations of fibrin fibres at short time scales,” *Soft Matter*, vol. 4, pp. 1438–1442, 2008.
- [534] D. Mizuno, D. Head, F. MacKintosh, and C. Schmidt, “Active and passive microrheology in equilibrium and nonequilibrium systems,” *Macromolecules*, vol. 41, pp. 7194–7202, 2008.
- [535] P. Pawelzyk, N. Mücke, H. Herrmann, and N. Willenbacher, “Attractive interactions among intermediate filaments determine network mechanics in vitro,” *PLoS ONE*, vol. 9, no. 4, p. e93194, 2014.
- [536] M. Buchanan, M. Atakhorrami, J. Palierne, F. MacKintosh, and C. Schmidh, “High-frequency microrheology of wormlike micelles,” *PRE*, vol. 72, p. 011504, 2005.
- [537] M. Valentine, Z. Perlman, M. Gardel, J. Shin, P. Matsudaira, T. Mitchison, and D. Weitz, “Colloid surface chemistry critically affects multiple particle tracking measurements of biomaterials,” *Biophys. J.*, vol. 86, pp. 4004–4014, 2004.
- [538] L. H. Wong, N. A. Kurniawan, H.-P. Too, and R. Rajagopalan, “Spatially resolved microrheology of heterogeneous biopolymer hydrogels using covalently bound microspheres,” *Biomech. Model Mechanobiol.*, vol. 13, pp. 839–849, 2014.

- [539] M. Mak, R. D. Kamm, and M. H. Zaman, “Impact of dimensionality and network disruption on microrheology of cancer cells in 3D environments,” *PLoS ONE*, vol. 10, no. 11, p. e1003959, 2014.
- [540] L. Campo-Deaño, R. P. Dullens, D. G. Aarts, F. T. Pinho, and M. S. Oliveira, “Viscoelasticity of blood and viscoelastic blood analogues for use in polydimethylsiloxane in vitro models of the circulatory system,” *Biomicrofluidics*, vol. 7, p. 034102, 2013.
- [541] W. Stöber, A. Fink, and E. Bohn, “Controlled growth of monodisperse silica spheres in the micron size range,” *Journal of Colloid and Interface Science*, vol. 26, pp. 62–69, 1968.
- [542] J. Zhang, P. Zhan, Z. Wang, W. Zhang, and N. Ming, “Preparation of monodisperse silica particles with controllable size and shape,” *J. Mater. Res.*, vol. 18, no. 3, pp. 649–653, 2003.
- [543] A. J. Kim, V. N. Manoharan, and J. C. Crocker, “Swelling-based method for preparing stable, functionalized polymer colloids,” *JACS*, vol. 127, pp. 1592–1593, 2005.
- [544] A. Pralle, M. Prummer, E.-L. Florin, E. Stelzer, and J. Hörber, “Three-dimensional high-resolution particle tracking for optical tweezers by forward scattered light,” *Microscopy Research and Technique*, vol. 44, pp. 378–386, 1999.
- [545] K. Berg-Sørensen and H. Flyvbjerg, “Power spectrum analysis for optical tweezers,” *Review of Scientific Instruments*, vol. 75, no. 3, pp. 594–612, 2004.
- [546] A. J. Levine and T. Lubensky, “Two-point microrheology and the electrostatic analogy,” *PRES*, vol. 65, p. 011501, 2001.
- [547] M. Atakhorami, J. Sulkowska, K. Addas, G. Koenderink, J. Tang, A. Levine, F. MacKintosh, and C. Schmidt, “Correlated fluctuations of microparticles in viscoelastic solutions: Quantitative measurement of material properties by microrheology in the presence of optical traps,” *PRES*, vol. 73, p. 061501, 2006.
- [548] B. Schnurr, F. Gittes, F. MacKintosh, and C. Schmidt, “Determining microscopic viscoelasticity in flexible and semiflexible polymer networks from thermal fluctuations,” *Macromolecules*, vol. 30, pp. 7781–7792, 1997.
- [549] T. G. Mason, “Estimating the viscoelastic moduli of complex fluids using the generalized Stokes-Einstein equation,” *Rheol. Acta*, vol. 39, pp. 371–378, 2000.
- [550] K. C. Neuman and S. M. Block, “Optical trapping,” *Review of Scientific Instruments*, vol. 75, no. 9, pp. 2787–2809, 2004.
- [551] M. C. Wang and G. Uhlenbeck, “On the theory of the Brownian motion II,” *Review of Modern Physics*, vol. 17, pp. 323–342, 1945.
- [552] M. Capitanio, G. Romano, R. Ballerini, and M. Giuntini, “Calibration of optical tweezers with differential interference contrast signals,” *Review of Scientific Instruments*, vol. 73, no. 4, pp. 1687–1696, 2002.

Bibliography

- [553] E. Fällman and O. Axner, “Influence of a glass-water interface on the on-axis trapping of micrometer-sized spherical objects by optical tweezers,” *Applied Optics*, vol. 42, no. 19, pp. 3915–3926, 2003.
- [554] K. C. Vermeulen, G. J. Wuite, G. J. Stienen, and C. F. Schmidt, “Optical trap stiffness in the presence and absence of spherical aberrations,” *Applied Optics*, vol. 45, no. 8, pp. 1812–1819, 2006.
- [555] K. M. Addas, C. F. Schmidt, and J. X. Tang, “Microrheology of solutions of semiflexible biopolymer filaments using laser tweezers interferometry,” *PRL*, vol. 70, p. 021503, 2004.
- [556] E. Schäffer, S. F. Nørrelykke, and J. Howard, “Surface forces and drag coefficients of microspheres near a plane surface measured with optical tweezers,” *Langmuir*, vol. 23, pp. 3654–3665, 2007.
- [557] P. P. Lele, J. W. Swan, J. F. Brady, N. J. Wagner, and E. M. Furst, “Colloidal diffusion and hydrodynamic screening near boundaries,” *Soft Matter*, vol. 7, pp. 6844–6852, 2011.
- [558] M. L. Sheely, “Glycerol viscosity tables,” *Industrial and Engineering Chemistry*, vol. 24, no. 9, pp. 1060–1064, 1932.
- [559] J. Segur and H. E. Oberstar, “Viscosity of glycerol and its aqueous solutions,” *Industrial and Engineering Chemistry*, vol. 43, no. 9, pp. 2117–2120, 1951.
- [560] C. Wu, M. A. Quesada, D. K. Schneider, R. Farinato, F. W. Studier, and B. Chu, “Polyacrylamide solutions for DNA sequencing by capillary electrophoresis: Mesh sizes, separation and dispersion,” *Electrophoresis*, vol. 17, pp. 1103–1109, 1996.
- [561] N. C. Stellwagen, “Apparent pore size of polyacrylamide gels: Comparison of gels cast and run in Tris-acetate-EDTA and Tris-borate-EDTA buffers,” *Electrophoresis*, vol. 19, pp. 1542–1547, 1998.
- [562] P. E. Rouse, “A theory of the linear viscoelastic properties of dilute solutions of coiling polymers,” *The Journal of Chemical Physics*, vol. 21, no. 7, pp. 1272–1280, 1953.
- [563] M. Rubinstein and R. H. Colby, eds., *Polymer Physics*. Oxford University Press, 2003.
- [564] L.-J. Palade, V. Verney, and P. Attané, “A modified fractional model to describe the entire viscoelastic behavior of polybutadienes from flow to glassy regime,” *Rheol. Acta*, vol. 35, pp. 265–273, 1996.
- [565] Y. Abidine, V. M. Laurent, R. Michel, A. Duperray, L. I. Palade, and C. Verdier, “Physical properties of polyacrylamide gels probed by AFM and rheology,” *EPL*, vol. accepted, 2015.
- [566] P. D. Gennes, “Dynamics of entangled polymer solutions. I. The Rouse model,” *Macromolecules*, vol. 9, no. 4, pp. 587–593, 1976.
- [567] D. Chen, E. Weeks, J. Crocker, M. Islam, R. Verma, J. Gruber, A. Levine, T. Lubensky, and A. Yodh, “Rheological microscopy: Local mechanical properties from microrheology,” *PRL*, vol. 90, no. 10, p. 108301, 2003.

- [568] J. Y. Huh and E. M. Furst, "Coiloid dynamics in semiflexible polymer solutions," *PRL*, vol. 74, p. 031802, 2006.
- [569] C. I. Fisher and S. C. Kuo, "Filament rigidity causes F-actin depletion from nonbinding surfaces," *PNAS*, vol. 106, pp. 133–138, 2009.
- [570] R. Verma, J. Crocker, T. Lubensky, and A. Yodh, "Attraction between hard colloidal spheres in semiflexible polymer solutions," *Macromolecules*, vol. 33, pp. 177–186, 2000.
- [571] S. Brinkers, H. R. Dietrich, F. H. de Groot, I. T. Young, and B. Rieger, "The persistence length of double stranded DNA determined using dark field tethered particle motion," *The Journal of Chemical Physics*, vol. 130, p. 215105, 2009.
- [572] K. M. V. Citters, B. D. Hoffman, G. Massiera, and J. C. Crocker, "The role of F-actin and myosin in epithelial cell rheology," *Biophys. J.*, vol. 91, pp. 3946–3956, 2006.
- [573] F. Amblard, A. Maggs, B. Yurke, A. Pargellis, and S. Leibler, "Subdiffusion and anomalous local viscoelasticity in actin networks," *PRL*, vol. 77, no. 21, pp. 4470–4473, 1996.
- [574] D. C. Morse, "Viscoelasticity of tightly entangled solutions of semiflexible polymers," *PRL*, vol. 58, no. 2, pp. R1237–R1240, 1998.
- [575] D. C. Morse, "Viscoelasticity of concentrated isotropic solutions of semiflexible polymers. 2. linear response," *Macromolecules*, vol. 31, pp. 7044–7067, 1998.
- [576] A. Caspi, M. Elbaum, R. Granek, A. Lachish, and D. Zbaida, "Semiflexible polymer network: A view from inside," *PRL*, vol. 80, no. 5, pp. 1106–1109, 1998.
- [577] C. A. R. Jones, L. Liang, D. Lin, Y. Jiao, and B. Sun, "The spatial-temporal characteristics of type I collagen-based extracellular matrix," *Soft Matter*, vol. 10, pp. 8855–8863, 2014.
- [578] F. Gittes and F. MacKintosh, "Dynamic shear modulus of a semiflexible polymer network," *PRL*, vol. 58, no. 2, pp. R1241–R1244, 1998.
- [579] M. Atakhorrami, G. Koenderink, J. F. Palierne, F. MacKintosh, and C. Schmidt, "Scale-dependent nonaffine elasticity of semiflexible polymer networks," *PRL*, vol. 112, p. 088101, 2014.
- [580] D. A. Parry, "The molecular and fibrillar structure of collagen and its relationship to the mechanical properties of connective tissue," *Biophysical Chemistry*, vol. 29, pp. 195–209, 1988.
- [581] S. V. Sandhu, S. Gupta, H. Bansal, and K. Singla, "Collagen in health and disease," *Journal of Orofacial Research*, vol. 2, no. 3, pp. 153–159, 2012.
- [582] M. van der Rest and R. Garbone, "Collagen family of proteins," *The FASEB Journal*, vol. 5, pp. 2814–2823, 1991.
- [583] S. Ricard-Blum, "The collagen family," *Cold Spring Harbor Perspect Biol*, vol. 3, pp. 1–19, 2011.

Bibliography

- [584] J.-Y. Exposito, U. Valcourt, C. Cluzel, and C. Lethias, "The fibrillar collagen family," *Int. J. Mol. Sci.*, vol. 11, pp. 407–426, 2010.
- [585] G. W. Dombi, R. C. Haut, and W. G. Sullivan, "Correlation of high-speed tensile strength with collagen content in control and lathyrotic rat skin," *Journal of Surgical Research*, vol. 54, pp. 21–28, 1993.
- [586] A. J. Bailey, "Molecular mechanisms of ageing in connective tissues," *Mechanisms of Ageing and Development*, vol. 122, pp. 735–755, 2001.
- [587] J. G. Snedeker and A. Gautieri, "The role of collagen crosslinks in ageing and diabetes - the good, the bad, and the ugly," *Muscles, Ligaments and Tendons Journal*, vol. 4, no. 3, pp. 303–308, 2014.
- [588] A. Gautieri, S. Uzel, S. Vesentini, A. Redaelli, and M. J. Buehler, "Molecular and mesoscale mechanisms of osteogenesis imperfecta disease in collagen fibrils," *Biophys. J.*, vol. 97, pp. 857–865, 2009.
- [589] E. Strauss, *Studien über die Albuminoide mit besonderer Berücksichtigung des Spongins und der Keratine*. Karl Winter's Universitätsbuchhandlung, 1904.
- [590] Y. Fung, "Structure and stress-strain relationship of soft tissues," *Amer. Zool.*, vol. 24, pp. 13–22, 1984.
- [591] S. L. Voytik, B. A. Rouder, J. E. Sturgis, K. Kokini, and J. P. Robinson, "Simultaneous mechanical loading and confocal reflection microscopy for three-dimensional microbiomechanical analysis of biomaterials and tissue constructs," *Microscopy and Microanalysis*, vol. 9, pp. 74–85, 2003.
- [592] H. Screen, D. Bader, D. Lee, and J. Shelton, "Local strain measurement within tendon," *Strain*, vol. 40, pp. 157–163, 2004.
- [593] R. E. Shadwick, "Elastic energy storage in tendons: mechanical differences related to function and age," *Journal of Applied Physiology*, vol. 68, pp. 1033–1040, 1990.
- [594] R. E. Shadwick, "Mechanical design in arteries," *The Journal of Experimental Biology*, vol. 202, pp. 3305–3313, 1999.
- [595] A. Gautieri, S. Vesentini, F. M. Montevecchi, and A. Redaelli, "Mechanical properties of physiological and pathological models of collagen peptides investigated via steered molecular dynamics simulations," *Journal of Biomechanics*, vol. 41, pp. 3073–3077, 2008.
- [596] A. Gautieri, M. I. Pate, S. Vesentini, A. Redaelli, and M. J. Buehler, "Hydration and distance dependence of intermolecular shearing between collagen molecules in a model microfibril," *Journal of Biomechanics*, vol. 45, pp. 2079–2083, 2012.
- [597] S. M. Pradhan, K. S. Katti, and D. R. Katti, "Structural hierarchy controls deformation behavior of collagen," *Biomacromolecules*, vol. 13, pp. 2562–2569, 2012.
- [598] Y. Tang, R. Ballarini, M. J. Buehler, and S. J. Eppell, "Deformation micromechanisms of collagen fibrils under uniaxial tension," *J. R. Soc. Interface*, vol. 7, pp. 839–850, 2010.

- [599] C. Koh and M. Oyen, “Branching toughens fibrous networks,” *Journal of the Mechanical Behavior of Biomedical Materials*, vol. 12, pp. 74–82, 2012.
- [600] T. C. Baradet, J. C. Haselgrove, and J. W. Weisel, “Three-dimensional reconstruction of fibrin clot networks from stereoscopic intermediate voltage electron microscope images and analysis of branching,” *Biophys. J.*, vol. 68, pp. 1551–1560, 1995.
- [601] J. Maxwell, “On the calculation of the equilibrium and stiffness of frames,” *Philosophical Magazine*, vol. 27, no. 1, pp. 294–299, 1864.
- [602] Y. li Yang, L. M. Leone, and L. J. Kaufman, “Elastic moduli of collagen gels can be predicted from two-dimensional confocal microscopy,” *Biophys. J.*, vol. 97, pp. 2051–2060, 2009.
- [603] S. Kreger, B. Bell, J. Bailey, E. Stites, J. Kuske, B. Waisner, and S. Voytik-Harbin, “Polymerization and matrix physical properties as important design considerations for soluble collagen formulations,” *Biopolymers*, vol. 93, no. 8, pp. 690–707, 2010.
- [604] A. Licup, A. Sharma, and F. MacKintosh, “Elastic regimes of sub-isostatic athermal fiber networks,” *ArXiv*, p. 1509.09212v2, 2015.
- [605] A. Sharma, A. Licup, K. Jansen, R. Rens, M. Sheinman, G. Koenderink, and F. MacKintosh, “Strain-controlled criticality governs the nonlinear mechanics of fibre networks,” *ArXiv*, p. 1506.07792, 2015.
- [606] A. Guzman, M. J. Ziperstein, and L. J. Kaufman, “The effect of fibrillar matrix architecture on tumor cell invasion of physically challenging environments,” *Biomaterials*, vol. 35, no. 25, pp. 6954–63, 2014.
- [607] S. Newman, M. C. C. Allain, G. Forgacs, and D. Beysens, “Viscosity and elasticity during collagen assembly in vitro: Relevance to matrix-driven translocation,” *Biopolymers*, vol. 41, pp. 337–347, 1997.
- [608] J. Zhu and L. J. Kaufman, “Collagen I self-assembly: Revealing the developing structures that generate turbidity,” *Biophys. J.*, vol. 106, pp. 1822–1831, 2014.
- [609] J. Brokaw, C. Doillon, R. Hahn, D. Birk, R. Berg, and F. Silver, “Turbidimetry and morphological studies of type I collagen fiber assembly in vitro and the influence of fibronectin,” *Int. J. Biol. Macromol.*, vol. 7, pp. 135–140, 1985.
- [610] T. Wess, “Collagen fibril form and function,” *Adv. Protein Chem.*, pp. 341–374, 2005.
- [611] E. E. Antoine, P. P. Vlachos, and M. N. Rylander, “Tunable collagen I hydrogels for engineered physiological tissue micro-environments,” *PLoS ONE*, vol. 10, no. 3, p. e0122500, 2015.
- [612] K. C. Gersh, C. Nagaswami, and J. W. Weisel, “Fibrin network structure and clot mechanical properties are altered by incorporation of erythrocytes,” *Thromb. Haemost.*, vol. 102, no. 6, pp. 1169–1175, 2009.
- [613] D. Head, A. Levine, and F. MacKintosh, “Distinct regimes of elastic response and deformation modes of cross-linked cytoskeletal and semi-flexible polymer networks,” *PRL*, vol. 68, p. 061907, 2003.

Bibliography

- [614] J. Wilhelm and E. Frey, “Elasticity of stiff polymer networks,” *PRL*, vol. 91, no. 10, p. 108103, 2003.
- [615] S. Alexander, “Amorphous solids: their structure, lattice dynamics and elasticity,” *Physics Reports*, vol. 296, pp. 65–236, 1998.
- [616] L. Landau and E. Lifshitz, eds., *Theory of elasticity*. Pergamon Press, Oxford, 2nd ed., 1970.
- [617] M. Archilli and D. Mantovani, “Tailoring mechanical properties of collagen-based scaffolds for vascular tissue engineering: The effects of pH, temperature and ionic strength on gelation,” *Polymers*, vol. 2, pp. 664–680, 2010.
- [618] Y. li Yang and L. J. Kaufman, “Rheology and confocal reflectance microscopy as probes of mechanical properties and structure during collagen and collagen/hyaluronan self-assembly,” *Biophys. J.*, vol. 96, pp. 1566–1585, 2009.
- [619] T. J. Wess and J. P. Orger, “Changes in collagen structure: drying, dehydrothermal treatment and relation to long term deterioration,” *Thermochimica acta*, vol. 365, pp. 119–128, 2000.
- [620] G. Forgacs, S. A. Newman, B. Hinner, C. W. Maier, and E. Sachmann, “Assembly of collagen matrices as a phase transition revealed by structural and rheologic studies,” *Biophys. J.*, vol. 84, pp. 1272–1280, 2003.
- [621] L. M. Jawerth, S. Münster, D. A. Vader, B. Fabry, and D. A. Weitz, “A blind spot in confocal reflection microscopy: The dependence of fiber brightness on fiber orientation in imaging biopolymer networks,” *Biophys. J.*, vol. 98, no. 3, pp. L01–L03, 2009.
- [622] A. Arrott and J. E. Noakes, “Approximate equation of state for nickel near its critical temperature,” *PRL*, vol. 19, no. 14, pp. 786–789, 1967.
- [623] F. MacKintosh and A. Licup, “personal communication,”
- [624] F. MacKintosh, “personal communication,”
- [625] R. B. Svensson, T. Hassenkam, C. A. Grant, and S. P. Magnusson, “Tensile properties of human collagen fibrils and fascicles are insensitive to environmental salts,” *Biophys. J.*, vol. 99, pp. 4020–4027, 2010.
- [626] P. A. Janmey, M. E. McCormick, S. Rammensee, J. L. Leight, P. C. Georges, and F. C. MacKintosh, “Negative normal stress in semiflexible biopolymer gels,” *Nature Materials*, vol. 6, pp. 48–51, 2006.
- [627] D. Karamichos, R. Brown, and V. Mudera, “Collagen stiffness regulates cellular contraction and matrix remodeling gene expression,” *Journal of Biomedical Materials Research Part A*, vol. 83, no. 3, pp. 887–894, 2007.
- [628] A. D. Doyle, R. J. Petrie, M. L. Kutys, and K. M. Yamada, “Dimensions in cell migration,” *Current Opinion in Cell Biology*, vol. 25, pp. 642–649, 2013.
- [629] M. J. Buehler, “Nature designs tough collagen: Explaining the nanostructure of collagen fibrils,” *PNAS*, vol. 103, no. 33, pp. 12285–12290, 2006.

- [630] D. Hulmes, A. Miller, D. Parry, K. Piez, and J. Woodhead-Galloway, "Analysis of the primary structure of collagen for the origins of molecular packing," *J. Mol. Biol.*, vol. 79, pp. 137–148, 1973.
- [631] W. Traub, "Molecular assembly in collagen," *FEBS Letters*, vol. 92, no. 1, pp. 114–120, 1978.
- [632] F. Grinnell, "Fibroblast mechanics in three-dimensional collagen matrices," *Journal of Bodywork and Movement Therapies*, vol. 12, pp. 191–193, 2008.
- [633] E. Bell, H. Ehrlich, D. Buttle, and T. Nakatsuji, "Living tissue formed invitro and accepted as skin-equivalent tissue of full thickness," *Science*, vol. 211, no. 4486, pp. 1052–1054, 1981.
- [634] M. A. Carlson and M. T. Longaker, "The fibroblast-populated collagen matrix as a model of wound healing: a review of the evidence," *Wound Repair and Regeneration*, vol. 12, pp. 134–147, 2004.
- [635] V. Moulin, G. Castilloux, A. Jean, D. Garrel, F. Auger, and L. Germain, "In vitro models to study wound healing fibroblasts," *Burns*, vol. 22, no. 5, pp. 359–362, 1996.
- [636] R. M. Ilagan, K. I. Guthrie, S. F. Quinlan, and H. S. Rapoport, "Linear measurement of cell contraction in a capillary collagen gel system," *Biotechniques*, vol. 48, no. 2, pp. 153–155, 2009.
- [637] M. A. Wozniak, R. Desai, P. A. Solski, C. J. Der, and P. J. Keely, "Rock-generated contractility regulates breast epithelial cell differentiation in response to the physical properties of a three-dimensional collagen matrix," *Journal of Cell Biology*, vol. 163, no. 3, pp. 583–595, 2003.
- [638] F. Grinnell and W. M. Petroll, "Cell motility and mechanics in three-dimensional collagen matrices," *Annual Review of Cell and Developmental Biology*, vol. 26, pp. 335–361, 2010.
- [639] D. G. Wallace and J. Rosenblatt, "Collagen gel systems for sustained delivery and tissue engineering," *Advanced Drug Delivery Reviews*, vol. 55, pp. 1631–1649, 2003.
- [640] T. Wakatsuki and E. L. Elson, "Reciprocal interactions between cells and extracellular matrix during remodeling of tissue constructs," *Biophysical Chemistry*, vol. 100, pp. 593–605, 2003.
- [641] M. Bitar, R. A. Brown, V. Salih, A. G. Kidane, J. C. Knowles, and S. N. Nazhat, "Effect of cell density on osteoblastic differentiation and matrix degradation of biomimetic dense collagen scaffolds," *Biomacromolecules*, vol. 9, pp. 129–135, 2008.
- [642] M.-Y. Chen, L. Jeng, Y.-L. Sun, C.-F. Zhao, M. Zobitz, S. Moran, P. Amadio, and K.-N. An, "Contraction of collagen gels seeded with tendon cells," *Biorheology*, vol. 43, pp. 337–345, 2006.
- [643] I. Harada, S.-G. Kim, C. S. Cho, H. Kurosawa, and T. Akaike, "A simple combined floating and anchored collagen gel for enhancing mechanical strength of culture system," *Journal of Biomedical Materials Research Part A*, vol. 80A, no. 1, pp. 123–130, 2006.

Bibliography

- [644] M. Ahearne, S. L. Wilson, K.-K. Liu, S. Rauz, A. J. E. Haj, and Y. Yang, "Influence of cell and collagen concentration on the cell-matrix mechanical relationship in a corneal stroma wound healing model," *Experimental Eye Research*, vol. 91, pp. 584–591, 2010.
- [645] M. Ahearne, Y. Yang, A. J. E. Haj, K. Y. Then, and K.-K. Liu, "Characterization of the viscoelastic properties of thin hydrogel-based constructs for tissue engineering applications," *J. R. Soc. Interface*, vol. 2, pp. 455–463, 2005.
- [646] R. Brown, R. Prajapati, D. McGrouther, I. Yannas, and M. Eastwood, "Tensional homeostasis in dermal fibroblasts: Mechanical responses to mechanical loading in three-dimensional substrates," *Journal of Cellular Physiology*, vol. 175, pp. 323–332, 1998.
- [647] D. Karamichos, R. Brown, and V. Mudera, "Complex dependence of substrate stiffness and serum concentration on cell-force generation," *Journal of Biomedical Materials Research Part A*, vol. 78, no. 2, pp. 407–415, 2006.
- [648] J. P. Marquez, G. M. Genin, K. M. Pryse, and E. L. Elson, "Cellular and matrix contributions to tissue construct stiffness increase with cellular concentration," *Annals of Biomedical Engineering*, vol. 34, no. 9, pp. 1475–1482, 2006.
- [649] G. Jenkins, K. L. Redwood, L. Meadows, and M. R. Green, "Effect of gel re-organization and tensional forces on $\alpha2\beta1$ integrin levels in dermal fibroblasts," *Eur. J. Biochem.*, vol. 263, pp. 93–103, 1999.
- [650] E. Paluch, M. Piel, J. Prost, M. Bornens, and C. Sykes, "Cortical actomyosin breakage triggers shape oscillations in cells and cell fragments," *Biophys. J.*, vol. 89, pp. 724–733, 2005.
- [651] A. Pizzo, K. Kokini, L. Vaughn, B. Waisner, and S. Voytik-Harbin, "Extracellular matrix (ECM) microstructural composition regulates local cell-ECM biomechanics and fundamental fibroblast behavior: a multidimensional perspective," *Journal of Applied Physiology*, vol. 98, pp. 1909–1921, 2005.
- [652] J. J. Tomasek, C. J. Haaksma, R. J. Eddy, and M. B. Vaughan, "Fibroblast contraction occurs on release of tension in attached collagen lattices: Dependency on an organized actin cytoskeleton and serum," *The Anatomical Records*, vol. 232, pp. 359–368, 1992.
- [653] T. A. Ulrich, T. G. Lee, H. K. Shon, D. W. Moon, and S. Kumar, "Microscale mechanisms of agarose-induced disruption of collagen remodeling," *Biomaterials*, vol. 32, pp. 5633–5642, 2011.
- [654] S. I. Fraley, P.-H. Wu, L. He, Y. Feng, R. Krisnamurthy, G. D. Longmore, and D. Wirtz, "Three-dimensional matrix fiber alignment modulates cell migration and MT1-MMP utility by spatially and temporally directing protrusions," *Scientific Reports*, vol. 5, p. 14580, 2015.
- [655] H. P. Ehrlich, D. J. Buttle, and D. H. Bernanke, "Physiological variables affecting collagen lattice contraction by human dermal fibroblasts," *Experimental and Molecular Pathology*, vol. 50, pp. 220–229, 1989.

- [656] P. Delvoye, P. Wiliquet, J.-L. LeVêque, B. V. Nusgens, and C. M. Lapière, "Measurement of mechanical forces generated by skin fibroblasts embedded in a three-dimensional collagen gel," *The journal of investigative dermatology*, vol. 97, no. 5, pp. 898–902, 1991.
- [657] K. Sato, S. Hattori, S. Irie, and S. Kawashima, "Spike formation by fibroblasts adhering to fibrillar collagen I gel," *Cell Structure and Function*, vol. 28, pp. 229–241, 2003.
- [658] E. Hadjipanayi, V. Mudera, and R. A. Brown, "Guiding cell migration in 3D: A collagen matrix with graded directional stiffness," *Cell Motility and the Cytoskeleton*, vol. 66, pp. 121–128, 2009.
- [659] J. Fringer and F. Grinnel, "Fibroblast quiescence in floating or released collagen matrices," *Journal of Biological Chemistry*, vol. 276, no. 33, pp. 31047–31052, 2001.
- [660] H. Mohammadi, P. A. Janmey, and C. A. McCulloch, "Lateral boundary mechanosensing by adherent cells in a collagen gel system," *Biomaterials*, vol. 35, pp. 1138–1149, 2014.
- [661] D. J. White, S. Puranen, M. S. Johnson, and J. Heino, "The collagen receptor subfamily of the integrins," *The International Journal of Biochemistry & Cell Biology*, vol. 36, pp. 1405–1410, 2004.
- [662] J. Jokinen, E. Dadu, P. Nykvist, J. Käpylä, D. J. White, J. Ivaska, P. Vehviläinen, H. Reunanen, H. Larjava, L. Häkkinen, , and J. Heino, "Integrin-mediated cell adhesion to type I collagen fibrils," *The Journal of Biological Chemistry*, vol. 30, pp. 31956–31963, 2004.
- [663] D. Gullberg, K. R. Gehlsen, D. C. Turner, K. Ahlen, L. S. Zijenah, M. J. Barnes, and K. Rubin, "Analysis of $\alpha1\beta1$, $\alpha2\beta1$ and $\alpha3\beta1$ integrins in cell-collagen interactions: identification of conformation dependent $\alpha1\beta1$ binding sites in collagen type I," *The EMBO Journal*, vol. 11, no. 11, pp. 3865–3873, 1992.
- [664] J. Heino, "The collagen receptor integrins have distinct ligand recognition and signaling functions," *Matrix Biology*, vol. 19, pp. 319–323, 2000.
- [665] V. Reyhani, P. Seddigh, B. Guss, R. Gustafsson, L. Rask, and K. Rubin, "Fibrin binds to collagen and provides a bridge for $\alpha V\beta3$ integrin-dependent contraction of collagen gels," *Biochemical Journal*, vol. 462, no. 1, pp. 113–123, 2014.
- [666] M. E. Cooke, T. Sakai, and D. F. Mosher, "Contraction of collagen matrices mediated by $\alpha2\beta1A$ and $\alpha v\beta3$ integrins," *Journal of Cell Science*, vol. 113, pp. 2375–2383, 2000.
- [667] S. Popova, E. Lundgren-Åkerlund, H. Wiig, and D. Gullberg, "Physiology and pathology of collagen receptors," *Acta Physiol.*, vol. 190, pp. 179–187, 2007.
- [668] L. Camper, K. Holmvall, C. Wängnerud, A. Aszódi, and E. Lundgren-Åkerlund, "Distribution of the collagen-binding integrin $\alpha10\beta1$ during mouse development," *Cell Tissue Res.*, vol. 306, pp. 107–116, 2001.

Bibliography

- [669] S. Liu, X. Shi-wen, K. Blumbach, M. Eastwood, C. P. Denton, B. Eckes, T. Krieg, D. J. Abraham, and A. Leask, "Expression of integrin $\beta 1$ by fibroblasts is required for tissue repair in vivo," *Journal of Cell Science*, vol. 123, pp. 3674–3682, 2010.
- [670] Y. Garcia, R. Collighan, M. Griffin, and A. Pandit, "Assessment of cell viability in a three-dimensional enzymatically cross-linked collagen scaffold," *Journal Mater Sci: Mater Med*, vol. 18, pp. 1991–2001, 2007.
- [671] C.-L. Chiu, M. A. Digman, and E. Gratton, "Cell matrix remodeling ability shown by image spatial correlation," *Journal of Biophysics*, vol. 2013, p. 532030(8), 2013.
- [672] B. M. Steinberg, K. Smith, M. Colozzo, and R. Pollack, "Establishment and transformation diminish the ability of fibroblasts to contract a native collagen gel," *The Journal of Cell Biology*, vol. 87, pp. 304–308, 1980.
- [673] A. H. Dahlmann-Noor, B. Martin-Martin, M. Eastwood, P. T. Khaw, and M. Bailly, "Dynamic protrusive cell behaviour generates force and drives early matrix contraction by fibroblasts," *Experimental Cell Research*, vol. 313, pp. 4158–4169, 2007.
- [674] B. Hinz, "Formation and function of the myofibroblast during tissue repair," *Journal of Investigative Dermatology*, vol. 127, pp. 526–537, 2007.
- [675] M. Tulla, O. T. Pentikäinen, T. Viitasalo, J. Käpylä, U. Impola, P. Nykvist, L. Nissinen, M. S. Johnson, and J. Heino, "Selective binding of collagen subtypes by integrin $\alpha 1 I$, $\alpha 2 I$, and $\alpha 10 I$ domains," *Journal of Biological Chemistry*, vol. 276, no. 51, pp. 48206–48212, 2001.
- [676] P. Nykvist, H. Tu, J. Ivaska, J. Käpylä, T. Pihlajaniemi, and J. Heino, "Distinct recognition of collagen subtypes by $\alpha 1 \beta 1$ and $\alpha 2 \beta 1$ integrins," *The Journal of Biological Chemistry*, vol. 275, pp. 8255–8261, 2000.
- [677] C.-F. Tiger, F. Fougerousse, G. Grundström, T. Velling, and D. Gullberg, " $\alpha 11 \beta 1$ integrin is a receptor for interstitial collagens involved in cell migration and collagen reorganization on mesenchymal nonmuscle cells," *Developmental Biology*, vol. 237, pp. 116–129, 2001.