

## References

### A

- Abi-Dargham A, van de GE, Slifstein M, Kegeles LS, Laruelle M (2009) Baseline and amphetamine-stimulated dopamine activity are related in drug-naive schizophrenic subjects. *Biol Psychiatry* 65:1091-1093.
- Albin RL, Koeppe RA, Bohnen NI, Nichols TE, Meyer P, Wernette K, Minoshima S, Kilbourn MR, Frey KA (2003) Increased ventral striatal monoaminergic innervation in Tourette syndrome. *Neurology* 61:310-315.
- Albin RL, Koeppe RA, Wernette K, Zhuang W, Nichols T, Kilbourn MR, Frey KA (2009) Striatal [11C]dihydrotrabenazine and [11C]methylphenidate binding in Tourette syndrome. *Neurology* 72:1390-1396.
- Albrecht DS, Kareken DA, Christian BT, Dziedzic M, Yoder KK (2014) Cortical dopamine release during a behavioral response inhibition task. *Synapse* 68:266-274.
- Alexander GE, DeLong MR, Strick PL (1986) Parallel organization of functionally segregated circuits linking basal ganglia and cortex. *Annu Rev Neurosci* 9:357-381.
- American Psychiatric Association (2013) Diagnostic and statistical manual of mental disorders. Arlington, VA: American Psychiatric Publishing.
- Anholt GE, Aderka IM, van Balkom AJ, Smit JH, Schruers K, van der Wee NJ, Eikelenboom M, De Luca V, van Oppen P (2014) Age of onset in obsessive-compulsive disorder: admixture analysis with a large sample. *Psychol Med* 44:185-194.
- Anholt GE, Cath DC, van Oppen P, Eikelenboom M, Smit JH, van Megen HJ, van Balkom AJ (2010) Autism and ADHD symptoms in patients with OCD: are they associated with specific OC symptom dimensions or OC symptom severity? *J Autism Dev Disord* 40:580-589.
- Anticevic A, Hu S, Zhang S, Savic A, Billingslea E, Wasylyk S, Repovs G, Cole MW, Bednarski S, Krystal JH, Bloch MH, Li CS, Pittenger C (2014) Global resting-state functional magnetic resonance imaging analysis identifies frontal cortex, striatal, and cerebellar dysconnectivity in obsessive-compulsive disorder. *Biol Psychiatry* 75:595-605.
- Aron AR (2011) From reactive to proactive and selective control: developing a richer model for stopping inappropriate responses. *Biol Psychiatry* 69:e55-e68.
- Aron AR, Behrens TE, Smith S, Frank MJ, Poldrack RA (2007) Triangulating a cognitive control network using diffusion-weighted magnetic resonance imaging (MRI) and functional MRI. *J Neurosci* 27:3743-3752.

### B

- Baron-Cohen S, Wheelwright S, Skinner R, Martin J, Clubley E (2001) The autism-spectrum quotient (AQ): evidence from Asperger syndrome/high-functioning autism, males and females, scientists and mathematicians. *J Autism Dev Disord* 31:5-17.
- Beck AT, Ward CH, Mendelson M, Mock J, Erbaugh J (1961) An inventory for measuring depression. *Arch Gen Psychiatry* 4:561-571.
- Beck AT, Epstein N, Brown G, Steer RA (1988) An inventory for measuring clinical anxiety: psychometric properties. *J Consult Clin Psychol* 56:893-897.
- Bejerot S (2007) An autistic dimension: a proposed subtype of obsessive-compulsive disorder. *Autism* 11:101-110.
- Bejerot S, Nylander L, Lindstrom E (2001) Autistic traits in obsessive-compulsive disorder. *Nord J Psychiatry* 55:169-176.
- Beucke JC, Sepulcre J, Eldaief MC, Sebold M, Kathmann N, Kaufmann C (2014) Default mode network subsystem alterations in obsessive-compulsive disorder. *Br J Psychiatry* 205:376-382.
- Beucke JC, Sepulcre J, Talukdar T, Linnman C, Zschenderlein K, Endrass T, Kaufmann C, Kathmann N (2013) Abnormally high degree connectivity of the orbitofrontal cortex in obsessive-compulsive disorder. *JAMA Psychiatry* 70:619-629.

## REFERENCES

---

- Biswal B, Yetkin FZ, Haughton VM, Hyde JS (1995) Functional connectivity in the motor cortex of resting human brain using echo-planar MRI. *Magn Reson Med* 34:537-541.
- Bloch MH, Craiglow BG, Landeros-Weisenberger A, Dombrowski PA, Panza KE, Peterson BS, Leckman JF (2009) Predictors of early adult outcomes in pediatric-onset obsessive-compulsive disorder. *Pediatrics* 124:1085-1093.
- Bloch MH, Green C, Kichuk SA, Dombrowski PA, Wasyluk S, Billingslea E, Landeros-Weisenberger A, Kelmendi B, Goodman WK, Leckman JF, Coric V, Pittenger C (2013) Long-term outcome in adults with obsessive-compulsive disorder. *Depress Anxiety* 30:716-722.
- Bloch MH, Landeros-Weisenberger A, Kelmendi B, Coric V, Bracken MB, Leckman JF (2006) A systematic review: antipsychotic augmentation with treatment refractory obsessive-compulsive disorder. *Mol Psychiatry* 11:622-632.
- Bloch MH, Leckman JF (2009) Clinical course of Tourette syndrome. *J Psychosom Res* 67:497-501.
- Bloch MH, Leckman JF, Zhu H, Peterson BS (2005) Caudate volumes in childhood predict symptom severity in adults with Tourette syndrome. *Neurology* 65:1253-1258.
- Boehler CN, Appelbaum LG, Krebs RM, Hopf JM, Woldorff MG (2010) Pinning down response inhibition in the brain-conjunction analyses of the Stop-signal task. *Neuroimage* 52:1621-1632.
- Bohlhalter S, Goldfine A, Matteson S, Garraux G, Hanakawa T, Kansaku K, Wurzman R, Hallett M (2006) Neural correlates of tic generation in Tourette syndrome: an event-related functional MRI study. *Brain* 129:2029-2037.
- Borcherding BG, Keysor CS, Rapoport JL, Elia J, Amass J (1990) Motor/vocal tics and compulsive behaviors on stimulant drugs: is there a common vulnerability? *Psychiatry Res* 33:83-94.
- Bossong MG, van Berckel BN, Boellaard R, Zuurman L, Schuit RC, Windhorst AD, van Gerven JM, Ramsey NF, Lammertsma AA, Kahn RS (2009) Delta 9-tetrahydrocannabinol induces dopamine release in the human striatum. *Neuropsychopharmacology* 34:759-766.
- Braun AR, Stoetter B, Randolph C, Hsiao JK, Vladar K, Gernert J, Carson RE, Herscovitch P, Chase TN (1993) The functional neuroanatomy of Tourette's syndrome: an FDG-PET study. I. Regional changes in cerebral glucose metabolism differentiating patients and controls. *Neuropsychopharmacology* 9:277-291.
- Brett M, Anton J, Valabregue R, Poline JB (2002) Region of interest analysis using an SPM toolbox.
- Browne HA, Hansen SN, Buxbaum JD, Gair SL, Nissen JB, Nikolajsen KH, Schendel DE, Reichenberg A, Parner ET, Grice DE (2015) Familial clustering of tic disorders and obsessive-compulsive disorder. *JAMA Psychiatry* 72:359-366.
- C
- Calhoun VD, Adali T, Pearlson GD, Pekar JJ (2001) Spatial and temporal independent component analysis of functional MRI data containing a pair of task-related waveforms. *Hum Brain Mapp* 13:43-53.
- Callicott JH, Bertolino A, Mattay VS, Langheim FJ, Duyn J, Coppola R, Goldberg TE, Weinberger DR (2000) Physiological dysfunction of the dorsolateral prefrontal cortex in schizophrenia revisited. *Cereb Cortex* 10:1078-1092.
- Carson RE, Breier A, de BA, Saunders RC, Su TP, Schmall B, Der MG, Pickar D, Eckelman WC (1997) Quantification of amphetamine-induced changes in [<sup>11</sup>C]raclopride binding with continuous infusion. *J Cereb Blood Flow Metab* 17:437-447.
- Castellanos FX, Giedd JN, Elia J, Marsh WL, Ritchie GF, Hamburger SD, Rapoport JL (1997) Controlled stimulant treatment of ADHD and comorbid Tourette's syndrome: effects of stimulant and dose. *J Am Acad Child Adolesc Psychiatry* 36:589-596.
- Cath DC, Hedderly T, Ludolph AG, Stern JS, Murphy T, Hartmann A, Czernecki V, Robertson MM, Martino D, Munchau A, Rizzo R (2011) European clinical guidelines for Tourette syndrome and other tic disorders. Part I: assessment. *Eur Child Adolesc Psychiatry* 20:155-171.
- Cath DC, Ludolph A (2013) Other psychiatric comorbidities in Tourette Syndrome. In: *Tourette syndrome*. (Martino D, Leckman JF, eds), pp 74-106. New York: Oxford University Press.

- Cath DC, Spinhoven P, Hoogduin CA, Landman AD, van Woerkom TC, van de Wetering BJ, Roos RA, Rooijmans HG (2001a) Repetitive behaviors in Tourette's syndrome and OCD with and without tics: what are the differences? *Psychiatry Res* 101:171-185.
- Cath DC, Spinhoven P, van Woerkom TC, van de Wetering BJ, Hoogduin CA, Landman AD, Roos RA, Rooijmans HG (2001b) Gilles de la Tourette's syndrome with and without obsessive-compulsive disorder compared with obsessive-compulsive disorder without tics: which symptoms discriminate? *J Nerv Ment Dis* 189:219-228.
- Cavedini P, Zorzi C, Piccinni M, Cavallini MC, Bellodi L (2010) Executive dysfunctions in obsessive-compulsive patients and unaffected relatives: searching for a new intermediate phenotype. *Biol Psychiatry* 67:1178-1184.
- Chamberlain SR, Blackwell AD, Fineberg NA, Robbins TW, Sahakian BJ (2005) The neuropsychology of obsessive compulsive disorder: the importance of failures in cognitive and behavioural inhibition as candidate endophenotypic markers. *Neurosci Biobehav Rev* 29:399-419.
- Chamberlain SR, Fineberg NA, Menzies LA, Blackwell AD, Bullmore ET, Robbins TW, Sahakian BJ (2007) Impaired cognitive flexibility and motor inhibition in unaffected first-degree relatives of patients with obsessive-compulsive disorder. *Am J Psychiatry* 164:335-338.
- Chamberlain SR, Menzies L (2009) Endophenotypes of obsessive-compulsive disorder: rationale, evidence and future potential. *Expert Rev Neurother* 9:1133-1146.
- Chamberlain SR, Menzies L, Hampshire A, Suckling J, Fineberg NA, del Campo N, Aitken M, Craig K, Owen AM, Bullmore ET, Robbins TW, Sahakian BJ (2008) Orbitofrontal dysfunction in patients with obsessive-compulsive disorder and their unaffected relatives. *Science* 321:421-422.
- Chao HH, Luo X, Chang JL, Li CS (2009) Activation of the pre-supplementary motor area but not inferior prefrontal cortex in association with short stop signal reaction time--an intra-subject analysis. *BMC Neurosci* 10:75.
- Chen CY, Muggleton NG, Tzeng OJ, Hung DL, Juan CH (2009) Control of prepotent responses by the superior medial frontal cortex. *Neuroimage* 44:537-545.
- Chikazoe J (2010) Localizing performance of go/no-go tasks to prefrontal cortical subregions. *Curr Opin Psychiatry* 23:267-272.
- Ciesielski KT, Rauch SL, Ahlfors SP, Vangel ME, Wilhelm S, Rosen BR, Hamalainen MS (2012) Role of medial cortical networks for anticipatory processing in obsessive-compulsive disorder. *Hum Brain Mapp* 33:2125-2134.
- Cocchi L, Harrison BJ, Pujol J, Harding IH, Fornito A, Pantelis C, Yucel M (2012) Functional alterations of large-scale brain networks related to cognitive control in obsessive-compulsive disorder. *Hum Brain Mapp* 33:1089-1106.
- Coffey BJ, Miguel EC, Biederman J, Baer L, Rauch SL, O'Sullivan RL, Savage CR, Phillips K, Borgman A, Green-Leibovitz MI, Moore E, Park KS, Jenike MA (1998) Tourette's disorder with and without obsessive-compulsive disorder in adults: are they different? *J Nerv Ment Dis* 186:201-206.
- Cole MW, Repovs G, Anticevic A (2014) The frontoparietal control system: a central role in mental health. *Neuroscientist* 20:652-664.
- Congdon E, Mumford JA, Cohen JR, Galvan A, Aron AR, Xue G, Miller E, Poldrack RA (2010) Engagement of large-scale networks is related to individual differences in inhibitory control. *Neuroimage* 53:653-663.
- Cools R, D'Esposito M (2011) Inverted-U-shaped dopamine actions on human working memory and cognitive control. *Biol Psychiatry* 69:e113-e125.
- Cuthbert BN (2014) The RDoC framework: facilitating transition from ICD/DSM to dimensional approaches that integrate neuroscience and psychopathology. *World Psychiatry* 13:28-35.
- Czoty PW, Riddick NV, Gage HD, Sandridge M, Nader SH, Garg S, Bounds M, Garg PK, Nader MA (2009) Effect of menstrual cycle phase on dopamine D2 receptor availability in female cynomolgus monkeys. *Neuropsychopharmacology* 34:548-554.
- D
- D'Esposito M, Postle BR, Rypma B (2000) Prefrontal cortical contributions to working memory: evidence from event-related fMRI studies. *Exp Brain Res* 133:3-11.

## REFERENCES

---

- Davis LK, et al. (2013) Partitioning the heritability of Tourette syndrome and obsessive compulsive disorder reveals differences in genetic architecture. *PLoS Genet* 9:e1003864.
- de Bruijn C, Beun S, de GR, ten Have M., Denys D (2010) Subthreshold symptoms and obsessive-compulsive disorder: evaluating the diagnostic threshold. *Psychol Med* 40:989-997.
- de Mathis MA, Diniz JB, Hounie AG, Shavitt RG, Fossaluza V, Ferrao Y, Leckman JF, de Braganca Pereira CA, do Rosario MC, Miguel EC (2013) Trajectory in obsessive-compulsive disorder comorbidities. *Eur Neuropsychopharmacol* 23:594-601.
- de Mathis MA, do Rosario MC, Diniz JB, Torres AR, Shavitt RG, Ferrao YA, Fossaluza V, de Braganca Pereira CA, Miguel EC (2008) Obsessive-compulsive disorder: influence of age at onset on comorbidity patterns. *Eur Psychiatry* 23:187-194.
- de Vries FE, de Wit SJ, Cath DC, van der Werf YD, van der Borden V, van Rossum TB, van Balkom AJ, van der Wee NJ, Veltman DJ, van den Heuvel OA (2014) Compensatory frontoparietal activity during working memory: an endophenotype of obsessive-compulsive disorder. *Biol Psychiatry* 76:878-887.
- de Wit SJ, et al. (2014) Multicenter voxel-based morphometry mega-analysis of structural brain scans in obsessive-compulsive disorder. *Am J Psychiatry* 171:340-349.
- de Wit SJ, de Vries FE, van der Werf YD, Cath DC, Heslenfeld DJ, Veltman EM, van Balkom AJ, Veltman DJ, van den Heuvel OA (2012) Presupplementary motor area hyperactivity during response inhibition: a candidate endophenotype of obsessive-compulsive disorder. *Am J Psychiatry* 169:1100-1108.
- de Wit SJ, van der Werf YD, Mataix-Cols D, Trujillo JP, van Oppen P, Veltman DJ, van den Heuvel OA (2015) Emotion regulation before and after transcranial magnetic stimulation in obsessive compulsive disorder. *Psychol Med* 45:3059-73.
- Delorme R, Betancur C, Chaste P, Kerneis S, Stopin A, Mouren MC, Collet C, Bourgeron T, Leboyer M, Launay JM (2010) Reduced 3-O-methyl-dopa levels in OCD patients and their unaffected parents is associated with the low activity M158 COMT allele. *Am J Med Genet B Neuropsychiatr Genet* 153B:542-548.
- Delorme R, Gousse V, Roy I, Trandafir A, Mathieu F, Mouren-Simeoni MC, Betancur C, Leboyer M (2007) Shared executive dysfunctions in unaffected relatives of patients with autism and obsessive-compulsive disorder. *Eur Psychiatry* 22:32-38.
- den Braber A, van 't Ent D, Blokland GA, van Grootheest DS, Cath DC, Veltman DJ, de Ruiter MB, Boomsma DI (2008) An fMRI study in monozygotic twins discordant for obsessive-compulsive symptoms. *Biol Psychol* 79:91-102.
- den Braber A, van 't Ent D, Cath DC, Wagner J, Boomsma DI, de Geus EJ (2010) Brain activation during cognitive planning in twins discordant or concordant for obsessive-compulsive symptoms. *Brain* 133:3123-3140.
- Denys D, van der WN, Janssen J, de Geus F, Westenberg HG (2004) Low level of dopaminergic D2 receptor binding in obsessive-compulsive disorder. *Biol Psychiatry* 55:1041-1045.
- do Rosario-Campos MC, Leckman JF, Curi M, Quatrano S, Katsovitch L, Miguel EC, Pauls DL (2005) A family study of early-onset obsessive-compulsive disorder. *Am J Med Genet B Neuropsychiatr Genet* 136B:92-97.
- Dosenbach NU, Fair DA, Cohen AL, Schlaggar BL, Petersen SE (2008) A dual-networks architecture of top-down control. *Trends Cogn Sci* 12:99-105.
- Dosenbach NU, Fair DA, Miezin FM, Cohen AL, Wenger KK, Dosenbach RA, Fox MD, Snyder AZ, Vincent JL, Raichle ME, Schlaggar BL, Petersen SE (2007) Distinct brain networks for adaptive and stable task control in humans. *Proc Natl Acad Sci U S A* 104:11073-11078.
- Du Paul GJ, Power TJ, Anastopoulos AD, Reid R (1998) ADHD rating scale-IV: Checklists, norms and clinical interpretation. New York: Guilford Publications, Inc.
- E
- Eisen JL, Pinto A, Mancebo MC, Dyck IR, Orlando ME, Rasmussen SA (2010) A 2-year prospective follow-up study of the course of obsessive-compulsive disorder. *J Clin Psychiatry* 71:1033-1039.

- Eisen JL, Sibrava NJ, Boisseau CL, Mancebo MC, Stout RL, Pinto A, Rasmussen SA (2013) Five-year course of obsessive-compulsive disorder: predictors of remission and relapse. *J Clin Psychiatry* 74:233-239.
- Elliott R, Dolan RJ, Frith CD (2000) Dissociable functions in the medial and lateral orbitofrontal cortex: evidence from human neuroimaging studies. *Cereb Cortex* 10:308-317.
- Etkin A, Egner T, Kalisch R (2011) Emotional processing in anterior cingulate and medial prefrontal cortex. *Trends Cogn Sci* 15:85-93.

## F

- Fan S, van der Werf YD, Cath DC, Veltman DJ, van den Heuvel OA (2016) Trans-diagnostic comparison of response inhibition in Tourette's Syndrome and Obsessive-Compulsive Disorder. In: *Society of Biological Psychiatry*.
- Farrell L, Waters A, Milliner E, Ollendick T (2012) Comorbidity and treatment response in pediatric obsessive-compulsive disorder: a pilot study of group cognitive-behavioral treatment. *Psychiatry Res* 199:115-123.
- Faul F, Erdfelder E, Lang AG, Buchner A (2007) G\*Power 3: a flexible statistical power analysis program for the social, behavioral, and biomedical sciences. *Behav Res Methods* 39:175-191.
- Ferrao YA, Miguel E, Stein DJ (2009) Tourette's syndrome, trichotillomania, and obsessive-compulsive disorder: how closely are they related? *Psychiatry Res* 170:32-42.
- Feege M, Wieleard I, Mazaheri A, Denys D (2013) Neurosurgical targets for compulsivity: what can we learn from acquired brain lesions? *Neurosci Biobehav Rev* 37:328-339.
- Fineberg NA, Potenza MN, Chamberlain SR, Berlin HA, Menzies L, Bechara A, Sahakian BJ, Robbins TW, Bullmore ET, Hollander E (2010) Probing compulsive and impulsive behaviors, from animal models to endophenotypes: a narrative review. *Neuropsychopharmacology* 35:591-604.
- First MB, Spitzer RL, Gibbon M, Williams JB (1999) Structured clinical interview for DSM-IV axis I disorders - patient edition (SCID-I/P (version 2.0) edn).
- Fitzgerald KD, Stern ER, Angstadt M, Nicholson-Muth KC, Maynor MR, Welsh RC, Hanna GL, Taylor SF (2010) Altered function and connectivity of the medial frontal cortex in pediatric obsessive-compulsive disorder. *Biol Psychiatry* 68:1039-1047.
- Fitzgerald KD, Welsh RC, Gehring WJ, Abelson JL, Himle JA, Liberzon I, Taylor SF (2005) Error-related hyperactivity of the anterior cingulate cortex in obsessive-compulsive disorder. *Biol Psychiatry* 57:287-294.
- Foa EB, Huppert JD, Leiberg S, Langner R, Kichic R, Hajcak G, Salkovskis PM (2002) The Obsessive-Compulsive Inventory: development and validation of a short version. *Psychol Assess* 14:485-496.
- Fontenelle LF, Harrison BJ, Pujol J, Davey CG, Fornito A, Bora E, Pantelis C, Yucel M (2012) Brain functional connectivity during induced sadness in patients with obsessive-compulsive disorder. *J Psychiatry Neurosci* 37:231-240.
- Fox MD, Raichle ME (2007) Spontaneous fluctuations in brain activity observed with functional magnetic resonance imaging. *Nat Rev Neurosci* 8:700-711.
- Fried I, Katz A, McCarthy G, Sass KJ, Williamson P, Spencer SS, Spencer DD (1991) Functional organization of human supplementary motor cortex studied by electrical stimulation. *J Neurosci* 11:3656-3666.

## G

- Garavan H, Ross TJ, Stein EA (1999) Right hemispheric dominance of inhibitory control: an event-related functional MRI study. *Proc Natl Acad Sci U S A* 96:8301-8306.
- Gazzaley A, Cooney JW, Rissman J, D'Esposito M (2005) Top-down suppression deficit underlies working memory impairment in normal aging. *Nat Neurosci* 8:1298-1300.
- Geller DA, Biederman J, Stewart SE, Mullin B, Farrell C, Wagner KD, Emslie G, Carpenter D (2003) Impact of comorbidity on treatment response to paroxetine in pediatric obsessive-compulsive disorder: is the use of exclusion criteria empirically supported in randomized clinical trials? *J Child Adolesc Psychopharmacol* 13 Suppl 1:S19-S29.

## REFERENCES

---

- George MS, Robertson MM, Costa DC, Ell PJ, Trimble MR, Pilowsky L, Verhoeff NP (1994) Dopamine receptor availability in Tourette's syndrome. *Psychiatry Res* 55:193-203.
- Gerard E, Peterson BS (2003) Developmental processes and brain imaging studies in Tourette syndrome. *J Psychosom Res* 55:13-22.
- Gevins A, Cuttito B (1993) Spatiotemporal dynamics of component processes in human working memory. *Electroencephalogr Clin Neurophysiol* 87:128-143.
- Gilbert DL, Christian BT, Gelfand MJ, Shi B, Mantil J, Sallee FR (2006) Altered mesolimbocortical and thalamic dopamine in Tourette syndrome. *Neurology* 67:1695-1697.
- Gillan CM, Pappmeyer M, Morein-Zamir S, Sahakian BJ, Fineberg NA, Robbins TW, de Wit S. (2011) Disruption in the balance between goal-directed behavior and habit learning in obsessive-compulsive disorder. *Am J Psychiatry* 168:718-726.
- Gillan CM, Robbins TW (2014) Goal-directed learning and obsessive-compulsive disorder. *Philos Trans R Soc Lond B Biol Sci* 369.
- Ginsburg GS, Kingery JN, Drake KL, Grados MA (2008) Predictors of treatment response in pediatric obsessive-compulsive disorder. *J Am Acad Child Adolesc Psychiatry* 47:868-878.
- Goldin PR, Manber-Ball T, Werner K, Heimberg R, Gross JJ (2009) Neural mechanisms of cognitive reappraisal of negative self-beliefs in social anxiety disorder. *Biol Psychiatry* 66:1091-1099.
- Gomes de Alvarenga P, de Mathis MA, Dominguez Alves AC, do Rosario MC, Fossaluzza V, Hounie AG, Miguel EC, Rodrigues TA (2012) Clinical features of tic-related obsessive-compulsive disorder: results from a large multicenter study. *CNS Spectr* 17:87-93.
- Goodman WK, Price LH, Rasmussen SA, Mazure C, Fleischmann RL, Hill CL, Heninger GR, Charney DS (1989) The Yale-Brown Obsessive Compulsive Scale. I. Development, use, and reliability. *Arch Gen Psychiatry* 46:1006-1011.
- Gorman DA, Thompson N, Plessen KJ, Robertson MM, Leckman JF, Peterson BS (2010) Psychosocial outcome and psychiatric comorbidity in older adolescents with Tourette syndrome: controlled study. *Br J Psychiatry* 197:36-44.
- Gottesman II, Gould TD (2003) The endophenotype concept in psychiatry: etymology and strategic intentions. *Am J Psychiatry* 160:636-645.
- Gottlich M, Kramer UM, Kordon A, Hohagen F, Zurowski B (2014) Decreased limbic and increased fronto-parietal connectivity in unmedicated patients with obsessive-compulsive disorder. *Hum Brain Mapp* 35:5617-5632.
- Grace AA, Bunney BS (1983) Intracellular and extracellular electrophysiology of nigral dopaminergic neurons--I. Identification and characterization. *Neuroscience* 10:301-315.
- Grace AA, Floresco SB, Goto Y, Lodge DJ (2007) Regulation of firing of dopaminergic neurons and control of goal-directed behaviors. *Trends Neurosci* 30:220-227.
- Grados MA, Mathews CA (2008) Latent class analysis of Gilles de la Tourette syndrome using comorbidities: clinical and genetic implications. *Biol Psychiatry* 64:219-225.
- Greisberg S, McKay D (2003) Neuropsychology of obsessive-compulsive disorder: a review and treatment implications. *Clin Psychol Rev* 23:95-117.
- Groenewegen HJ, van den Heuvel OA, Cath DC, Voorn P, Veltman DJ (2003) Does an imbalance between the dorsal and ventral striatopallidal systems play a role in Tourette's syndrome? A neuronal circuit approach. *Brain Dev* 25 Suppl 1:S3-S14.
- Grutzmann R, Endrass T, Kaufmann C, Allen E, Eichele T, Kathmann N (2014) Presupplementary Motor Area Contributes to Altered Error Monitoring in Obsessive-Compulsive Disorder. *Biol Psychiatry*.
- Gu BM, Park JY, Kang DH, Lee SJ, Yoo SY, Jo HJ, Choi CH, Lee JM, Kwon JS (2008) Neural correlates of cognitive inflexibility during task-switching in obsessive-compulsive disorder. *Brain* 131:155-164.
- Gunn RN, Lammertsma AA, Hume SP, Cunningham VJ (1997) Parametric imaging of ligand-receptor binding in PET using a simplified reference region model. *Neuroimage* 6:279-287.

## H

- Haber SN (2003) The primate basal ganglia: parallel and integrative networks. *J Chem Neuroanat* 26:317-330.
- Hageman WJ, Arrindell WA (1993) A further refinement of the reliable change (RC) index by improving the pre-post difference score: introducing RCID. *Behav Res Ther* 31:693-700.
- Hamilton M (1959) The assessment of anxiety states by rating. *Br J Med Psychol* 32:50-55.
- Hamilton M (1960) A rating scale for depression. *J Neurol Neurosurg Psychiatry* 23:56-62.
- Hampson M, Tokoglu F, King RA, Constable RT, Leckman JF (2009) Brain areas coactivating with motor cortex during chronic motor tics and intentional movements. *Biol Psychiatry* 65:594-599.
- Hanna GL, Himle JA, Curtis GC, Gillespie BW (2005) A family study of obsessive-compulsive disorder with pediatric probands. *Am J Med Genet B Neuropsychiatr Genet* 134B:13-19.
- Harkin B, Kessler K (2011) The role of working memory in compulsive checking and OCD: a systematic classification of 58 experimental findings. *Clin Psychol Rev* 31:1004-1021.
- Harrison BJ, Pujol J, Cardoner N, Deus J, Alonso P, Lopez-Sola M, Contreras-Rodriguez O, Real E, Segalas C, Blanco-Hinojo L, Menchon JM, Soriano-Mas C (2013) Brain corticostriatal systems and the major clinical symptom dimensions of obsessive-compulsive disorder. *Biol Psychiatry* 73:321-328.
- Harrison BJ, Soriano-Mas C, Pujol J, Ortiz H, Lopez-Sola M, Hernandez-Ribas R, Deus J, Alonso P, Yucel M, Pantelis C, Menchon JM, Cardoner N (2009) Altered corticostriatal functional connectivity in obsessive-compulsive disorder. *Arch Gen Psychiatry* 66:1189-1200.
- Henseler I, Gruber O, Kraft S, Krick C, Reith W, Falkai P (2008) Compensatory hyperactivations as markers of latent working memory dysfunctions in patients with obsessive-compulsive disorder: an fMRI study. *J Psychiatry Neurosci* 33:209-215.
- Hirschtritt ME, Lee PC, Pauls DL, Dion Y, Grados MA, Illmann C, King RA, Sandor P, McMahon WM, Lyon GJ, Cath DC, Kurlan R, Robertson MM, Osiecki L, Scharf JM, Mathews CA (2015) Lifetime prevalence, age of risk, and genetic relationships of comorbid psychiatric disorders in Tourette syndrome. *JAMA Psychiatry* 72:325-333.
- Hoexter MQ, Miguel EC, Diniz JB, Shavitt RG, Busatto GF, Sato JR (2013) Predicting obsessive-compulsive disorder severity combining neuroimaging and machine learning methods. *J Affect Disord* 150:1213-1216.
- Hofmeijer-Sevink MK, van Oppen P, van Megen HJ, Batelaan NM, Cath DC, van der Wee NJ, van den Hout MA, van Balkom AJ (2013) Clinical relevance of comorbidity in obsessive compulsive disorder: the Netherlands OCD Association study. *J Affect Disord* 150:847-854.
- Holzer JC, Goodman WK, McDougle CJ, Baer L, Boyarsky BK, Leckman JF, Price LH (1994) Obsessive-compulsive disorder with and without a chronic tic disorder. A comparison of symptoms in 70 patients. *Br J Psychiatry* 164:469-473.
- Hou JM, Zhao M, Zhang W, Song LH, Wu WJ, Wang J, Zhou DQ, Xie B, He M, Guo JW, Qu W, Li HT (2014) Resting-state functional connectivity abnormalities in patients with obsessive-compulsive disorder and their healthy first-degree relatives. *J Psychiatry Neurosci* 39:304-311.
- Humble M, Bejerot S, Bergqvist PB, Bengtsson F (2001) Reactivity of serotonin in whole blood: relationship with drug response in obsessive-compulsive disorder. *Biol Psychiatry* 49:360-368.
- Husted DS, Shapira NA, Murphy TK, Mann GD, Ward HE, Goodman WK (2007) Effect of comorbid tics on a clinically meaningful response to 8-week open-label trial of fluoxetine in obsessive compulsive disorder. *J Psychiatr Res* 41:332-337.

## I

- Innis RB, et al. (2007) Consensus nomenclature for in vivo imaging of reversibly binding radioligands. *J Cereb Blood Flow Metab* 27:1533-1539.
- Isoda M, Hikosaka O (2007) Switching from automatic to controlled action by monkey medial frontal cortex. *Nat Neurosci* 10:240-248.

## REFERENCES

---

### J

- Jacobson NS, Truax P (1991) Clinical significance: a statistical approach to defining meaningful change in psychotherapy research. *J Consult Clin Psychol* 59:12-19.
- Jahanshahi M, Obeso I, Rothwell JC, Obeso JA (2015) A fronto-striato-subthalamic-pallidal network for goal-directed and habitual inhibition. *Nat Rev Neurosci* 16:719-732.
- Jaisoorya TS, Reddy YC, Srinath S, Thennarasu K (2008) Obsessive-compulsive disorder with and without tic disorder: a comparative study from India. *CNS Spectr* 13:705-711.
- Jakubovski E, Diniz JB, Valerio C, Fossaluza V, Belotto-Silva C, Gorenstein C, Miguel E, Shavitt RG (2013) Clinical predictors of long-term outcome in obsessive-compulsive disorder. *Depress Anxiety* 30:763-772.
- Jansma JM, Ramsey NF, Coppola R, Kahn RS (2000) Specific versus nonspecific brain activity in a parametric N-back task. *Neuroimage* 12:688-697.
- Jeffries KJ, Schooler C, Schoenbach C, Herscovitch P, Chase TN, Braun AR (2002) The functional neuroanatomy of Tourette's syndrome: an FDG PET study III: functional coupling of regional cerebral metabolic rates. *Neuropsychopharmacology* 27:92-104.
- Johnstone T, Van Reekum CM, Urry HL, Kalin NH, Davidson RJ (2007) Failure to regulate: counterproductive recruitment of top-down prefrontal-subcortical circuitry in major depression. *J Neurosci* 27:8877-8884.

### K

- Kaiser RH, Andrews-Hanna JR, Wager TD, Pizzagalli DA (2015) Large-Scale Network Dysfunction in Major Depressive Disorder: A Meta-analysis of Resting-State Functional Connectivity. *JAMA Psychiatry* 72:603-611.
- Kalisch R, Gerlicher AM (2014) Making a mountain out of a molehill: on the role of the rostral dorsal anterior cingulate and dorsomedial prefrontal cortex in conscious threat appraisal, catastrophizing, and worrying. *Neurosci Biobehav Rev* 42:1-8.
- Kalisch R, Wiech K, Critchley HD, Seymour B, O'Doherty JP, Oakley DA, Allen P, Dolan RJ (2005) Anxiety reduction through detachment: subjective, physiological, and neural effects. *J Cogn Neurosci* 17:874-883.
- Kang DH, Jang JH, Han JY, Kim JH, Jung WH, Choi JS, Choi CH, Kwon JS (2013) Neural correlates of altered response inhibition and dysfunctional connectivity at rest in obsessive-compulsive disorder. *Prog Neuropsychopharmacol Biol Psychiatry* 40:340-346.
- Katerberg H, Delucchi KL, Stewart SE, Lochner C, Denys DA, Stack DE, Andresen JM, Grant JE, Kim SW, Williams KA, den Boer JA, van Balkom AJ, Smit JH, van Oppen P, Polman A, Jenike MA, Stein DJ, Mathews CA, Cath DC (2010) Symptom dimensions in OCD: item-level factor analysis and heritability estimates. *Behav Genet* 40:505-517.
- Katerberg H, Lochner C, Cath DC, de JP, Bochdanovits Z, Moolman-Smook JC, Hemmings SM, Carey PD, Stein DJ, Sondervan D, Boer JA, van Balkom AJ, Polman A, Heutink P (2009) The role of the brain-derived neurotrophic factor (BDNF) val66met variant in the phenotypic expression of obsessive-compulsive disorder (OCD). *Am J Med Genet B Neuropsychiatr Genet* 150B:1050-1062.
- Kawohl W, Bruhl A, Krowatschek G, Ketteler D, Herwig U (2009) Functional magnetic resonance imaging of tics and tic suppression in Gilles de la Tourette syndrome. *World J Biol Psychiatry* 10:567-570.
- Kempe PT, van Oppen P, de Haan E, Twisk JW, Sluis A, Smit JH, van Dyck R, van Balkom AJ (2007) Predictors of course in obsessive-compulsive disorder: logistic regression versus Cox regression for recurrent events. *Acta Psychiatr Scand* 116:201-210.
- Kendler KS, Zachar P, Craver C (2011) What kinds of things are psychiatric disorders? *Psychol Med* 41:1143-1150.
- Kichuk SA, Torres AR, Fontenelle LF, Rosario MC, Shavitt RG, Miguel EC, Pittenger C, Bloch MH (2013) Symptom dimensions are associated with age of onset and clinical course of obsessive-compulsive disorder. *Prog Neuropsychopharmacol Biol Psychiatry* 44:233-239.
- Kirmayer LJ, Crafa D (2014) What kind of science for psychiatry? *Front Hum Neurosci* 8:435.



- Klumpp H, Fitzgerald DA, Phan KL (2013) Neural predictors and mechanisms of cognitive behavioral therapy on threat processing in social anxiety disorder. *Prog Neuropsychopharmacol Biol Psychiatry* 45:83-91.
- Knight T, Steeves T, Day L, Lowerison M, Jette N, Pringsheim T (2012) Prevalence of tic disorders: a systematic review and meta-analysis. *Pediatr Neurol* 47:77-90.
- Kocak OM, Ozpolat AY, Atbasoglu C, Cicek M (2011) Cognitive control of a simple mental image in patients with obsessive-compulsive disorder. *Brain Cogn* 76:390-399.
- Koch K, Wagner G, Schachtzabel C, Peikert G, Schultz CC, Sauer H, Schlosser RG (2012) Aberrant anterior cingulate activation in obsessive-compulsive disorder is related to task complexity. *Neuropsychologia* 50:958-964.
- Kooij JJ, Buitelaar JK, van den Oord EJ, Furer JW, Rijnders CA, Hodiamont PP (2005) Internal and external validity of attention-deficit hyperactivity disorder in a population-based sample of adults. *Psychol Med* 35:817-827.
- Kuelz AK, Hohagen F, Voderholzer U (2004) Neuropsychological performance in obsessive-compulsive disorder: a critical review. *Biol Psychol* 65:185-236.
- L
- Lammertsma AA, Bench CJ, Hume SP, Osman S, Gunn K, Brooks DJ, Frackowiak RS (1996) Comparison of methods for analysis of clinical [<sup>11</sup>C]raclopride studies. *J Cereb Blood Flow Metab* 16:42-52.
- Landau YE, Steinberg T, Richmand B, Leckman JF, Apter A (2012) Involvement of immunologic and biochemical mechanisms in the pathogenesis of Tourette's syndrome. *J Neural Transm (Vienna)* 119:621-626.
- Langen M, Durston S, Kas MJ, van Engeland H, Staal WG (2011) The neurobiology of repetitive behavior: ...and men. *Neurosci Biobehav Rev* 35:356-365.
- Laruelle M (2000) Imaging synaptic neurotransmission with in vivo binding competition techniques: a critical review. *J Cereb Blood Flow Metab* 20:423-451.
- Leckman JF, Denys D, Simpson HB, Mataix-Cols D, Hollander E, Saxena S, Miguel EC, Rauch SL, Goodman WK, Phillips KA, Stein DJ (2010) Obsessive-compulsive disorder: a review of the diagnostic criteria and possible subtypes and dimensional specifiers for DSM-V. *Depress Anxiety* 27:507-527.
- Leckman JF, Grice DE, Barr LC, de Vries AL, Martin C, Cohen DJ, McDougle CJ, Goodman WK, Rasmussen SA (1994) Tic-related vs. non-tic-related obsessive compulsive disorder. *Anxiety* 1:208-215.
- Leckman JF, Grice DE, Boardman J, Zhang H, Vitale A, Bondi C, Alsobrook J, Peterson BS, Cohen DJ, Rasmussen SA, Goodman WK, McDougle CJ, Pauls DL (1997) Symptoms of obsessive-compulsive disorder. *Am J Psychiatry* 154:911-917.
- Leckman JF, Riddle MA, Hardin MT, Ort SI, Swartz KL, Stevenson J, Cohen DJ (1989) The Yale Global Tic Severity Scale: initial testing of a clinician-rated scale of tic severity. *J Am Acad Child Adolesc Psychiatry* 28:566-573.
- Leckman JF, Walker DE, Cohen DJ (1993) Premonitory urges in Tourette's syndrome. *Am J Psychiatry* 150:98-102.
- Lemus CZ, Lieberman JA, Johns CA, Mayerhoff DI, Pollack S, Cooper TB, Novacenko H (1991) Hormonal response to fenfluramine challenges in clozapine-treated schizophrenic patients. *Biol Psychiatry* 29:691-694.
- Lennertz L, Rampacher F, Vogeley A, Schulze-Rauschenbach S, Pukrop R, Ruhrmann S, Klosterkotter J, Maier W, Falkai P, Wagner M (2012) Antisaccade performance in patients with obsessive-compulsive disorder and unaffected relatives: further evidence for impaired response inhibition as a candidate endophenotype. *Eur Arch Psychiatry Clin Neurosci* 262:625-634.
- Licinio J, Wong ML (2013) A novel conceptual framework for psychiatry: vertically and horizontally integrated approaches to redundancy and pleiotropism that co-exist with a classification of symptom clusters based on DSM-5. *Mol Psychiatry* 18:846-848.
- Lieberman MD, Cunningham WA (2009) Type I and Type II error concerns in fMRI research: re-balancing the scale. *Soc Cogn Affect Neurosci* 4:423-428.
- Linden DE, Habes I, Johnston SJ, Linden S, Tatineni R, Subramanian L, Sorger B, Healy D, Goebel R (2012) Real-time self-regulation of emotion networks in patients with depression. *PLoS One* 7:e38115.

## REFERENCES

---

- Lipszyc J, Schachar R (2010) Inhibitory control and psychopathology: a meta-analysis of studies using the stop signal task. *J Int Neuropsychol Soc* 16:1064-1076.
- Logan GD (1994) On the ability to inhibit thought and action: A users' guide to the stop signal paradigm, in *Inhibitory processes in attention, memory, and language*. San Diego, CA, USA: Academic Press.
- Lowe TL, Cohen DJ, Detlor J, Kremenitzer MW, Shaywitz BA (1982) Stimulant medications precipitate Tourette's syndrome. *JAMA* 247:1729-1731.
- Lyketos CG, Nestadt G, Cwi J, Heithoff K, Eaton WW (1994) The life chart interview: a standardize method to describe the course of psychopathology. pp 143-155.
- M
- Maia TV, Frank MJ (2011) From reinforcement learning models to psychiatric and neurological disorders. *Nat Neurosci* 14:154-162.
- Makki MI, Govindan RM, Wilson BJ, Behen ME, Chugani HT (2009) Altered fronto-striato-thalamic connectivity in children with Tourette syndrome assessed with diffusion tensor MRI and probabilistic fiber tracking. *J Child Neurol* 24:669-678.
- Maltby N, Tolin DF, Worhunsky P, O'Keefe TM, Kiehl KA (2005) Dysfunctional action monitoring hyperactivates frontal-striatal circuits in obsessive-compulsive disorder: an event-related fMRI study. *Neuroimage* 24:495-503.
- Mannie ZN, Harmer CJ, Cowen PJ, Norbury R (2010) A functional magnetic resonance imaging study of verbal working memory in young people at increased familial risk of depression. *Biol Psychiatry* 67:471-477.
- Mantovani A, Lisanby SH, Pieraccini F, Ulivelli M, Castrogiovanni P, Rossi S (2006) Repetitive transcranial magnetic stimulation (rTMS) in the treatment of obsessive-compulsive disorder (OCD) and Tourette's syndrome (TS). *Int J Neuropsychopharmacol* 9:95-100.
- March JS, Franklin ME, Leonard H, Garcia A, Moore P, Freeman J, Foa E (2007) Tics moderate treatment outcome with sertraline but not cognitive-behavior therapy in pediatric obsessive-compulsive disorder. *Biol Psychiatry* 61:344-347.
- Mars RB, Klein MC, Neubert FX, Olivier E, Buch ER, Boorman ED, Rushworth MF (2009) Short-latency influence of medial frontal cortex on primary motor cortex during action selection under conflict. *J Neurosci* 29:6926-6931.
- Mars RB, Piekema C, Coles MG, Hulstijn W, Toni I (2007) On the programming and reprogramming of actions. *Cereb Cortex* 17:2972-2979.
- Masi G, Millepiedi S, Mucci M, Bertini N, Milantoni L, Arcangeli F (2005) A naturalistic study of referred children and adolescents with obsessive-compulsive disorder. *J Am Acad Child Adolesc Psychiatry* 44:673-681.
- Mataix-Cols D (2006) Deconstructing obsessive-compulsive disorder: a multidimensional perspective. *Curr Opin Psychiatry* 19:84-89.
- Mataix-Cols D, Rauch SL, Manzo PA, Jenike MA, Baer L (1999) Use of factor-analyzed symptom dimensions to predict outcome with serotonin reuptake inhibitors and placebo in the treatment of obsessive-compulsive disorder. *Am J Psychiatry* 156:1409-1416.
- Mataix-Cols D, van den Heuvel OA (2006) Common and distinct neural correlates of obsessive-compulsive and related disorders. *Psychiatr Clin North Am* 29:391-410, viii.
- Mataix-Cols D, Wooderson S, Lawrence N, Brammer MJ, Speckens A, Phillips ML (2004) Distinct neural correlates of washing, checking, and hoarding symptom dimensions in obsessive-compulsive disorder. *Arch Gen Psychiatry* 61:564-576.
- Mazzone L, Yu S, Blair C, Gunter BC, Wang Z, Marsh R, Peterson BS (2010) An FMRI study of frontostriatal circuits during the inhibition of eye blinking in persons with Tourette syndrome. *Am J Psychiatry* 167:341-349.
- McDougle CJ, Goodman WK, Leckman JF, Barr LC, Heninger GR, Price LH (1993) The efficacy of fluvoxamine in obsessive-compulsive disorder: effects of comorbid chronic tic disorder. *J Clin Psychopharmacol* 13:354-358.

- McLaren DG, Ries ML, Xu G, Johnson SC (2012) A generalized form of context-dependent psychophysiological interactions (gPPI): a comparison to standard approaches. *Neuroimage* 61:1277-1286.
- Melloni M, Urbistondo C, Sedeno L, Gelormini C, Kichic R, Ibanez A (2012) The extended fronto-striatal model of obsessive compulsive disorder: convergence from event-related potentials, neuropsychology and neuroimaging. *Front Hum Neurosci* 6:259.
- Menon V (2011) Large-scale brain networks and psychopathology: a unifying triple network model. *Trends Cogn Sci* 15:483-506.
- Menzies L, Achard S, Chamberlain SR, Fineberg N, Chen CH, del Campo N, Sahakian BJ, Robbins TW, Bullmore E (2007) Neurocognitive endophenotypes of obsessive-compulsive disorder. *Brain* 130:3223-3236.
- Menzies L, Chamberlain SR, Laird AR, Thelen SM, Sahakian BJ, Bullmore ET (2008a) Integrating evidence from neuroimaging and neuropsychological studies of obsessive-compulsive disorder: the orbitofronto-striatal model revisited. *Neurosci Biobehav Rev* 32:525-549.
- Menzies L, Williams GB, Chamberlain SR, Ooi C, Fineberg N, Suckling J, Sahakian BJ, Robbins TW, Bullmore ET (2008b) White matter abnormalities in patients with obsessive-compulsive disorder and their first-degree relatives. *Am J Psychiatry* 165:1308-1315.
- Mesina CT, Boellaard R, van den Heuvel OA, Veltman DJ, Jongbloed G, van der Vaart AW, Lammertsma AA (2003) Effects of attenuation correction and reconstruction method on PET activation studies. *Neuroimage* 20:898-908.
- Meyer P, Bohnen NI, Minoshima S, Koeppe RA, Wernette K, Kilbourn MR, Kuhl DE, Frey KA, Albin RL (1999) Striatal presynaptic monoaminergic vesicles are not increased in Tourette's syndrome. *Neurology* 53:371-374.
- Micali N, Hilton K, Nakatani E, Heyman I, Turner C, Mataix-Cols D (2011) Is childhood OCD a risk factor for eating disorders later in life? A longitudinal study. *Psychol Med* 41:2507-2513.
- Miguel EC, Leckman JF, Rauch S, do Rosario-Campos MC, Hounie AG, Mercadante MT, Chacon P, Pauls DL (2005) Obsessive-compulsive disorder phenotypes: implications for genetic studies. *Mol Psychiatry* 10:258-275.
- Milad MR, Furtak SC, Greenberg JL, Keshaviah A, Im JJ, Falkenstein MJ, Jenike M, Rauch SL, Wilhelm S (2013) Deficits in conditioned fear extinction in obsessive-compulsive disorder and neurobiological changes in the fear circuit. *JAMA Psychiatry* 70:608-618.
- Milad MR, Rauch SL (2012) Obsessive-compulsive disorder: beyond segregated cortico-striatal pathways. *Trends Cogn Sci* 16:43-51.
- Mink JW (2001) Basal ganglia dysfunction in Tourette's syndrome: a new hypothesis. *Pediatr Neurol* 25:190-198.
- Mito H, Matsuura N, Mukai K, Yanagisawa Y, Nakajima A, Motoyama M, Arikawa A, Yamanishi K, Matsunaga H (2014) The impacts of elevated autism spectrum disorder traits on clinical and psychosocial features and long-term treatment outcome in adult patients with obsessive-compulsive disorder. *Compr Psychiatry* 55:1526-1533.
- Montgomery SA, Asberg M (1979) A new depression scale designed to be sensitive to change. *Br J Psychiatry* 134:382-389.
- Moritz S, Kloss M, Jahn H, Schick M, Hand I (2003) Impact of comorbid depressive symptoms on nonverbal memory and visuospatial performance in obsessive-compulsive disorder. *Cogn Neuropsychiatry* 8:261-272.
- Mulligan RC, Knopik VS, Sweet LH, Fischer M, Seidenberg M, Rao SM (2011) Neural correlates of inhibitory control in adult attention deficit/hyperactivity disorder: evidence from the Milwaukee longitudinal sample. *Psychiatry Res* 194:119-129.
- Munro CA, McCaul ME, Wong DF, Oswald LM, Zhou Y, Brasic J, Kuwabara H, Kumar A, Alexander M, Ye W, Wand GS (2006) Sex differences in striatal dopamine release in healthy adults. *Biol Psychiatry* 59:966-974.
- Murphy K, Birn RM, Handwerker DA, Jones TB, Bandettini PA (2009) The impact of global signal regression on resting state correlations: are anti-correlated networks introduced? *Neuroimage* 44:893-905.

## REFERENCES

---

### N

- Nakao T, Nakagawa A, Nakatani E, Nabeyama M, Sanematsu H, Yoshiura T, Togao O, Tomita M, Masuda Y, Yoshioka K, Kuroki T, Kanba S (2009) Working memory dysfunction in obsessive-compulsive disorder: a neuropsychological and functional MRI study. *J Psychiatr Res* 43:784-791.
- Nestadt G, Di CZ, Riddle MA, Grados MA, Greenberg BD, Fyer AJ, McCracken JT, Rauch SL, Murphy DL, Rasmussen SA, Cullen B, Pinto A, Knowles JA, Piacentini J, Pauls DL, Bienvenu OJ, Wang Y, Liang KY, Samuels JF, Roche KB (2009) Obsessive-compulsive disorder: subclassification based on co-morbidity. *Psychol Med* 39:1491-1501.
- Nestadt G, Samuels J, Riddle M, Bienvenu OJ, III, Liang KY, LaBuda M, Walkup J, Grados M, Hoehn-Saric R (2000) A family study of obsessive-compulsive disorder. *Arch Gen Psychiatry* 57:358-363.
- Neubert FX, Mars RB, Buch ER, Olivier E, Rushworth MF (2010) Cortical and subcortical interactions during action reprogramming and their related white matter pathways. *Proc Natl Acad Sci U S A* 107:13240-13245.
- Neuner I, Werner CJ, Arrubla J, Stocker T, Ehlen C, Wegener HP, Schneider F, Shah NJ (2014) Imaging the where and when of tic generation and resting state networks in adult Tourette patients. *Front Hum Neurosci* 8:362.
- Nordstrom AL, Olsson H, Halldin C (1998) A PET study of D2 dopamine receptor density at different phases of the menstrual cycle. *Psychiatry Res* 83:1-6.

### O

- Ochsner KN, Gross JJ (2005) The cognitive control of emotion. *Trends Cogn Sci* 9:242-249.
- Oldfield RC (1971) The assessment and analysis of handedness: the Edinburgh inventory. *Neuropsychologia* 9:97-113.
- Olver JS, O'Keefe G, Jones GR, Burrows GD, Tochon-Danguy HJ, Ackermann U, Scott A, Norman TR (2009) Dopamine D1 receptor binding in the striatum of patients with obsessive-compulsive disorder. *J Affect Disord* 114:321-326.
- Ortiz AE, Morer A, Moreno E, Plana MT, Cordovilla C, Lazaro L (2015) Clinical significance of psychiatric comorbidity in children and adolescents with obsessive-compulsive disorder: subtyping a complex disorder. *Eur Arch Psychiatry Clin Neurosci*.
- Oswald LM, Wong DF, Zhou Y, Kumar A, Brasic J, Alexander M, Ye W, Kuwabara H, Hilton J, Wand GS (2007) Impulsivity and chronic stress are associated with amphetamine-induced striatal dopamine release. *Neuroimage* 36:153-166.
- Owen AM, McMillan KM, Laird AR, Bullmore E (2005) N-back working memory paradigm: a meta-analysis of normative functional neuroimaging studies. *Hum Brain Mapp* 25:46-59.

### P

- Page LA, Rubia K, Deeley Q, Daly E, Toal F, Mataix-Cols D, Giampietro V, Schmitz N, Murphy DG (2009) A functional magnetic resonance imaging study of inhibitory control in obsessive-compulsive disorder. *Psychiatry Res* 174:202-209.
- Palumbo D, Maughan A, Kurlan R (1997) Hypothesis III. Tourette syndrome is only one of several causes of a developmental basal ganglia syndrome. *Arch Neurol* 54:475-483.
- Paquette V, Levesque J, Mensour B, Leroux JM, Beaudoin G, Bourgouin P, Beaugard M (2003) "Change the mind and you change the brain": effects of cognitive-behavioral therapy on the neural correlates of spider phobia. *Neuroimage* 18:401-409.
- Pauls DL (2008) The genetics of obsessive compulsive disorder: a review of the evidence. *Am J Med Genet C Semin Med Genet* 148C:133-139.
- Pauls DL, Raymond CL, Stevenson JM, Leckman JF (1991) A family study of Gilles de la Tourette syndrome. *Am J Hum Genet* 48:154-163.
- Pauls DL, Towbin KE, Leckman JF, Zahner GE, Cohen DJ (1986) Gilles de la Tourette's syndrome and obsessive-compulsive disorder. Evidence supporting a genetic relationship. *Arch Gen Psychiatry* 43:1180-1182.

- Peng Z, Shi F, Shi C, Yang Q, Chan RC, Shen D (2014) Disrupted cortical network as a vulnerability marker for obsessive-compulsive disorder. *Brain Struct Funct* 219:1801-1812.
- Perani D, Garibotto V, Gorini A, Moresco RM, Henin M, Panzacchi A, Matarrese M, Carpinelli A, Bellodi L, Fazio F (2008) In vivo PET study of 5HT(2A) serotonin and D(2) dopamine dysfunction in drug-naive obsessive-compulsive disorder. *Neuroimage* 42:306-314.
- Peterson BS (2015) Editorial: Research Domain Criteria (RDoC): a new psychiatric nosology whose time has not yet come. *J Child Psychol Psychiatry* 56:719-722.
- Peterson BS, Pine DS, Cohen P, Brook JS (2001) Prospective, longitudinal study of tic, obsessive-compulsive, and attention-deficit/hyperactivity disorders in an epidemiological sample. *J Am Acad Child Adolesc Psychiatry* 40:685-695.
- Peterson BS, Skudlarski P, Anderson AW, Zhang H, Gatenby JC, Lacadie CM, Leckman JF, Gore JC (1998) A functional magnetic resonance imaging study of tic suppression in Tourette syndrome. *Arch Gen Psychiatry* 55:326-333.
- Petter T, Richter MA, Sandor P (1998) Clinical features distinguishing patients with Tourette's syndrome and obsessive-compulsive disorder from patients with obsessive-compulsive disorder without tics. *J Clin Psychiatry* 59:456-459.
- Phillips ML, Drevets WC, Rauch SL, Lane R (2003) Neurobiology of emotion perception I: The neural basis of normal emotion perception. *Biol Psychiatry* 54:504-514.
- Piallat B, Polosan M, Fraix V, Goetz L, David O, Fenoy A, Torres N, Quesada JL, Seigneuret E, Pollak P, Krack P, Bougerol T, Benabid AL, Chabardes S (2011) Subthalamic neuronal firing in obsessive-compulsive disorder and Parkinson disease. *Ann Neurol* 69:793-802.
- Pinto A, Mancebo MC, Eisen JL, Pagano ME, Rasmussen SA (2006) The Brown Longitudinal Obsessive Compulsive Study: clinical features and symptoms of the sample at intake. *J Clin Psychiatry* 67:703-711.
- Pohjalainen T, Rinne JO, Nagren K, Syvalahti E, Hietala J (1998) Sex differences in the striatal dopamine D2 receptor binding characteristics in vivo. *Am J Psychiatry* 155:768-773.
- Posner J, Marsh R, Maia TV, Peterson BS, Gruber A, Simpson HB (2014) Reduced functional connectivity within the limbic cortico-striato-thalamo-cortical loop in unmedicated adults with obsessive-compulsive disorder. *Hum Brain Mapp* 35:2852-2860.
- Pourfar M, Feigin A, Tang CC, Carbon-Correll M, Bussa M, Budman C, Dhawan V, Eidelberg D (2011) Abnormal metabolic brain networks in Tourette syndrome. *Neurology* 76:944-952.
- Pujol J, Soriano-Mas C, Alonso P, Cardoner N, Menchon JM, Deus J, Vallejo J (2004) Mapping structural brain alterations in obsessive-compulsive disorder. *Arch Gen Psychiatry* 61:720-730.
- Purcell R, Maruff P, Kyrios M, Pantelis C (1998) Cognitive deficits in obsessive-compulsive disorder on tests of frontal-striatal function. *Biol Psychiatry* 43:348-357.
- R
- Radua J, van den Heuvel OA, Surguladze S, Mataix-Cols D (2010) Meta-analytical comparison of voxel-based morphometry studies in obsessive-compulsive disorder vs other anxiety disorders. *Arch Gen Psychiatry* 67:701-711.
- Rajender G, Bhatia MS, Kanwal K, Malhotra S, Singh TB, Chaudhary D (2011) Study of neurocognitive endophenotypes in drug-naive obsessive-compulsive disorder patients, their first-degree relatives and healthy controls. *Acta Psychiatr Scand* 124:152-161.
- Rapoport JL, Swedo SE, Leonard HL (1992) Childhood obsessive compulsive disorder. *J Clin Psychiatry* 53 Suppl:11-16.
- Remijnse PL, van den Heuvel OA, Veltman DJ (2005) Neuroimaging in obsessive-compulsive disorder. pp 331-351.
- Reuter-Lorenz PA, Cappell KA (2008) Neurocognitive Aging and the Compensation Hypothesis. *Current Directions in Psychological Science* 17:177-182.

## REFERENCES

---

- Riesel A, Endrass T, Kaufmann C, Kathmann N (2011) Overactive error-related brain activity as a candidate endophenotype for obsessive-compulsive disorder: evidence from unaffected first-degree relatives. *Am J Psychiatry* 168:317-324.
- Robertson MM (2000) Tourette syndrome, associated conditions and the complexities of treatment. *Brain* 123 Pt 3:425-462.
- Rosario-Campos MC, Leckman JF, Mercadante MT, Shavitt RG, Prado HS, Sada P, Zamignani D, Miguel EC (2001) Adults with early-onset obsessive-compulsive disorder. *Am J Psychiatry* 158:1899-1903.
- Roth RM, Saykin AJ, Flashman LA, Pixley HS, West JD, Mamourian AC (2007) Event-related functional magnetic resonance imaging of response inhibition in obsessive-compulsive disorder. *Biol Psychiatry* 62:901-909.
- Ruscio AM, Stein DJ, Chiu WT, Kessler RC (2010) The epidemiology of obsessive-compulsive disorder in the National Comorbidity Survey Replication. *Mol Psychiatry* 15:53-63.
- S
- Saad ZS, Gotts SJ, Murphy K, Chen G, Jo HJ, Martín A, Cox RW (2012) Trouble at rest: how correlation patterns and group differences become distorted after global signal regression. *Brain Connect* 2:25-32.
- Sadaghiani S, D'Esposito M (2015) Functional Characterization of the Cingulo-Opercular Network in the Maintenance of Tonic Alertness. *Cereb Cortex* 25:2763-2773.
- Saka E, Graybiel AM (2003) Pathophysiology of Tourette's syndrome: striatal pathways revisited. *Brain Dev* 25 Suppl 1:S15-S19.
- Sakai Y, Narumoto J, Nishida S, Nakamae T, Yamada K, Nishimura T, Fukui K (2011) Corticostriatal functional connectivity in non-medicated patients with obsessive-compulsive disorder. *Eur Psychiatry* 26:463-469.
- Salazar RF, Dotson NM, Bressler SL, Gray CM (2012) Content-specific fronto-parietal synchronization during visual working memory. *Science* 338:1097-1100.
- Salimi-Khorshidi G, Douaud G, Beckmann CF, Glasser MF, Griffanti L, Smith SM (2014) Automatic denoising of functional MRI data: combining independent component analysis and hierarchical fusion of classifiers. *Neuroimage* 90:449-468.
- Savage CR, Baer L, Keuthen NJ, Brown HD, Rauch SL, Jenike MA (1999) Organizational strategies mediate nonverbal memory impairment in obsessive-compulsive disorder. *Biol Psychiatry* 45:905-916.
- Seahill LD, Leckman JF, Marek KL (1995) Sensory phenomena in Tourette's syndrome. *Adv Neurol* 65:273-280.
- Scharf JM, Miller LL, Mathews CA, Ben-Shlomo Y (2012) Prevalence of Tourette syndrome and chronic tics in the population-based Avon longitudinal study of parents and children cohort. *J Am Acad Child Adolesc Psychiatry* 51:192-201.
- Schmand B, Bakker D, Saan R, Louman J (1991) [The Dutch Reading Test for Adults: a measure of premorbid intelligence level]. *Tijdschr Gerontol Geriatr* 22:15-19.
- Schneider-Garces NJ, Gordon BA, Brumback-Peltz CR, Shin E, Lee Y, Sutton BP, Maclin EL, Gratton G, Fabiani M (2010) Span, CRUNCH, and beyond: working memory capacity and the aging brain. *J Cogn Neurosci* 22:655-669.
- Schneier FR, Martinez D, bi-Dargham A, Zea-Ponce Y, Simpson HB, Liebowitz MR, Laruelle M (2008) Striatal dopamine D(2) receptor availability in OCD with and without comorbid social anxiety disorder: preliminary findings. *Depress Anxiety* 25:1-7.
- Schuurmans J, van Balkom AJ, van Megen HJ, Smit JH, Eikelenboom M, Cath DC, Kaarsemaker M, Oosterbaan D, Hendriks GJ, Schruers KR, van der Wee NJ, Glas G, van Oppen P (2012) The Netherlands Obsessive Compulsive Disorder Association (NOODA) study: design and rationale of a longitudinal naturalistic study of the course of OCD and clinical characteristics of the sample at baseline. *Int J Methods Psychiatr Res* 21:273-285.
- Seeley WW, Menon V, Schatzberg AF, Keller J, Glover GH, Kenna H, Reiss AL, Greicius MD (2007) Dissociable intrinsic connectivity networks for salience processing and executive control. *J Neurosci* 27:2349-2356.

- Servaas MN, Riese H, Ormel J, Aleman A (2014) The neural correlates of worry in association with individual differences in neuroticism. *Hum Brain Mapp* 35:4303-4315.
- Shavitt RG, Belotto C, Curi M, Hounie AG, Rosario-Campos MC, Diniz JB, Ferrao YA, Pato MT, Miguel EC (2006) Clinical features associated with treatment response in obsessive-compulsive disorder. *Compr Psychiatry* 47:276-281.
- Sheffield JM, Repovs G, Harms MP, Carter CS, Gold JM, MacDonald AW, III, Daniel RJ, Silverstein SM, Godwin D, Barch DM (2015) Fronto-parietal and cingulo-opercular network integrity and cognition in health and schizophrenia. *Neuropsychologia* 73:82-93.
- Shin YW, Kwon JS, Kim JJ, Kang DH, Youn T, Kang KW, Kang E, Lee DS, Lee MC (2006) Altered neural circuit for working memory before and after symptom provocation in patients with obsessive-compulsive disorder. *Acta Psychiatr Scand* 113:420-429.
- Shugart YY, et al. (2006) Genomewide linkage scan for obsessive-compulsive disorder: evidence for susceptibility loci on chromosomes 3q, 7p, 1q, 15q, and 6q. *Mol Psychiatry* 11:763-770.
- Singer HS, Szymanski S, Giuliano J, Yokoi F, Dogan AS, Brasic JR, Zhou Y, Grace AA, Wong DF (2002) Elevated intrasynaptic dopamine release in Tourette's syndrome measured by PET. *Am J Psychiatry* 159:1329-1336.
- Skoog G, Skoog I (1999) A 40-year follow-up of patients with obsessive-compulsive disorder. *Arch Gen Psychiatry* 56:121-127.
- Smith SM, Fox PT, Miller KL, Glahn DC, Fox PM, Mackay CE, Filippini N, Watkins KE, Toro R, Laird AR, Beckmann CF (2009) Correspondence of the brain's functional architecture during activation and rest. *Proc Natl Acad Sci U S A* 106:13040-13045.
- Song XW, Dong ZY, Long XY, Li SF, Zuo XN, Zhu CZ, He Y, Yan CG, Zang YF (2011) REST: a toolkit for resting-state functional magnetic resonance imaging data processing. *PLoS One* 6:e25031.
- Sowell ER, Kan E, Yoshii J, Thompson PM, Bansal R, Xu D, Toga AW, Peterson BS (2008) Thinning of sensorimotor cortices in children with Tourette syndrome. *Nat Neurosci* 11:637-639.
- Stern E, Silbersweig DA, Chee KY, Holmes A, Robertson MM, Trimble M, Frith CD, Frackowiak RS, Dolan RJ (2000) A functional neuroanatomy of tics in Tourette syndrome. *Arch Gen Psychiatry* 57:741-748.
- Stern ER, Fitzgerald KD, Welsh RC, Abelson JL, Taylor SF (2012) Resting-state functional connectivity between fronto-parietal and default mode networks in obsessive-compulsive disorder. *PLoS One* 7:e36356.
- Stern ER, Welsh RC, Gonzalez R, Fitzgerald KD, Abelson JL, Taylor SF (2013) Subjective uncertainty and limbic hyperactivation in obsessive-compulsive disorder. *Hum Brain Mapp* 34:1956-1970.
- Stewart SE, Illmann C, Geller DA, Leckman JF, King R, Pauls DL (2006) A controlled family study of attention-deficit/hyperactivity disorder and Tourette's disorder. *J Am Acad Child Adolesc Psychiatry* 45:1354-1362.
- Subira M, Cano M, de Wit SJ, Alonso P, Cardoner N, Hoexter MQ, Kwon JS, Nakamae T, Lochner C, Sato JR, Jung WH, Narumoto J, Stein DJ, Pujol J, Mataix-Cols D, Veltman DJ, Menchon JM, van den Heuvel OA, Soriano-Mas C (2015) Structural covariance of neostriatal and limbic regions in patients with obsessive-compulsive disorder. *J Psychiatry Neurosci* 41:150012.
- Suetens K, Nuttin B, Gabriels L, Van Laere K (2014) Differences in metabolic network modulation between capsulotomy and deep-brain stimulation for refractory obsessive-compulsive disorder. *J Nucl Med* 55:951-959.
- Swedo SE, Rapoport JL, Cheslow DL, Leonard HL, Ayoub EM, Hosier DM, Wald ER (1989) High prevalence of obsessive-compulsive symptoms in patients with Sydenham's chorea. *Am J Psychiatry* 146:246-249.
- Szeszko PR, Ardekani BA, Ashtari M, Malhotra AK, Robinson DG, Bilder RM, Lim KO (2005) White matter abnormalities in obsessive-compulsive disorder: a diffusion tensor imaging study. *Arch Gen Psychiatry* 62:782-790.
- T
- Thompson PM, et al. (2015) ENIGMA and the Individual: Predicting Factors that Affect the Brain in 35 Countries Worldwide. *Neuroimage* in press.

## REFERENCES

---

- Thorsen AL, de Wit SJ, de Vries FE, Cath DC, Veltman DJ, van der Werf YD, Hansen B, Kvale G, van den Heuvel OA (2015) The endophenotype of emotional regulation in obsessive-compulsive disorder (OCD). In: Meeting of the International College of Obsessive-Compulsive Spectrum disorders.
- Tremblay L, Worbe Y, Thobois S, Sgambato-Faure V, Feger J (2015) Selective dysfunction of basal ganglia subterritories: From movement to behavioral disorders. *Mov Disord* 30:1155-1170.
- Turjanski N, Sawle GV, Playford ED, Weeks R, Lammertsma AA, Lees AJ, Brooks DJ (1994) PET studies of the presynaptic and postsynaptic dopaminergic system in Tourette's syndrome. *J Neurol Neurosurg Psychiatry* 57:688-692.
- Twisk J, de Boer M, de Vente W, Heymans M (2013) Multiple imputation of missing values was not necessary before performing a longitudinal mixed-model analysis. *J Clin Epidemiol* 66:1022-1028.
- U
- Ursu S, Stenger VA, Shear MK, Jones MR, Carter CS (2003) Overactive action monitoring in obsessive-compulsive disorder: evidence from functional magnetic resonance imaging. *Psychol Sci* 14:347-353.
- V
- van den Heuvel OA, Boellaard R, Veltman DJ, Mesina C, Lammertsma AA (2003) Attenuation correction of PET activation studies in the presence of task-related motion. *Neuroimage* 19:1501-1509.
- van den Heuvel OA, Mataix-Cols D, Zwieter G, Cath DC, van der Werf YD, Groenewegen HJ, van Balkom AJ, Veltman DJ (2011) Common limbic and frontal-striatal disturbances in patients with obsessive compulsive disorder, panic disorder and hypochondriasis. *Psychol Med* 41:2399-2410.
- van den Heuvel OA, Remijnse PL, Mataix-Cols D, Vrenken H, Groenewegen HJ, Uylings HB, van Balkom AJ, Veltman DJ (2009) The major symptom dimensions of obsessive-compulsive disorder are mediated by partially distinct neural systems. *Brain* 132:853-868.
- van den Heuvel OA, van Wingen G, Soriano-Mas C, Alonso P, Chamberlain SR, Nakamae T, Denys D, Goudriaan AE (2015) Brain circuitry in compulsivity. *Eur Neuropsychopharmacol* in press.
- van den Heuvel OA, Veltman DJ, Groenewegen HJ, Cath DC, van Balkom AJ, van Hartkamp J, Barkhof F, van Dyck R (2005) Frontal-striatal dysfunction during planning in obsessive-compulsive disorder. *Arch Gen Psychiatry* 62:301-309.
- van den Heuvel OA, Veltman DJ, Groenewegen HJ, Dolan RJ, Cath DC, Boellaard R, Mesina CT, van Balkom AJ, van Oppen P, Witter MP, Lammertsma AA, van Dyck R (2004) Amygdala activity in obsessive-compulsive disorder with contamination fear: a study with oxygen-15 water positron emission tomography. *Psychiatry Res* 132:225-237.
- van der Wee NJ, Ramsey NF, Jansma JM, Denys DA, van Megen HJ, Westenberg HM, Kahn RS (2003) Spatial working memory deficits in obsessive compulsive disorder are associated with excessive engagement of the medial frontal cortex. *Neuroimage* 20:2271-2280.
- van der Wee NJ, Ramsey NF, van Megen HJ, Denys D, Westenberg HG, Kahn RS (2007) Spatial working memory in obsessive-compulsive disorder improves with clinical response: A functional MRI study. *Eur Neuropsychopharmacol* 17:16-23.
- van der Weerd AP, Boellaard R, Knaapen P, Visser CA, Lammertsma AA, Visser FC (2004) Postinjection transmission scanning in myocardial 18F-FDG PET studies using both filtered backprojection and iterative reconstruction. *J Nucl Med* 45:169-175.
- van Grootheest DS, Bartels M, van Beijsterveldt CE, Cath DC, Beekman AT, Hudziak JJ, Boomsma DI (2008) Genetic and environmental contributions to self-report obsessive-compulsive symptoms in Dutch adolescents at ages 12, 14, and 16. *J Am Acad Child Adolesc Psychiatry* 47:1182-1188.
- van Grootheest DS, Cath DC, Beekman AT, Boomsma DI (2005) Twin studies on obsessive-compulsive disorder: a review. *Twin Res Hum Genet* 8:450-458.



- van Oppen P, de Haan E, van Balkom AJ, Spinhoven P, Hoogduin K, van Dyck R. (1995a) Cognitive therapy and exposure in vivo in the treatment of obsessive compulsive disorder. *Behav Res Ther* 33:379-390.
- van Oppen P, Hoekstra RJ, Emmelkamp PM (1995b) The structure of obsessive-compulsive symptoms. *Behav Res Ther* 33:15-23.
- van Os J. (2013) The dynamics of subthreshold psychopathology: implications for diagnosis and treatment. *Am J Psychiatry* 170:695-698.
- van Velzen LS, de Wit SJ, Curcic-Blake B, Cath DC, de Vries FE, Veltman DJ, van der Werf YD, van den Heuvel OA (2015) Altered inhibition-related frontolimbic connectivity in obsessive-compulsive disorder. *Hum Brain Mapp* 36:4064-4075.
- van Velzen LS, Vriend C, de Wit SJ, van den Heuvel OA (2014) Response inhibition and interference control in obsessive-compulsive spectrum disorders. *Front Hum Neurosci* 8:419.
- Visser HA, van Oppen P, van Megen HJ, Eikelenboom M, van Balkom AJ (2014) Obsessive-compulsive disorder; chronic versus non-chronic symptoms. *J Affect Disord* 152-154:169-174.
- Vulink NC, Denys D, Fluitman SB, Meinardi JC, Westenberg HG (2009) Quetiapine augments the effect of citalopram in non-refractory obsessive-compulsive disorder: a randomized, double-blind, placebo-controlled study of 76 patients. *J Clin Psychiatry* 70:1001-1008.
- W
- Wang Z, Maia TV, Marsh R, Colibazzi T, Gerber A, Peterson BS (2011) The neural circuits that generate tics in Tourette's syndrome. *Am J Psychiatry* 168:1326-1337.
- Weygandt M, Blecker CR, Schafer A, Hackmack K, Haynes JD, Vaitl D, Stark R, Schienle A (2012) fMRI pattern recognition in obsessive-compulsive disorder. *Neuroimage* 60:1186-1193.
- Wong DF, Brasic JR, Singer HS, Schretlen DJ, Kuwabara H, Zhou Y, Nandi A, Maris MA, Alexander M, Ye W, Rousset O, Kumar A, Szabo Z, Gjedde A, Grace AA (2008) Mechanisms of dopaminergic and serotonergic neurotransmission in Tourette syndrome: clues from an in vivo neurochemistry study with PET. *Neuropsychopharmacology* 33:1239-1251.
- Woolley J, Heyman I, Brammer M, Frampton I, McGuire PK, Rubia K (2008) Brain activation in paediatric obsessive compulsive disorder during tasks of inhibitory control. *Br J Psychiatry* 192:25-31.
- Worbe Y, Gerardin E, Hartmann A, Valabregue R, Chupin M, Tremblay L, Vidailhet M, Colliot O, Lehericy S (2010a) Distinct structural changes underpin clinical phenotypes in patients with Gilles de la Tourette syndrome. *Brain* 133:3649-3660.
- Worbe Y, Lehericy S, Hartmann A (2015) Neuroimaging of tic genesis: Present status and future perspectives. *Mov Disord* 30:1179-1183.
- Worbe Y, et al. (2010b) Repetitive behaviours in patients with Gilles de la Tourette syndrome: tics, compulsions, or both? *PLoS One* 5:e12959.
- Worbe Y, Palminteri S, Hartmann A, Vidailhet M, Lehericy S, Pessiglione M (2011) Reinforcement learning and Gilles de la Tourette syndrome: dissociation of clinical phenotypes and pharmacological treatments. *Arch Gen Psychiatry* 68:1257-1266.
- Worsley KJ, Marrett S, Neelin P, Vandal AC, Friston KJ, Evans AC (1996) A unified statistical approach for determining significant signals in images of cerebral activation. *Hum Brain Mapp* 4:58-73.
- X
- Xiao Z, Wang J, Zhang M, Li H, Tang Y, Wang Y, Fan Q, Fromson JA (2011) Error-related negativity abnormalities in generalized anxiety disorder and obsessive-compulsive disorder. *Prog Neuropsychopharmacol Biol Psychiatry* 35:265-272.

## REFERENCES

---

### Y

- Yu D, et al. (2015) Cross-disorder genome-wide analyses suggest a complex genetic relationship between Tourette's syndrome and OCD. *Am J Psychiatry* 172:82-93.
- Yucel M, Harrison BJ, Wood SJ, Fornito A, Wellard RM, Pujol J, Clarke K, Phillips ML, Kyrios M, Velakoulis D, Pantelis C (2007) Functional and biochemical alterations of the medial frontal cortex in obsessive-compulsive disorder. *Arch Gen Psychiatry* 64:946-955.